


ACCESSIBLE SANITARY EQUIPMENT

Catalogue vol. 6






We are happy to help.

CONTACT DETAILS

FOR THE COMMERCIAL BATHROOM AREA



GERMANY

RUD Ketten
Rieger & Dietz GmbH & Co. KG
Friedensinsel, 73432 Aalen
Tel. +49 7361 504-3260
Fax +49 7361 504-3644
objekteinrichtung@erlau.com
erlau-sanitaer.de

AUSTRIA

ERLAU in Österreich GmbH
Pfongauer Straße 67
5202 Neumarkt
Tel.: +43 6216 9000
Fax: +43 6216 9000-88
info@erlau.at
erlau-sanitaer.at

SWITZERLAND

ERLAU Schweiz AG
Florastrasse 14
8610 Uster
Tel.: +41 43 466 99 61

info@erlau.ch
erlau-sanitaer.ch

FOREWORD

Our family business has been synonymous with the combination of functionality, design and responsibility since 1828. What started as a passion for craftsmanship has grown into a brand that supports architects, designers, operators, and building owners across Europe, providing solutions where accessibility, aesthetics and quality converge in the bathroom.


We believe that safety and design are not mutually exclusive. The idea behind our products is that clean lines, high-quality materials, and clever details can transform spaces, making them functional, comfortable, and inspiring. We view accessibility as an opportunity for design, forming the basis of architecture that caters for people at every stage of life.

generational approach, committing to sustainability, quality, and collaboration. We develop solutions that blend seamlessly into modern architecture and sophisticated design concepts for healthcare and care facilities.

We would like to thank all those who share our vision – the architects, designers, and partners who view design as a philosophy. And we always keep an eye on functionality. Together, we create spaces that provide a sense of security, bring design to life, and shape the future.

Sincerely,

Dr Benjamin Rieger and the ERLAU team



As a fifth-generation family business, we adopt a cross-






TABLE OF CONTENTS

ERLAU general 6 - 35

Advantages	6
Installation & materials	8
References	12
Colour range	14

ERLAU Rundgrip 36 -113

Grab rails	36
Sliding shower rails and shower grab rails	44
Shower curtains, curtain rails and splash protection	56
Custom bathroom solutions	64
Shower seats	78
Support rails	86
COLORLINE bicolor	106

ERLAU accessories 114 - 175

COLORit	114
CIRCLE	144
CUBE	156
Spare parts & accessories	168

Useful information from ERLAU

176 - 209

Planning guide	176
Quickfinder	198
Product overview	199
Where to find us	206
Cleaning recommendation	208
Delivery & payment terms	209

YOUR PROJECT WITH ERLAU



FAMILY-RUN

- ✓ A family business founded in 1828
- ✓ Value-led with a long-term outlook and a focus on collaboration
 - Plans and actions
- ✓ with awareness of tradition combined with dynamism and innovation



JUST IN TIME

- ✓ Excellent product availability
- ✓ We offer same-day delivery for orders placed prior to 10.00 am
 - (stock items)



DIRECT MANUFACTURER PROCUREMENT

- ✓ Buy directly from the manufacturer
- ✓ Short supply chains
- ✓ Expert advice

Your benefits at a glance!

QUALITY

Our products are distinguished by their:

- ✓ Highest quality and functionality
- ✓ Centralised fixing without a rosette, meaning less dirt and bacteria
- ✓ Sustainable and long-lasting
- ✓ Environmentally friendly



SERVICE

- ✓ Expert advice available on site or over the phone
- ✓ As-built documents
- ✓ Advice and support with the choice of products directly on the building site
- ✓ Feature recommendations
- ✓ Sampling of different bathroom types with a virtual bathroom showroom for your project
- ✓ Support with producing a list of specifications
- ✓ Assistance with preparation of the tender
- ✓ Help with implementing custom solutions



CERTIFICATES

- ✓ EC-Declaration of conformity
- ✓ ISO 9001
- ✓ ISO 14001



INSTALLATION

Example



Mark it out.



Drill.



Mount the fitting on the wall.



The practical marker (pin) helps with this.



Simple alignment of the handle.
A single strike of the handle marks the second drill hole.



Mount the second fitting on the wall and align.



Place the handle tube on the two mounted fittings.



Screw in the set screws and tighten.



The handle is now fixed in position.

EASY INSTALLATION

FIXING WITHOUT A ROSETTE FOR BETTER HYGIENE

SAVE TIME WITH SINGLE-HOLE FIXING

COST SAVING



You can also find us on YouTube

OUR MATERIALS



Lightweight, stable, durable and 100% recyclable

Aluminium

...is a sustainable material and can be melted down to create new high-quality products again and again

...is a lightweight material, thus saving resources during transportation and assembly

...doesn't emit any substances that can damage groundwater or the environment

...can be anodised into various colours and coated, so offers great design flexibility

...is economical, flexible and durable

SINGLE-POINT FIXING -
Saves time during installation

65 MM DISTANCE TO THE WALL
to prevent jamming

POWDER-COATED for thermal insulation and pleasant to touch


MATERIAL THICKNESS at least 3 MM

TESTED to over 200 KILOGRAMS

FIXING WITHOUT ROSETTES
prevents bacterial deposits

TUBE DIAMETER 30 MM
for optimum grip

ALUMINIUM is durable and long-lasting



REFERENCES



Centre for Care and Support at the Maria-Hilf Chapel, Koblenz



Aicherhof Retirement and Care Home, Bernau am Chiemsee



Edelberg Retirement Home, Erdmannhausen





PUR VITAL Retirement Residence, Stephanskirchen



Retirement Home am Bächle, Rainau-Buch



Samaritan Foundation for Disabled Persons in the Ostalb Region, Bopfingen


You will find many more references at: erlau-sanitaer.de/infos/referenzen








COLOUR RANGE

Standard colour 1 (SC1)* Standard colour 2 (SF2)*



Colours to order*



Stock-held goods

Delivery times for large projects are available on request

Lead time: 8-10 weeks

*Please check the relevant product pages for colour availability

...special colours can be provided on request for projects – please feel free to ask!



PURE WHITE RAL 9010



STONE GREY RAL 7030







ANTHRACITE GREY
RAL 7016



RUBY RED
RAL 3003





PASTEL YELLOW
RAL 1034





GREY BEIGE
RAL 1019







RESEDA GREEN RAL 6011



AQUA BLUE RAL DESIGN 2205015





BLACK MATT









ANODISED
HIGH-GLOSS POLISH FINISH

Safety you can reach out and touch.





RUNDGRIP

Rundgrip is the proven and versatile profile from ERLAU. It guarantees an even hold and a secure grip, regardless of the angle.



GRAB RAILS

A secure and pleasant grip.

Functionality: grab rail and towel rail or shelf in one.

Easy to clean.

Assembly without rosettes, so bacteria and germs have no chance.

RUNDGRIP

GRAB RAIL

HG-R

CAN ALSO BE USED AS A TOWEL RAIL

- Round grip, made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Includes concealed centralised fixing without rosettes
- Load on grab rail up to 150 kg (from 1,000 mm length 100 kg)
- Optional: tile leveller (see page 68)



GRAB RAIL HG-R - CAN ALSO BE USED AS TOWEL RAIL

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
HG-R-300	300	344	0.82	53 621..*	
HG-R-400	400	444	0.93	53 622..*	
HG-R-500	500	544	1.03	53 623..*	
HG-R-600	600	644	1.14	53 624..*	
HG-R-700	700	744	1.24	53 625..*	
HG-R-800	800	844	1.35	53 626..*	
HG-R-900	900	944	1.46	53 627..*	
HG-R-1000	1000	1044	1.57	55 790..*	
HG-R-1200	1200	1244	1.79	55 791..*	

SENSIBLE ADDITIONS



Wall-mounted seat DEX

Art. no. 53 940..*

Page 84



Shelf AS-XLS

Art. no. 54 249..*



Page 142



Shower shelf DA

Art. no. 54 591..*

Page 143



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



RUNDGRIP

GRAB RAIL

HGE-R

CAN ALSO BE USED AS A TOWEL RAIL

- Rundgrip, for corner mounting, left or right made of corrosion-resistant aluminium, powder-coated in pure white
- Includes concealed centralised fixing without rosettes
- Permissible load up to 150 kg



EXPERT TIP
Can be short-
ened
to length

GRAB RAIL HGE-R – CORNER INSTALLATION

Article name	Length (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
HGE-R-690	690	712	1.83	53 703 01	

SENSIBLE ADDITIONS



Wall-mounted seat DEX

Art. no. 53 940..*


Page 84



Shelf AS-XLS

Art. no. 54 249..*

Page 142



ANGLED GRAB RAIL 45°



WG-45-R

- Rundgrip, can be installed on the right or left, made of corrosion-resistant powder-coated or anodised in a high-gloss polish finish
- Includes concealed centralised fixing without rosettes
- Permissible load up to 150 kg
- Optional: tile leveller (see page 68)



ANGLED GRAB RAIL 45° WG-45-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.
WG-45-R-300x300	300 x 300	556 x 256	1.34	53 630..*



SENSIBLE ADDITIONS



Shelf AS-XLS

Art. no. 54 249.*

Page 142



Toilet roll holder PAS-X-R

Art. no. 54 071.*

Page 101

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



RUNDGRIP

ANGLED GRAB RAIL 90°

WG-90-R



ANGLED GRAB RAIL 90° WG-90-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
WG-90-R-305x305	305 x 305	342 x 342	1.33	53 631.*	
WG-90-R-605x305	605 x 305	642 x 342	1.65	53 632.*	
WG-90-R-805x605	805 x 605	842 x 642	2.18	53 633.*	
WG-90-R-1005x605	1,005 x 605	1,042 x 642	2.39	53 634.*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



- Rundgrip, can be installed on the right or left, made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Includes concealed centralised fixing without rosettes
- Permissible load up to 150 kg
- Optional: tile leveller (see page 68)



SINNVOLLE ERGÄNZUNGEN



Shower holder BRH3

Art. no. 55 686..*

Page 174



Shelf AS-XLS

Art. no. 54 249..*

Page 142



Toilet roll holder PAS-X-R

Art. no. 54 071..*

Page 101



Shower hose BRS

Art. no. 5008464

Page 55



Hand shower HBR

Art. no. 5008466

Page 55

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:





SHOWER RAILS & SHOWER GRAB RAILS

Excellent usability: shower holder can be easily adjusted.

Corrosion-resistant and warm to the touch.

A secure grip even in wet zones. Assembly without rosettes, so bacteria and germs have no chance.

RUNDGRIP

SHOWER RAIL BS-R

- Rundgrip, also a grab rail, made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Shower holder suitable for all conventional hand showers, with freely adjustable height and angle. Convenient one-handed operation
- Includes concealed centralised fixing without rosettes
- Load on grab rail up to 100 kg (BS-R-800 to 150 kg)



SHOWER RAIL BS-R

Article name	Drilling dimensions (A) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
BS-R-800 **	800	844	1.33	55 787.*	
BS-R-1000	1,000	1,044	1.54	55 785.*	
BS-R-1200	1,200	1,244	1.75	55 784.*	

** Permissible load up to 150 kg

SENSIBLE ADDITIONS



Shower hose BRS

Art. no. 5008464


Page 55



Hand shower HBR

Art. no. 5008466

Page 55



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

RUNDGRIP

SHOWER RAIL BS-V


- Made of stainless steel, chrome-plated
- Shower holder BRH3 made of plastic, chrome-plated, compatible with all conventional hand showers. Convenient one-handed operation continuously adjustable height and angle
- Includes concealed centralised fixing without rosettes, variable position
- Very stable, WLL up to 150 kg (BS-V-1100 up to 100 kg)



**FLEXIBLE
DRILLING
POINT**

SHOWER RAIL BS-V

Article name	Outer dimensions (L) in mm	Weight in kg	Art. no.
BS-V-900 CHROME	900	1.50	55 821 85
BS-V-1100 CHROME	1,100	1.70	55 820 85





RUNDGRIP

SHOWER GRAB RAIL DB-R




SHOWER GRAB RAIL DB-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
DB-R-1205x500	1,205 x 500	1,254 x 544	2.58	55 782.*	
DB-R-1205x700	1,205 x 700	1,254 x 744	2.80	55 783.*	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

- Rundgrip, also a grab rail, made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Shower rail can be individually positioned via a T-link element
- Shower holder to fit all conventional hand showers, continuously adjustable height and angle. Convenient one-handed operation
- Includes concealed centralised fixing without rosettes
- Permissible load up to 150 kg (horizontally) or 100 kg (vertically)
- Optional: tile leveller (see page 68)



SENSIBLE ADDITIONS



Shelf AS-XLS

Art. no. 54 249..*

Page 142



Shower hose BRS

Art. no. 5008464

Page 55



Hand shower HBR

Art. no. 5008466

Page 55



Shower shelf DA

Art. no. 54 591..*

Page 143

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

RUNDGRIP

SHOWER GRAB RAIL DBE-R



EXPERT TIP

- ✓ Custom solutions for shower corners
- ✓ The shower grab rail can be fully turned around and fitted back-to-front.
- ✓ Dimension C can be shortened on site, dimension A + B (different dimension by replacing the handle tube, see from page 66)
- ✓ Replacing the tubes changes the dimensions for B & C


SHOWER GRAB RAIL DBE-R

Article name	Drilling dimensions (AxBxC) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
DBE-R-1205x785x790	1,205 x 785 x 790	1,254 x 807 x 812	3.83	55 781..*	
Dimensions when replacing B&C tube	1,205 x 885 x 690	1,254 x 907 x 712			
DBE-R-1205x985x790	1,205 x 985 x 790	1,254 x 1,007 x 812	4.04	55 780..*	
Dimensions when replacing B&C tube	1,205 x 885 x 890	1,254 x 907 x 912			

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

- Rundgrip, also a grab rail, can be installed on the right or left, made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Shower rail can be individually positioned via a T-link element
- Shower holder to fit all conventional hand showers, continuously adjustable height and angle. Convenient one-handed operation
- Includes concealed centralised fixing without rosettes
- Permissible load up to 150 kg (horizontally) or 100 kg (vertically)
- Optional: tile leveller (see page 68)



SENSIBLE ADDITIONS



Wall-mounted seat DEX

Art. no. 53 940.*

Page 84



Shelf AS-XLS

Art. no. 54 249.*

Page 142



Shower shelf DA

Art. no. 54 591.*

Page 143



Shower hose BRS

Art. no. 5008464

Page 55



Hand shower HBR

Art. no. 5008466

Page 55

RUNDGRIP

SHOWER GRAB RAILS AND SHOWER RAILS IN COLOURS TO ORDER

MIX & MATCH



* Please add the desired colour number to the last digits of the article no.:

On request:



Do you want to implement your project in one of our colours to order? Choose your shower holder in your preferred colour: white, anthracite grey or chrome. Get in touch!



SHOWER GRAB RAILS & SHOWER RAILS - WITHOUT SHOWER HOLDER

Article name	Drilling dimensions (AxBxC) in mm	Outer dimensions in mm	Weight in kg	On request
BS-R-800 **	800	844	1.33	
BS-R-1000	1,000	1,044	1.54	
BS-R-1200	1,200	1,244	1.75	
DB-R-1205x500	1,205 x 500	1,254 x 544	2.58	
DB-R-1205x700	1,205 x 700	1,254 x 744	2.80	
DBE-R-1205x785x790	1,205 x 785 x 790	1,254 x 807 x 812	3.83	
DBE-R-1205x985x790	1,205 x 985 x 790	1,254 x 1,007 x 812	4.04	



Shower holder BRH3
Pure white 9010
#5568601



Shower holder BRH3
Anthracite grey
RAL 7016
#5568608



Shower holder BRH3
Chrome
#5568685

RUNDGRIP HAND RAIL HL-R

- Round grip, made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Includes concealed centralised fixing without rosettes
- Permissible load up to 150 kg
- Optional: tile leveller (see page 68)

PROFESSIONAL ADVICE

Dimension B can be shortened on site, dimension A, different length by replacing the handle tube, see page 66



HAND RAIL HL-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
HL-R-785x790	785 x 790	807 x 812	2.25	53 640..*	
Dimensions when replacing tube AxB	885 x 690	907 x 712			

SENSIBLE ADDITIONS



Shelf AS-XLS


Art. no. 54 249..*

Page 142

Wall-mounted seat DEX

Art. no. 53 940..*

Page 84



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



ACCESSORIES

**HAND SHOWER
HBR**

- High-gloss chrome or matt black
- Extra lightweight
- Can be adjusted 3 ways (shower, soft or massage jet)
- Suitable for immersion heaters

**HAND SHOWER HBR**

Article name	Weight in kg	Art. no.	
HBR chrome	0.10	5005466	
HBR matt black	0.10	5008467	

ACCESSORIES

**SHOWER HOSE
BRS**

- Metal effect or matt black shower hose with conical nut R 1/2" and gaskets

**SHOWER HOSE BRS**

Article name	Length in mm	Weight in kg	Art. no.	
BRS chrome	1,600	0.20	5008464	
BRS black	1,600	0.20	5008465	



SHOWER CURTAINS AND CURTAIN RAILS & SPLASH PROTECTION

Hygienic and easy-care curtain.
With rounded rail to make the shower curtain
easier to use.
Can be shortened to custom lengths.

SHOWER CURTAINS AND CURTAIN RAILS


SHOWER CURTAIN RAIL DVS-G STRAIGHT

- Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Includes shower curtain rings
- Includes concealed centralised fixing without rosettes
- Can be shortened on site




SHOWER CURTAIN RAIL DVS-G – STRAIGHT

Article name	Number of curtain rings	Outer dimensions in mm	Weight in kg	Art. no.	
DVS-G-1000	12	1,000	1.27	53 644..*	
DVS-G-1500	12	1,500	1.83	53 645..*	
DVS-G-1950	16	1,950	3.52	53 646..*	



For DVS-G-1950:



SENSIBLE ADDITIONS



Shower curtain DV-180

Art. no. 501 492

Page 62



Shower curtain DV-240

Art. no. 501 493

Page 62

EXPERT TIP

Can be shortened to custom lengths

Erlau's recommendation for installation:

Drill hole 205 cm above floor level (=curtain 1.3 cm above floor level)

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



SHOWER CURTAINS AND CURTAIN
RAILS

SHOWER CURTAIN RAIL

DVS-L-B

L-SHAPED



SHOWER CURTAIN RAIL DVS-L-B - L-SHAPED

Article name	Quantity Curtain rings	Dimensions (AxB) in mm	Weight in kg	Art. no.	
DVS-L-B-1000x1000	16	1,000 x 1,000	3.3	53 934.*	
DVS-L-B-1200x1200	16	1,200 x 1,200	3.7	53 935.*	
DVS-L-B-1500x1500	24	1,500 x 1,500	4.4	53 936.*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): (01) (08) Standard colours 2 (SC2): (85)

On request:



- Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Includes shower curtain rings and 1,000 mm long shower curtain
- Includes concealed centralised fixing without rosettes
- Dimensions A, B and curtain can be shortened on site



SENSIBLE ADDITIONS



Shower curtain DV-180

Art. no. 501 492

Page 62



Shower curtain DV-240

Art. no. 501 493

Page 62



Shower curtain DV-360

Art. no. 8101739

Page 62

EXPERT TIP

Shower curtain rail double-sided and can be shortened on site.

Erlau's recommendation for

installation:

Drill hole 205 cm above floor level
(=curtain 1.3 cm above floor level)

SHOWER CURTAINS AND CURTAIN
RAILS

SHOWER CURTAIN RAIL

DVS-U-B


U-SHAPED

EXPERT TIP

Dimensions A+C and curtains can be shortened on site.

Erlau's recommendation for installation:

Drill hole 205 cm above floor level
(=curtain 1.3 cm above floor level)



SHOWER CURTAIN RAIL DVS-U-B - U-SHAPED

Article name	Quantity Curtain rings	Dimensions (AxBxC) in mm	Weight in kg	Art. no.	
DVS-U-B-1000x1010x1000	24	1,000 x 1,010 x 1,000	5.40	53 937..*	
DVS-U-B-1200x1210x1200	24	1,200 x 1,210 x 1,200	6.00	53 938..*	
DVS-U-B-1500x1510x1500	36	1,500 x 1,510 x 1,500	6.50	53 939..*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



- Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Includes shower curtain rings and 1,000 mm long shower curtain
- Includes concealed centralised fixing without rosettes
- Shower curtain rail dimensions A+C and curtain can be shortened on site



SENSIBLE ADDITIONS



Shower curtain DV-180

Art. no. 501 492

Page 62



Shower curtain DV-240

Art. no. 501 493

Page 62



Shower curtain DV-360

Art. no. 8101739

Page 62

ACCESSORIES

SHOWER CURTAIN DV

- Made from resin-treated polyester fabric, fungicidal, antibacterial, water- and dirt-repellent, antistatic and skin-friendly
- White with satin stripes, for shower curtain rails
- Tunnel seam at the top, seamed edges, with weighted roll seam along the bottom
- Washable at 40 degrees C




SHOWER CURTAIN DV

Article name	Number of eyelets	Dimensions in mm	Weight in kg	Art. no.	
DV-180	12	2,000 x 1,800	0.38	501 492	
DV-240	16	2,000 x 2,400	0.50	501 493	
DV-360	24	2,000 x 3,600	0.76	81 017 39	

ACCESSORIES

SPLASH PROTECTION CURTAIN

- Splash protection curtain (965x765 MM), made of resin-treated polyester, fungicidal, antibacterial, water and dirt-repellent, anti-static and skin-friendly. Colour white with white satin stripes. Tunnel seam at the top, seamed edges, with weighted roll seam along the bottom. Washable at 40 degrees C. Suitable for support rail XSE.




HINGED SUPPORT RAIL XSR DIRECT WITH SPLASH PROTECTION

Article name	Reach in mm	Weight in kg	Art. no.	
XSR Direct-850	850		55 506..*	
Splash protection curtain SZ-VH 40			5008536	
Washer for splash protection			5551208	

ACCESSORIES

CUSTOM CURTAIN RAILS

Create your own
custom curtain rail!




CUSTOM CURTAIN RAIL comprising:

Article name	Art. no.	
Corner for DVS-B	54 163..*	
Spare parts set DVS	50 080 27	
Comprising:		
2x threaded rods for DVS curtain		
6x spacers		
2x set screws M12x1x25		
2x fixing bolts		
2x set screws M6x12		
(Accessories sufficient to create a U-shaped curtain rail)		
Wall fixing (1 pc.)	53 772..*	
Assembly kit 1 (for two drill holes)	50 068 39	
Handle tubes in different lengths		See page 66
Shower curtain ring DVSR (set of 10)	5007039	

Corner dimensions for DVS-B:






CUSTOM
BATHROOM
SOLUTIONS

INDIVIDUAL COMPONENTS

CUSTOM BATHROOM SOLUTION



AWARD-WINNING

The modular range of grab handles from Erlau Objekteinrichtung was awarded the 2016 ICONIC AWARD INTERIOR INNOVATION and the 2017 GERMAN DESIGN AWARD.



INDIVIDUAL COMPONENTS

FOR CUSTOM BATHROOM SOLUTIONS

INDIVIDUAL COMPONENTS

Description	Article name	Item no.	
GRAB HANDLE RUNDGRIP made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish. 	Grab handle 256 mm	53 761..*	
	Grab handle 356 mm	53 762..*	
	Grab handle 456 mm	53 763..*	
	Grab handle 556 mm	53 764..*	
	Grab handle 656 mm	53 765..*	
	Grab handle 756 mm	53 766..*	
	Grab handle 856 mm	53 767..*	
	Grab handle 956 mm	53 768..*	
	Grab handle 1,056 mm	54 166..*	
	Grab handle 1,156 mm	53 769..*	
	Grab handle 1,356 mm	54 168..*	
	Grab handle 1,456 mm	53 770..*	
SPARE PARTS SET Item no. 5007010 Comprising:	• 7 spacers • 2 set screws M12 x 1 x 25 mm • 4 set screws M6 x 6.0 mm • 2 fixing bolts M12 • 2 set screws M10 x 16.0 mm • 1 marker		
ASSEMBLY KIT 1 Item no. 5006839 Comprising:	• 2 wood screws DIN 571 8 x 80 mm • 2 washers DIN 125A 8.4 mm • 2 Fischer wall plugs UX10 x 60 mm		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



INDIVIDUAL COMPONENTS

FOR CUSTOM BATHROOM SOLUTIONS



INDIVIDUAL COMPONENTS

Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish

Article name		Pcs/pack	Item no.	
1	CONNECTING PIECE	58 mm	2	53 771..*
		68 mm	1	53 780..*
2	WALL FIXING		1	53 772..*
3	T-LINK 90/1		2	55 339..*
4	CORNER PIECE 90/2		2	53 774..*
5	CORNER PIECE 45/3		2	53 775..*
6	CORNER PIECE 90/3		2	53 776..*
7	SHOWER HOLDER BRH3		1	55 686..*
8	WALL FIXING SET		1	54 339..*

See page 68

See page 69

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



INDIVIDUAL COMPONENTS

CONNECTING PIECE 68 MM

- Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Extended wall fixing (68 mm), suitable for Erlau shower grab rails, shower rails and grab rails with 1 cm tile offset. Pack contains = 1 pc



Uneven tiles? Not a problem for ERLAU - level tiles with our connecting piece 68 mm

CONNECTING PIECE 68 MM

Article name	Art. no.	
Connecting piece 68 mm	53 780..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:




INDIVIDUAL COMPONENTS WALL FIXING SET

- Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- To connect or affix long hand rails comprising several individual sections of hand rail to the wall.
- Suitable for Erlau shower grab rails, shower rails and grab rails
- Set contents: 1 x wall fixing and 1 x tube joint, including concealed centralised fixing without rosettes



WALL FIXING SET

Article name	Art. no.	
Wall fixing set	54 339..*	



The wall fixing set is used to affix grab rails or hand rails to a wall. It allows you to create long hand rails comprising several individual tube sections. Hand rails or grab rails affixed with the wall fixing set have a WLL of up to 150 kg, providing that the distance between the two wall fixing points is max. 900 mm (where the distance is max. 1,500 mm, the permissible load is 100 kg). By positioning the wall fixings in specific places it is possible to provide additional safety for longer self-supporting sections by dividing them up accordingly.

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85


On request:



INDIVIDUAL COMPONENTS

DRILL HOLE GASKET

- Silicone seal suitable for Erlau shower grab rails, Shower rails, grab rails or support rails and shower seats
- Complies with the requirements of sealing standards DIN 18534 / ETAG 022



SILICONE TUBE GASKET (suitable for Erlau shower grab rails, shower rails and grab rails)

Article name	Units in pack	Art. no.	
Gaskets in set of 10	10	50 080 69	
Gaskets in set of 30	30	50 080 70	
Gaskets in set of 100	100	50 080 71	

MOUNTING PLATE SEAL (suitable for Erlau support rails and shower seats)

Seal for VPX (suitable for hinged support rail XSK, XSE, XSS and folding shower seat DKX)	1	50 077 07	
---	---	-----------	--

The DIN 18534 series of standards for seals stipulates that surfaces subject to spray, water for domestic or industrial use and cleaning water need to be sealed. ERLAU drill hole gaskets meet these requirements and have been proven* to prevent moisture from penetrating the substrate via drill holes at the points where the fixing elements meet the (ceramic) surface.




*Proven based on ETAG 022 "Guideline for European Technical Approval of Watertight Covering Kits for Wet Room Floors and Walls - Part 1: Liquid applied coverings with or without wearing surface" and the test described in Annex F to the ETAG 022: "Water tightness around penetrations and other details in wet room walls with flexible substrate"



CUSTOM SOLUTIONS

SHOWER AREA EXAMPLE OF A SHOWER

For
self-supporting
lengths over 900 mm
a permissible load up to
100 kg
is guaranteed!



Shower solution

Article name	Quantity	Item no.	
Shower holder BRH3	1	55 686..*	
A = Grab handle 1,156 mm	1	53 769..*	
B = Grab handle 656 mm	1	53 765..*	
C = Grab handle 856 mm (can be shortened to 781 mm)	1	53 767..*	
D = Grab handle 756 mm	1	53 766..*	
Connecting piece 58 mm (set of 2)	2	53 771..*	
Corner piece 90/2 (set of 2)	2	53 774..*	
Wall fixing	2	53 772..*	
T-link 90/1 (set of 2)	2	53 773..*	
Spare parts set	3	50 070 10	
Assembly kit 1	3	50 068 39	

Dimensions when using
different
tube lengths:

A=Tube length + 49 mm**
B=Tube length + 129 mm**
C=Tube length + 119 mm***
D=Tube length + 34 mm***

** Length only possible in
100 mm increments.

*** Tube can be shortened

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85


On request:



CUSTOM SOLUTIONS

SHOWER AREA

EXAMPLE OF U-SHAPED SHOWER GRAB RAIL



U-shaped shower grab rail

Article name	Quantity	Item no.	
Shower holder BRH3	1	55 686..*	
Grab handle 456 mm	1	53 763..*	
Grab handle 956 mm	1	53 768..*	
Grab handle 1,156 mm	1	53 769..*	
Connecting piece 58 mm (set of 2)	2	53 771..*	
Corner piece 90/2 (set of 2)	1	53 774..*	
Corner piece 90/3 (set of 2)	1	53 776..*	
Spare parts set	3	50 070 10	
Assembly kit 1	2	50 068 39	

* Please add the desired colour number to the last digits of the article no.:




Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



CUSTOM SOLUTIONS

COMPLIES WITH AUSTRIAN STANDARD B 1600



SHOWER GRAB RAIL Austrian standard

Article name	Quantity	Item no.	
DBE-R-1205x985x790	1	55 786..*	
Grab handle 956 mm	1	53 768..*	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:




CUSTOM SOLUTIONS

COMPLIES WITH AUSTRIAN STANDARD

B 1600

AUSTRIA



SHOWER GRAB RAIL Austrian standard

Article name	Quantity	Item no.	
Angled grab rail WG-90-R-1005x605	1	53 634..*	
Shower holder BRH3	1	55 686..*	
Grab handle 456 mm	1	53 763..*	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85


On request:



CUSTOM SOLUTIONS

COMPLIES WITH AUSTRIAN STANDARD

B 1600
AUSTRIA



COMPONENTS

Article name	Quantity	Item no.	
Shower rail BS-R-1200	1	55 784..*	
Grab handle 956 mm	1	53 768..*	
Grab handle 756 mm	1	53 766..*	
T-link 90/1 (set of 2)	1	53 773..*	
Corner piece 90/3 (set of 2)	1	53 776..*	
Wall fixing	1	53 772..*	
Connecting piece 58 mm	1	53 771..*	
Spare parts set	1	50 070 10	
Assembly kit 1	1	50 068 39	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:




CUSTOM SOLUTIONS

COMPLIES WITH AUSTRIAN STANDARD

B 1600

AUSTRIA



COMPONENTS

Article name	Quantity	Item no.	
Shower grab rail DB-R-1205x500	1	55 782..*	
Grab handle 956 mm	1	53 768..*	
Wall fixing	1	53 772..*	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:





SHOWER SEATS

Various designs:
Folding seat, wall-mounted seat,
stool.
Skin-friendly surface.
Easy to clean.
Can be folded up to create more
space.

SHOWER SEATS

FOLDING SHOWER SEAT DKX

- Large padded seat in anthracite grey made of PUR integral foam with hygiene cut-out
- With integrated adjustable brake and seat angle adjustment
- Wall housing made of corrosion-resistant aluminium, powder-coated in anthracite grey
- Includes concealed mounting plate VPX (for 4 x 8mm screws not included)
- Can be pre-installed with pre-assembly kit VSX
- WLL up to 150 kg



FOLDING SHOWER SEAT DKX

Article name	Seat width x seat depth in mm	Weight in kg	Art. no.	
DKX Anthracite grey	430 x 466	6.50	53 944 08	

SENSIBLE ADDITIONS



Assembly kit 3

Art. no. 50 082 49

Page 139






Assembly kit 6 (Universal injection mortar cartridge required)

Art. no. 50 084 44

Page 139

AID
NUMBER:
DKX
04.40.03.0047



NEW

SHOWER SEATS

FOLDING SHOWER SEAT DKS

- Seat made of plastic
- Projects just 54 mm from the wall when folded up
- Wall housing made of corrosion-resistant aluminium, anodised in a high-gloss polish finish. Side caps mad of plastic
- With concealed mounting plate (for 8mm screws – not included in the scope of delivery)
- Permissible load up to 185 kg



FOLDING SHOWER SEAT DKS

Article name	Seat width x seat depth in mm	Weight in kg	Art. no.	
DKS white / eloxal	400 x 350		55 816 85	
DKS black-grey / eloxal	400 x 350		55 817 85	

SENSIBLE ADDITIONS



Assembly kit 3

Art. no. 50 082 49



Page 139



Assembly kit 6 (Universal injection mortar cartridge required)

Art. no. 50 084 44

Page 139






SHOWER SEATS

SHOWER STOOL HC1

- Material: mineral material
- Surface: matt white
- Curved seating surface




SHOWER STOOL

Article name	Seat width x depth x height in mm	Art. no.	
HC1 white	400 x 300 x 470	54 763 01	

SHOWER SEATS

SHOWER STOOL HC2

- Material: mineral material
- Surface: matt white
- Level seating surface






SHOWER STOOL HC2

Article name	Seat width x depth x height in mm	Art. no.	
HC2 white	400 x 300 x 470	54 764 01	

SHOWER SEATS

**SHOWER STOOL
DHX**

- Large padded seat in anthracite grey, made of PUR integral foam, with hygiene cut-out
- Frame made of corrosion-resistant aluminium, powder-coated in anthracite grey
- Non-slip foot caps
- WLL up to 150 kg

**SHOWER STOOL DHX**

Article name	Seat width x depth x height in mm	Weight in kg	Art. no.	
DHX Anthracite grey	430 x 402 x 470	4.50	54 002 08	

SHOWER SEATS

WALL-MOUNTED SHOWER SEAT DEX



WALL-MOUNTED SHOWER SEAT DEX

Article name	Seat width x depth x height in mm	Weight in kg	Art. no.	
DEX	430 x 402 x 591	9.00	53 940..*	

SET OF CHAIR LEGS – optional extra

Article name	Weight in kg	Art. no.	
DEX-BS (2 chair legs) anthracite grey	0.75	54 089 08	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



- Large padded seat and backrest in anthracite grey made of PUR integral foam with cut-out
- Frame made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- With integrated adjustable brake and seat angle adjustment
- WLL up to 150 kg
- Suitable for different hand rail heights
- Set of chair legs DEX-BS, height-adjustable. Poles made of corrosion-resistant aluminium, powder-coated in anthracite grey. Can be retrofitted in the case of critical wall conditions



AID
NUMBER:
DEX
04.40.03.0048

WALL-MOUNTED SEAT WITH CHAIR LEGS, comprising:

Article name	
Wall-mounted shower seat DEX (53 940..*)	
Set of chair legs (54 089 08)	



Set of chair legs (2 legs)
For wall-mounted shower seat DEX



SUPPORT RAILS

Convenient: can be easily adjusted.

Can be folded up to create more space.

Can be upgraded with a toilet roll holder or flush button.

SUPPORT RAILS

HINGED SUPPORT RAIL

XSK

ADJUSTABLE

SCAN NOW TO WATCH THE INSTALLATION VIDEO



ALIGNMENT
CAN BE EASILY
ADJUSTED!



RIGHT-SIDED ALIGNMENT



CENTRAL ALIGNMENT



LEFT-SIDED ALIGNMENT



FOLDS UP TO
SAVE SPACE

INNOVATION

Thanks to its intelligent design, the hinged support rail XSK can be left, right or centrally aligned or folded up to the wall (in the “parked position”) to save space.

SUPPORT RAILS

HINGED SUPPORT


RAIL

XSK

ADJUSTABLE



Example installation for mounting on the right or left of the wash stand or WC
From page 178



Can be used by people of all heights
Due to the inclined position of the grab bars, two grab heights are possible

DEVICE NUMBER:
XSK
04.40.05.1242

HINGED SUPPORT RAIL XSK - CAN BE ADJUSTED BETWEEN RIGHT / CENTRAL / LEFT ALIGNMENT

Article name	Reach in mm	Weight in kg	Art. no.	
XSK-600	600	5.00	53 926..*	
XSK-700	700	5.15	53 927..*	
XSK-850	850	5.35	53 928..*	
XSK-900**	900	5.45	54 090..*	
XSK-1000**	1,000	5.55	54 001..*	

Other dimensions available on request! **Delivery times on request


* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



- Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Ergonomically shaped round grab rail tube, can be placed on the right or left
- Provides two grip heights thanks to the inclination, can be positioned to the right or left or centrally, can be folded up to the wall (in parking position) to save space. Includes integrated adjustable brake mechanism
- Includes concealed mounting plate VPX (for 4x 8mm screws – not included)
- Can be pre-installed with pre-assembly kit VSX
- WLL up to 100 kg



Optional mounting plate seal to comply with the requirements according to DIN18534/ETAG022: #5007707 see page 70

**DEFINED
END STOP**
Prevents the hinged support rail from colliding with the wall

SENSIBLE ADDITIONS



Assembly kit 3

Art. no. 50 082 49

Page 104



Assembly kit 6
(Injection mortar cartridge required)

Art. no. 50 084 44

Page 104



**Toilet roll holder
PAS-X-R**

Art. no. 54 071..*

Page 101



**Wireless electronic
release button
FMI / E**

Art. no. 81 022 13

Page 99



**Electronic
flush
ESA-X-R**

See page 96

SUPPORT RAILS

HINGED SUPPORT RAIL

XSK DIRECT



DEVICE NUM-
BER:
XSK Direct
04.40.05.1242

HINGED SUPPORT RAIL XSK DIRECT – FOLDING / CENTRALLY ALIGNED / NO PRE-ASSEMBLY WORK REQUIRED

Article name	Reach in mm	Weight in kg	Art. no.	
XSK Direct-600	600		55 262..*	
XSK Direct-700	700		55 263..*	
XSK Direct-850	850		55 264..*	

Other dimensions available on request!


* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08

On request:



- For direct installation on the wall without any pre-assembly work (for 3 x 8mm countersunk screws, not included)
- Made of corrosion-resistant aluminium, powder-coated
- Ergonomically shaped round grab rail tube, can be placed on the right or left
- Folding. Includes integrated adjustable brake mechanism
- Defined stop prevents the hinged support rail from colliding with the wall
- WLL up to 125 kg



SENSIBLE ADDITIONS



Assembly kit 4

Art. no. 50 083 99

Page 104



Assembly kit 6
(Injection mortar cartridge required)

Art. no. 50 084 44

Page 104



Toilet roll holder PAS-X-R

Art. no. 54 071..*

Page 101



Wireless electronic release button FMI / E

Art. no. 81 022 13

Page 99



Electronic flush ESA-X-R

See page 96

SUPPORT RAILS

SUPPORT RAIL


XSS

FIXED

AID
NUMBER:
XSS
04.40.05.1244



- Made of corrosion-resistant aluminium, powder-coated in pure white
- Ergonomically shaped round grab rail tube can be placed on the right or left
- Includes concealed mounting plate VPX (for 4 x 8mm screws not included)
- Can be pre-installed with pre-assembly kit VSX
- WLL up to 100 kg



Optional mounting plate seal to comply with the requirements of DIN18534/ETAG022: #5007707 see page 70

SUPPORT RAIL XSS – FIXED

Article name	Reach in mm	Weight in kg	Art. no.	
XSS-600 white	600	1.27	54 005 01	
XSS-850 white	850	1.48	54 007 01	

Other dimensions available on request!

SENSIBLE ADDITIONS



Assembly kit 3



Assembly kit 6
(Injection mortar cartridge required)



Toilet roll holder
PAS-X-R



Wireless electronic
release button FMI / E



Electronic
flush
ESA-X-R

Art. no. 50 082 49	Art. no. 50 084 44	Art. no. 54 071..*	Art. no. 81 022 13	See page 96
Page 104	Page 104	Page 101	Page 99	


SUPPORT RAILS

HINGED SUPPORT RAIL XSE

AID
NUMBER:
XSE
04.40.05.1243



- Made of corrosion-resistant aluminium in an anodised high-gloss polish finish
- Ergonomically shaped, single-armed, oval grab rail tube, profile 34-44 mm
- Includes integrated adjustable brake mechanism
- Includes concealed mounting plate VPX (for 4 x 8mm screws not included)
- Can be pre-installed with pre-assembly kit VSX
- Defined end stop prevents collision with the wall
- WLL up to 125 kg



Optional mounting plate seal to comply with the requirements of DIN18534/ETAG022: #5007707 see page 70

HINGED SUPPORT RAIL XSE

Article name	Reach in mm	Weight in kg	Art. no.	
XSE-600 anodised	600	4.50	53 805 85	
XSE-700 anodised	700	4.67	53 806 85	
XSE-850 anodised	850	4.95	53 807 85	

Other dimensions available on request!

SENSIBLE ADDITIONS



Assembly kit 3



Assembly kit 6
(Injection mortar cartridge required)



Toilet roll holder
PAS-X-O

Art. no. 50 082 49

Page 104

Art. no. 50 084 44

Page 104

Art. no. 5407008

Page 101

SUPPORT RAILS

HINGED SUPPORT RAIL

XSR DIRECT



HINGED SUPPORT RAIL XSR DIRECT – FOLDING / NO PRE-ASSEMBLY WORK REQUIRED

Article name	Reach in mm	Weight in kg	Art. no.	
XSR Direct-600	600		55 504..*	
XSR Direct-700	700		55 505..*	
XSR Direct-850	850		55 506..*	
XSR Direct-900**	900		55 507..*	
XSR Direct-950**	950		55 508..*	
XSR Direct-1000**	1000		55 509..*	

Other dimensions available on request! **Delivery times on request


* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



- For direct installation on the wall without any pre-assembly work (for 3 x 8mm countersunk screws, not included)
- Made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Ergonomically shaped round grab rail tube, can be placed on the right or left
- Single-arm, folding. Includes integrated adjustable brake mechanism
- Defined stop prevents the hinged support rail from colliding with the wall
- Load up to 125 kg (from 900 mm length to 100 kg)




Optional:

Splash protection curtain for support rail XSR-850

#5551208 washer for splash protection

#5008536 Splash protection curtain SZ VH 40



SENSIBLE ADDITIONS



Assembly kit 4

Assembly kit 6
(Injection mortar cartridge required)

Toilet roll holder
PAS-X 40

Wireless electronic
release button
FMI / E

Electronic
flush
ESA-X-R

Art. no. 50 083 99

Art. no. 50 084 44

Art. no. 55 510 36

Art. no. 81 022 13

See page 96

Page 104

Page 104

Page 101

Page 99

ACCESSORIES FOR SUPPORT RAILS

ELECTRONIC FLUSH ESA-X



ELECTRONIC FLUSH ESA-X

No.	Article name	Version	Art. no.	
1	Hinged support rail XSK	1	-->	Page 88
or	Hinged support rail XSK Direct		-->	Page 94
2	Support rail XSS	2	-->	Page 92
3	Hinged support rail XSR Direct	3	-->	Page 94
4	Carrier ESA-X-R (can be retrofitted) for KSK / XSK Direct	1/2	54 610 36	
5	Carrier ESA-X-40 (can be retrofitted) for XSR	3	55 571 36	
6	Transmitter ESA-X (can be retrofitted)	1/2/3	50 078 96	
7	Transmitter ESA-X with emergency call (can be retrofitted)	1/2/3	50 078 97	
8	2-channel flush-mounted receiver (2x NOC)	1/2/3	50 077 31	
9	Transformer for flush-mounted receiver (optional)	1/2/3	50 080 84	

- For WC flush and emergency calls
- Suitable for Erlau support rails XSK, XSK Direct, XSS, XSE, XSR Direct
- 2-channel flush-mounted receiver can be pre-fitted
- Transmitter unit with pictograms and Braille
- Transmitter without batteries and with energy-harvesting functionality (Piezo button)
- Compatible with EnOcean technology

General information

The receiver has two outputs and works in conjunction with the Erlau transmitter ESA-X and ESA-X emergency call, which can be used to control the flush and to control a call system.

Installation


The radio receiver is suitable for flush mounting. Alternatively, the radio receiver can be affixed to the toilet system (for example).

Technical data

Power supply	4-24 VDC
Button output	max. 2x100 mA
Power consumption	approx. 80 mA at 4 VDC / approx. 10 mA at 24 VDC
	Switch contact: 1x NOC (For call system 1x NOC, 1x break-contact NC available on request)
Ambient temperature	-20° to +55° C
Rel. Humidity	0% to 95%
Approval	CE
Safety class equivalent to	IP20
Dimensions (LxWxH)	approx. 50 x 50 x 30 mm




Schematic drawing



2-channel flush-mounted receiver

SCHEMATIC DRAWING

ELECTRONIC FLUSH ESA-X



COMPATIBLE WC CONTROLS

For Erlau electronic flush ESA-X: (source from the respective cistern manufacturer)

- GEBERIT WC control with electronic flush, mains operation; article no. 115.863
- GROHE WC control for wired electronic button; article no.: 38934SD0
- MEPA Sanicontrol 1061, for wired electronic button, mains operation; article no.: 718450
MEPA Sanicontrol 1061, for wired electronic button, battery operation; article no.: 718451
- SANIT WC control for wired electronic button, mains operation, article no.: 05.016.00.0000
SANIT WC control for wired electronic button, battery operation; article no.: 05.017.00.0000
- TECEplanus WC remote-controlled trigger for wired electronic button, 12V mains, article no. 9240357
TECEplanus WC remote-controlled trigger for wired electronic button, 6V battery; article no.: 9240356
- VIEGA WC flush for wired electronic button, mains operation; article no.: 8350.31 or 8350.32
battery operation also possible (battery compartment 8350.13)
- and other manufacturers...

ACCESSORIES FOR SUPPORT RAILS

WIRELESS REMOTE-CONTROL BUTTON FMI/E

- Can be retrofitted
- For WC flush
- Wireless transmitter in black
- Frequency 868.4 Mhz
- 2x batteries LR-1 included
- FMI/E: Suitable for support rails XSK and XSS



WIRELESS REMOTE-CONTROL BUTTON FMI/E


Article name		Weight in kg	Art. no.	
FMI/E	Suitable for XSK and XSS	0.10	81 022 13	

COMPATIBLE WC CONTROLS

for Erlau wireless transmitter FMI/E and FMI/CL

(Frequency 868.4 Mhz) to source from the respective cistern manufacturer

- GEBERIT 115.867 (wireless/mains operation) and GEBERIT 115.869 (wireless/battery-powered)
- GROHE 38759SD0 and 38778000 with additional manual operation (wireless/mains operation)
- MEPA Sanicontrol SC 1065 - 718 460 (wireless/mains), 718 461 (wireless/battery-powered)
- SANIT 05.014.00.0000 (wireless/mains operation) or 05.015.00.0000 (wireless/battery-powered)
- TECE 9.240.354 (wireless/battery-powered) TECE 9.240.355 (wireless/mains operation)
- VIEGA WC flush, mains operation 8350.31 or 8350.32 and wireless receiver 8350.35 battery operation also possible (battery compartment 8350.13)
- and other manufacturers...



ACCESSORIES FOR SUPPORT RAILS

BACK REST RS

- Padded backrest in anthracite grey, made of reinforced PUR integral foam
- Frame made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Includes concealed centralised fixing without rosettes




BACK REST RS

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
RS	554	600	3.80	53 629.*	

EXPERT TIP

Installation height:
Drill hole 670 mm
above floor level



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



ACCESSORIES FOR SUPPORT RAILS

TOILET ROLL HOLDER PAS-X


- With dispensing brake
- Carrier made of corrosion-resistant aluminium
- Toilet roll holder made of black plastic
- PAS-X-R: Suitable for grab handle systems Rundgrip, and for support handles XSK/-Direct and XSS, powder-coated or anodised in a high-gloss polish finish
- PAS-X-O: Suitable for support rail XSE, powder-coated in anthracite grey
- PAS-X-40: Suitable for XSR-Direct, powder-coated in matt black




TOILET ROLL HOLDER PAS-X

Article name		Weight in kg	Art. no.	
PAS-X-R	Suitable for XSK/-Direct, XSS	0.43	54 071..*	
PAS-X-O anthracite	Suitable for XSE	0.43	54 070 08	
PAS-X-40 black	Suitable for XSR-Direct		55 510 36	


PAS-X-R



PAS-X-40



PAS-X-O



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:




ACCESSORIES FOR SUPPORT RAILS

ADAPTER PLATE

FOR SUPPORT RAIL SGK/O AND ESK

- For fixing hinged support rail XSK to replace the Economy hinged support rail (ESK) and hinged support rail SGK/O without the need for a brand-new installation. Simply utilise the existing drill pattern
- Made of corrosion-resistant aluminium, powder-coated in pure white



ADAPTER PLATE FOR SUPPORT RAIL

Article name	Outer dimensions in mm	Weight in kg	Art. no.	
1) Adapter plate ESK	227 x 125	1.47	54 093 01	
2) Adapter plate SGK/O	220 x 125	1.08	54 300 01	

ACCESSORIES FOR SUPPORT RAILS


PRE-ASSEMBLY KIT VSX

- Includes mounting plate VPX and Cover AHX (for 4 x 8mm screws, not included)
- VPX: made of corrosion-resistant aluminium
- AHX: made of corrosion-resistant aluminium, powder-coated or anodised in a high-gloss polish finish
- Suitable for: support rails XSK, XSS, XSE and shower seat DKX

AHX



VPX



PRE-ASSEMBLY KIT VSX

Article name	Drilling dimensions in mm	Outer dimensions in mm	Weight in kg	Art. no.	
VSX	130 x 75	184 x 125	1.03	53 788.*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

ACCESSORIES FOR SUPPORT RAILS

SUPPORT LEG SFX

- Can be affixed to support rails XSK and XSS, height can be adjusted +/- 2 cm
- Made of corrosion-resistant aluminium, powder-coated in pure white
- Serves to support components where the wall conditions are otherwise inadequate



SUPPORT LEG SFX

Article name	Length in mm	Weight in kg	Art. no.	
SFX white	750	0.65	54 337 01	

ACCESSORIES FOR SUPPORT RAILS

FIXING BRACKET BKX

- For support rails XSK, XSS and XSE, for non-solid walls
- Made of corrosion-resistant aluminium, powder-coated in pure white
- Serves to support components where the wall conditions are otherwise inadequate
- Includes fixing materials for the wall and assembly kit to affix the support rail to the fixing bracket



FIXING BRACKET BKX

Article name	Dimensions in mm	Weight in kg	Art. no.	
BKX White	950 x 160	4.90	54 195 01	

ACCESSORIES

FIXING/ASSEMBLY

FOR SUPPORT RAILS AND FOLDING SHOWER SEATS



ASSEMBLY KIT 1

ASSEMBLY KIT 6

ASSEMBLY KIT 3

ASSEMBLY KIT 4

INJECTION MORTAR
CARTRIDGE

ASSEMBLY KITS AND ACCESSORIES

Article name	Comprising	Wall condition	Art. no.
ASSEMBLY KIT 1 (Handle systems)	2x hexagonal wood screws DIN571 8x80mm 2x washers DIN125A 8.4mm 2x Fischer wall plugs UX10x60mm	For masonry (with universal plugs)	5006839
ASSEMBLY KIT 6 (Support rails and shower seats) Replaces assembly kit 2	4x internal threaded anchors FIS E 11x85 M8 A4 4x hexagonal screws DIN933 M8x20 A2-70 3x countersunk screws ISO 10642 M8x20 A2-70 4x injection anchor sleeves FISH 16x85 4x centring grommet --> injection mortar cartridge required (#8102684)	Solid wall (Uncracked concrete C20/25, fully tiled, solid sand-lime brick, natural stone, hollow block, vertically perforated brick, perforated sand-lime brick, aerated concrete)	5008444
ASSEMBLY KIT 3 (support rails XSK, XSS, XSE and shower seats)	4x hexagonal wood screws DIN571 8x80mm 4x washers DIN125A 8.4mm	Non-solid wall (With appropriate back filling, 30mm waterproof glued plywood) (Plastered walls)	5008249
ASSEMBLY KIT 4 (Support rail XSK Direct, XSR-Direct)	3x countersunk head wood screws 8mm A2-70	Non-solid wall	5008399
INJECTION MORTAR CARTRIDGE	Content: 280 ml --> required for assembly kit 6 (or on-site) Enough for approx. 11 drill holes		8102684
MOUNTING PLATE SEAL	Silicone seal suitable for XSK, XSE and XSS support rails and the DKX folding shower seat; complies with the requirements of the DIN 18534 / ETAG 022 waterproofing standards		5007707



Dual-coloured for better recognition.





COLORLINE

The ColorLine range's bright colours stand in stark contrast to the often more reserved colour palettes of the tiles and walls. Easier to spot, greater safety and a real eye-catcher for your bathroom.

COLORLINE

GRAB RAIL

HG-R CL

CAN ALSO BE USED AS A TOWEL RAIL

- Rundgrip range ColorLine red/white, made from corrosion-resistant aluminium, powder-coated, colour combination in RAL 3003 ruby red and RAL 9010 pure white
- Includes concealed central fixing without rosette
- Permissible load on grab rail up to 150 kg
- Optional: tile leveller (see page 68)



GRAB RAIL HG-R CL – CAN ALSO BE USED AS A TOWEL RAIL

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
HG-R-300 CL	300	344	0.82	54 331 03	
HG-R-600 CL	600	644	1.14	54 332 03	

Other colours available on request.



SENSIBLE ADDITIONS



Shower shelf AS-XLS

Art. no. 54 249 01

Page 142



COLORLINE

ANGLED GRAB RAIL WG-R CL


- Rundgrip range ColorLine red/white, can be installed on the right or left, made of corrosion-resistant aluminium, powder-coated, colour combination: RAL 3003 ruby red and RAL 9010 pure white
- Includes concealed central fixing without rosette
- Permissible load up to 150 kg
- Optional: tile leveller (see page 68)



ANGLED GRAB RAIL 45° WG-45-R CL AND ANGLED GRAB RAIL 90° WG-90-R CL

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.
WG-45-R-300x300 CL	300 x 300	556 x 256	1.34	54 333 03
WG-90-R-805x605 CL	805 x 605	842 x 642	1.65	54 334 03

Other colours available on request.



SENSIBLE ADDITIONS



Shower shelf AS-XLS

Art. no. 54 249 01

Page 142

Toilet roll holder PAS-X-R


Art. no. 54 071 01

Page 101

COLORLINE

SHOWER GRAB RAIL DB-R CL

- Rundgrip range ColorLine red/white, made of corrosion-resistant aluminium, powder-coated, colour combination: RAL 3003 ruby red and RAL 9001 pure white
- Shower rail can be individually positioned via a T-link element
- Shower holder to fit all conventional hand showers, continuously adjustable height and angle. Convenient one-handed operation
- Includes concealed central fixing without rosette
- Handle load up to 150 kg (horizontally), or 100 kg (vertically)



SHOWER GRAB RAIL DB-R CL

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.
DB-R-1205x500 CL	1,205 x 500	1,254 x 544	2.58	5581803

Other colours available on request.

SENSIBLE ADDITIONS



Shower shelf AS-XLS

Art. no. 54 249 01

Page 142



Shower hose BRS

Art. no. 5008464

Page 55



Hand shower HBR

Art. no. 5005466

Page 55



Shower shelf DA


Art. no. 54 591 01

Page 143

COLORLINE

SHOWER GRAB RAIL DBE-R CL

- Rundgrip range ColorLine, corner version, made of corrosion-resistant aluminium, powder-coated, colour combination: RAL 3003 ruby red and RAL 9001 pure white
- Shower rail can be individually positioned via a T-link element.
- Shower holder to fit all conventional hand showers, continuously adjustable height and angle. Convenient one-handed operation
- Includes concealed central fixing without rosette
- Handle load up to 150 kg (horizontally), or 100 kg (vertically)



SHOWER GRAB RAIL DBE-R CL

Article name	Drilling dimensions (AxBxC) in mm	Outer dimensions in mm	Weight in kg	Art. no.
DBE-R-1205x785x790 CL	1,205 x 785 x 790	1,254 x 807 x 812	3.8	5581903

Other colours available on request.

SENSIBLE ADDITIONS



Shower shelf AS-XLS

Art. no. 54 249 01

Page 142



Shower hose BRS

Art. no. 5008464

Page 55



Hand shower HBR

Art. no. 5005466

Page 55



Shower shelf DA

Art. no. 54 591 01

Page 143

COLORLINE

HINGED SUPPORT RAIL XSK CL

- Rundgrip range ColorLine red/white, made from corrosion-resistant aluminium, powder-coated, colour combination in colours RAL 3003 ruby red and RAL 9010 pure white
- Can be positioned to the right or left, can be folded up to the wall to save space
- Provides two grip heights thanks to the inclination of the rail
- Integrated adjustable brake mechanism
- Includes concealed mounting plate VPX (does not include assembly kit)
- Can be pre-installed with pre-assembly kit VSX
- Defined end stop prevents collision with the wall
- WLL up to 100 kg



DEVICE
NUMBER:
XSK


04.40.05.1242

Optional mounting plate seal to comply with the requirements of DIN18534/ETAG022: #5007707
See page 70

HINGED SUPPORT RAIL XSK CL

Article name	Reach in mm	Weight in kg	Art. no.
XSK-600 CL	600	5.00	5432503
XSK-700 CL	700	5.15	5432603
XSK-850 CL	850	5.35	5432703

Other colours available on request.



SENSIBLE ADDITIONS



Assembly kit 3



Assembly kit 6
(Injection mortar cartridge required)



Toilet roll holder
PAS-X-R



Wireless electronic
release button
FMI / E



Electronic
flush
ESA-X

Art. no. 50 082 49

Page 104

Art. no. 50 084 44

Page 104

Art. no. 54 071 01

Page 101

Art. no. 81 02 213

Page 99

See page 96



Introducing colour.





COLORit



Colourful stands for fun, diversity and optimism. Turn your bathroom into an eye-catcher by adding colour!



COLORit Pure white



Single hook
5396701



Double hook
5396801



Coat hooks
5396901



Toilet roll holder
5397001



Replacement toilet roll
holder
5397101



Shower shelf
5459101



Shelf board
5485601



Corner shelf
5485501



Toilet brush set
5397201

... AND OTHER COMPLEMENTARY ACCESSORIES.



COLORit Stone grey



Single hook
5396704




Double hook
5396804



Coat hooks
5396904



Toilet roll holder
5397004



Replacement toilet roll
holder
5397104



Shower shelf
5459104



Shelf board
5485604



Corner shelf
5485504



Toilet brush set
5397204

... AND OTHER COMPLEMENTARY ACCESSORIES.



COLORit Anthracite grey



Single hook
5396708



Double hook
5396808



Coat hooks
5396908



Toilet roll holder
5397008



Replacement toilet roll
holder
5397108



Shower shelf
5459108



Shelf board
5485608



Corner shelf
5485508



Toilet brush set
5397208

... AND OTHER COMPLEMENTARY ACCESSORIES.



OLORit Ruby red



Single hook
5396703



Double hook
5396803



Coat hooks
5396903



Toilet roll holder
5397003



Replacement toilet roll
holder
5397103



Shower shelf
5459103



Shelf board
5485603



Corner shelf
5485503



Toilet brush set
5397203

... AND OTHER COMPLEMENTARY ACCESSORIES.



COLORit Pastel yellow



Single hook
5396719



Double hook
5396819



Coat hooks
5396919



Toilet roll holder
5397019



Replacement toilet roll
holder
5397119



Shower shelf
5459119



Shelf board
5485619



Corner shelf
5485519



Toilet brush set
5397219

... AND OTHER COMPLEMENTARY ACCESSORIES.





COLORit Grey beige



Single hook
5396730



Double hook
5396830



Coat hooks
5396930



Toilet roll holder
5397030



Replacement toilet roll
holder
5397130



Shower shelf
5459130



Shelf board
5485630



Corner shelf
5485530



Toilet brush set
5397230

... AND OTHER COMPLEMENTARY ACCESSORIES.



OLORit Reseda green



Single hook
5396744



Double hook
5396844



Coat hooks
5396944



Toilet roll holder
5397044



Replacement toilet roll
holder
5397144



Shower shelf
5459144



Shelf board
5485644



Corner shelf
5485544



Toilet brush set
5397244

... AND OTHER COMPLEMENTARY ACCESSORIES.



OLORit Aqua blue



Single hook
5396745




Double hook
5396845



Coat hooks
5396945



Toilet roll holder
5397045



Replacement toilet roll
holder
5397145



Shower shelf
5459145



Shelf board
5485645



Corner shelf
5485545



Toilet brush set
5397245

... AND OTHER COMPLEMENTARY ACCESSORIES.

COLORIT

HOOKS

HAK / HAK-2 / HAK-LD



SINGLE HOOK HAK

Article name	Dimensions in mm	Weight in kg	Art. no.	
HAK	46 x 53	0.02	53 967..*	



DOUBLE HOOK HAK-2

Article name	Dimensions in mm	Weight in kg	Art. no.	
HAK-2	46 x 54	0.05	53 968..*	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 03 19 30 44 45


- Made of high-quality plastic
- Includes fixing materials




LARGE HOOK HAK-LD

Article name	Dimensions in mm	Weight in kg	Art. no.	
HAK-LD	81 x 68	0.05	53 969..*	


HAK



HAK-2



HAK-LD



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 03 19 30 44 45

COLORIT



TOILET ROLL HOLDER PAK-LE

- Made of high-quality plastic
- Includes fixing materials



TOILET ROLL HOLDER PAK-LE

Article name	Dimensions in mm	Weight in kg	Art. no.	
PAK-LE	132 x 171	0.27	53 970.*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



COLORIT


TOILET ROLL HOLDER WITH COVER PAK-DK

- Made of high-quality plastic
- Includes fixing materials



TOILET ROLL HOLDER WITH COVER PAK-DK

Article name	Dimensions in mm	Weight in kg	Art. no.	
PAK-DK	141 x 171		55 123..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01	04	08	03	19	30	44	45
----	----	----	----	----	----	----	----

COLORIT



SPARE TOILET ROLL HOLDER EPK-D

- Made of high-quality plastic
- Includes fixing materials



REPLACEMENT TOILET ROLL HOLDER EPK-D

Article name	Dimensions in mm	Weight in kg	Art. no.	
EPK-D	112	0.04	53 971..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



COLORIT


DOUBLE ROLL HOLDER DRH

- Made of high-quality plastic
- To hold up to two spare rolls
- Includes fixing materials



DOUBLE ROLL HOLDER DRH

Article name	Dimensions in mm	Weight in kg	Art. no.	
DRH	167 x 85	0.08	55 302..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



COLORIT


TOILET BRUSH SET WBK-DN

- For wall fixing, made of high-quality plastic
- Plastic brush holder
- Brush handle in Erlau standard colours
- Black/grey brush head
- Includes fixing materials



TOILET BRUSH SET WBK-DN

Article name	Dimensions in mm	Weight in kg	Art. no.	
WBK-DN	461 x 149	0.25	53 972..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



MATCHING ACCESSORIES

TOWEL RAIL


HHS

- Projection 478 mm, 2-arm, pivoting, made of corrosion-resistant aluminium, powder-coated
- Includes concealed central fixing without rosette



TOWEL RAIL HHS

Article name	Reach in mm	Weight in kg	Art. no.	
HHS	478	0.85	54 092 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

On request:



COLORIT


CORNER SHELF EA-K

- Made of high-quality plastic
- With water drainage channels
- High rim for safe storage
- Can be removed for easy cleaning
- Includes fixing materials



CORNER SHELF EA-K

Article name	Dimensions in mm	Weight in kg	Art. no.	
EA-K	199 x 199	0.26	54 855..*	




* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):




COLORIT
SHELF BOARD
AB-K

- Made of high-quality plastic
- Matt, resistant storage area
- Slightly raised rim
- Can be removed for easy cleaning
- Includes fixing materials



SHELF BOARD AB-K

Article name	Dimensions in mm	Weight in kg	Art. no.	
AB-K	560 x 131.5	0.47	54 856.*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01	04	08	03	19	30	44	45
----	----	----	----	----	----	----	----

MATCHING ACCESSORIES





SHOWER SHELF AS-XLS

- Made of corrosion-resistant aluminium, powder-coated
- Suitable for grab handle systems
- With water drainage slot
- Can be removed for easy cleaning



SHOWER SHELF AS-XLS

Article name	Length in mm	Weight in kg	Art. no.	
AS-XLS	240	0.15	54 249..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

COLORIT


SHOWER SHELF DA

- Made of high-quality plastic
- Suitable for grab handle systems
- Water drainage can also be used to store wet shave razors.
- Raised edge for safe storage
- Can be removed for easy cleaning



SHOWER SHELF DA

Article name	Dimensions in mm	Weight in kg	Art. no.	
DA	240 x109	0.19	54 591..*	




* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Chrome & Black Line





CIRCLE

CIRCLE

With the symbol of unity, perfection and infinity, you perfectly complement the design of your bathroom.



CIRCLE Chrome line



Single hook
5486185



Double hook
5486285



Soap dispensers
5485885



Toilet roll holder
5486485



Toilet roll holder with cover
5486385



Replacement toilet roll holder
5486585




Soap dish
5485985



Glass holder
5485785



Toilet brush set
5486785



Towel rail
5486685



Towel rail
600 - 5486885
800 - 5486985



Towel ring
5486085

... AND OTHER COMPLEMENTARY ACCESSORIES.



CIRCLE Black Line



Single hook
5486136



Double hook
5486236



Soap dispensers
5485836



Toilet roll holder
5486436



Toilet roll holder with cover
5486336



Replacement toilet roll holder
5486536



Soap dish
5485936



Glass holder
5485736



Toilet brush set
5486736



Towel rail
5486636



Towel rail
600 - 5486836
800 - 5486936




Towel ring
5486036

... AND OTHER COMPLEMENTARY ACCESSORIES.

CIRCLE

SINGLE HOOK

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing




SINGLE HOOK CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
SINGLE HOOK	61	0.25	54 861.*	

CIRCLE

DOUBLE HOOK

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing



DOUBLE HOOK CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
DOUBLE HOOK	65	0.25	54 862.*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85 36

CIRCLE

TOWEL RAIL

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Length: 600mm or 800mm
- One holding rod, rigid
- Includes concealed centralised fixing




TOWEL RAIL CIRCLE

Article name	Length (L) in mm	Weight in kg	Art. no.	
TOWEL RAIL	600	0.66	54 868.*	
TOWEL RAIL	800	0.83	54 869.*	

CIRCLE

TOWEL RAIL,
PIVOTING

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Two-arm, pivoting
- Includes concealed centralised fixing



TOWEL RAIL PIVOTING CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
TOWEL RAIL SWB	400	0.66	54 866.*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85 36

CIRCLE

TOWEL RING

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing






TOWEL RING CIRCLE

Article name	Dimensions in mm	Weight in kg	Art. no.	
TOWEL RING	160	0.50	54 860..*	

CIRCLE

GLASS HOLDER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Includes concealed centralised fixing



GLASS HOLDER CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
GLASS HOLDER	124	0.81	54 857..*	

* Please add the desired colour number to the last digits of the article no.:


Standard colours 2 (SC2):



CIRCLE

SOAP DISPENSER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Includes concealed centralised fixing




SOAP DISPENSER CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
SOAP DISPENSER	142	0.75	54 858.*	

CIRCLE

SOAP DISH

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Includes concealed centralised fixing



SOAP DISH CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
SOAP DISH	144	0.50	54 859.*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85 36

CIRCLE

TOILET ROLL HOLDER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Without cover
- Includes concealed centralised fixing





TOILET ROLL HOLDER CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
TOILET ROLL HOLDER	79	0.40	54 864.*	

CIRCLE

TOILET ROLL HOLDER
WITH
COVER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- With cover
- Includes concealed centralised fixing



TOILET ROLL HOLDER WITH COVER CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
TOILET ROLL HOLDER MD	85	0.50	54 863.*	

* Please add the desired colour number to the last digits of the article no.:


Standard colours 2 (SC2):



CIRCLE

SPARE TOILET ROLL HOLDER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing




SPARE TOILET ROLL HOLDER CIRCLE

Article name	Reach in mm	Weight in kg	Art. no.	
REPLACEMENT TOILET ROLL HOLDER	69	0.25	54 865..*	

CIRCLE

TOILET BRUSH SET

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Brush head in white
- Optional longer brush available (p.251)
- Includes concealed centralised fixing



TOILET BRUSH SET CIRCLE


Article name	Reach in mm	Weight in kg	Art. no.	
TOILET BRUSH SET	167	1.20	54 867..*	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85 36

Chrome & Black Line





CUBE

CUBE

Turn your bathroom into a stylish experience with corners and edges. The symbol of strength, stability and immutability.



CUBE Chrome line



Single hook
5487485



Double hook
5487585



Soap dispensers
5487185



Toilet roll holder
5487785



Toilet roll holder with cover
5487685



Replacement toilet roll holder
5487885




Soap dish
5487285



Glass holder
5487085



Toilet brush set
5488085



Towel rail
5487985



Towel rail
600 - 5488185
800 - 5488285



Towel ring
5487385

... AND OTHER COMPLEMENTARY ACCESSORIES.



CUBE Black Line



Single hook
5487436



Double hook
5487536



Soap dispensers
5487136



Toilet roll holder
5487736



Toilet roll holder with cover
5487636



Replacement toilet roll holder
5487836



Soap dish
5487236



Glass holder
5487036



Toilet brush set
5488036



Towel rail
5487936



Towel rail
600 - 5488136
800 - 5488236




Towel ring
5487336

... AND OTHER COMPLEMENTARY ACCESSORIES.

CUBE

SINGLE HOOK

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing




SINGLE HOOK CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
SINGLE HOOK	56	0.18	54 874..*	

CUBE

DOUBLE HOOK

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing



DOUBLE HOOK CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
DOUBLE HOOK	56	0.35	54 875..*	

* Please add the desired colour number to the last digits of the article no.:


Standard colours 2 (SC2):



CUBE

TOWEL RAIL

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Length: 600mm or 800mm
- One holding rod, rigid
- Includes concealed centralised fixing




TOWEL RAIL CUBE

Article name	Length (L) in mm	Weight in kg	Art. no.	
TOWEL RAIL	600	0.66	54 881..*	
TOWEL RAIL	800	0.83	54 882..*	

CUBE

TOWEL RAIL, PIVOTING

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Two-arm, pivoting
- Includes concealed centralised fixing



TOWEL RAIL PIVOTING CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
TOWEL RAIL SWB	400	0.66	54 879..*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85 36

CUBE

TOWEL RING

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing




TOWEL RING CUBE

Article name	Dimensions in mm	Weight in kg	Art. no.	
TOWEL RING	160	0.35	54 873.*	

CUBE

GLASS HOLDER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Includes concealed centralised fixing



GLASS HOLDER CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
GLASS HOLDER	159	0.65	54 870.*	

* Please add the desired colour number to the last digits of the article no.:


Standard colours 2 (SC2):



CUBE

SOAP DISPENSER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Includes concealed centralised fixing




SOAP DISPENSER CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
SOAP DISPENSER CHROME	178	0.75	54 871..*	

CUBE

SOAP DISH

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Includes concealed centralised fixing



SOAP DISH CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
SOAP DISH CHROME	179.5	0.65	54 872..*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85 36

CUBE

TOILET ROLL HOLDER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Without cover
- Includes concealed centralised fixing


**TOILET ROLL HOLDER CUBE**

Article name	Reach in mm	Weight in kg	Art. no.	
TOILET ROLL HOLDER	74	0.40	54 877..*	

CUBE

TOILET ROLL HOLDER WITH COVER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- With cover
- Includes concealed centralised fixing

**TOILET ROLL HOLDER WITH COVER CUBE**

Article name	Reach in mm	Weight in kg	Art. no.	
TOILET ROLL HOLDER M.D.	77	0.50	54 876..*	

* Please add the desired colour number to the last digits of the article no.:



Standard colours 2 (SC2):



CUBE

SPARE TOILET ROLL HOLDER

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Includes concealed centralised fixing





SPARE TOILET ROLL HOLDER CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
REPLACEMENT TOILET ROLL HOLDER	64	0.25	54 878..*	

CUBE

TOILET BRUSH SET

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Safety glass with increased break resistance
- Brush head in white
- Optional longer brush handle available (p. 251)
- Includes concealed centralised fixing



TOILET BRUSH SET CUBE

Article name	Reach in mm	Weight in kg	Art. no.	
TOILET BRUSH SET	185	1.20	54 880..*	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85 36

Perfect accessories for perfect harmony.






ACCESSORIES & SPARE PARTS

Complete your bathroom with the matching accessories from the ERLAU range of products.

ACCESSORIES

SHOWER CHAIR HC1

- Material: mineral material
- Surface: matt white
- Curved seating surface
- Load 150 Kg


**SHOWERCHAIR HC1**

Article name	Seat width x depth x height in mm	Art. no.	
HC1 white	400 x 300 x 470	54 763 01	

ACCESSORIES

SHOWER STOOL HC2

- Material: mineral material
- Surface: matt white
- Level seating surface
- Load 150 Kg


**SHOWER STOOL HC2**

Article name	Seat width x depth x height in mm	Art. no.	
HC2 white	400 x 300 x 470	54 764 01	

ACCESSORIES

TOILET BRUSHES

- Made of corrosion-resistant stainless steel, chrome-plated or matt black
- Fits Circle and Cube
- 600mm long



FOR TOILET BRUSHES CIRCLE & CUBE

Article name	Length in mm	Art. no.	
Brush handle extra long chrome	600	54 883 85	
Brush handle extra long black	600	54 883 36	
Brush head Circle & Cube white		50 083 84	
Brush head Circle & Cube black		50 084 33	



- Made of plastic
- Suitable for WC brush set WBK-DN (brush head black / grey)

FOR TOILET BRUSH WBK-DN

Article name	Length in mm	Art. no.	
WB for WBK-DN	445 mm	53 973.*	





ACCESSORIES MIRRORS

- 6 mm thick, all edges polished, designed to match to the console grab rail
- Includes mirror fixing set (clips)
- Optional mirror glue set (concealed mirror fixing with press studs)
- Adjustable mirror fitting made of stainless steel, angle can be adjusted between 0 and 30 degrees. Suitable for mirrors 600x600 mm, 6 mm thick. Includes fixing materials



MIRROR SP

Article name	Dimensions (AxB) in mm	Weight in kg	Art. no. Wooden packaging (1-3 pc parcel shipping)	Art. no. Cardboard boxes (Freight-forwarder from 4 pcs)	
SP-600x600	600 x 600	3.50	5008468	5008470	
SP-1000x600	1,000 x 600	6.00	5008469	5008471	
Art. no.					
Adjustable mirror fitting KSB	For mirrors 600 x 600			501 164	



ACCESSORIES

**HAND SHOWER
HBR**

- High-gloss chrome or matt black
- Extra lightweight
- Can be adjusted 3 ways (shower, soft or massage jet)
- Suitable for immersion heaters

**HAND SHOWER HBR**

Article name	Weight in kg	Art. no.	
HBR chrome	0.10	5005466	
HBR matt black	0.10	5008467	

ACCESSORIES

**SHOWER HOSE
BRS**

- Metal effect shower hose with conical nut R 1/2" and seals

**SHOWER HOSE BRS**

Article name	Length in mm	Weight in kg	Art. no.	
BRS chrome	1,600	0.20	5008464	
BRS black	1,600	0.20	5008465	

NEW

SPARE PARTS


SHOWER HOLDER BRH3

- Made of high-quality plastic
- Suitable for all conventional hand showers
- For shower rails and shower grab rails with a diameter of 30 mm
- Convenient single-handed operation
- Freely adjustable height and angle



SHOWER HOLDER BRH3

Article name	Weight in kg	Art. no.
BRH3	0.3	55 686..*



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08 Standard colours 2 (SC2): 85

SPARE PARTS

SHOWER CURTAIN RING DVSR

- Made of white plastic
- Set of ten



SHOWER CURTAIN RING DVSR

Article name	Weight in kg	Art. no.	
DVSR	0.01	500 70 39	

SPARE PARTS

SUPPORTING WASHER STS

- Made of corrosion-resistant aluminium, powder-coated
- For fixing handles and hand rails on a "soft" substrate
- To cover existing drill holes





SUPPORTING WASHER STS

Article name	Weight in kg	Art. no.	
STS	0.05	54 988 ..*	

EXPERT TIP

Soft or uneven substrate?
Not a problem for Erlau! The supporting washer STS creates a straight surface and increases the hold.




* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 08

Planning guide





UNIVERSALLY ACCESSIBLE

Nothing works without the right planning.
We always work with DIN 18040 in mind!



PLANNING GUIDE

UNIVERSALLY ACCESSIBLE CONCEPTS DIN 18040

DIN 18040-1

This standard aims to ensure accessible buildings that can be accessed by people with disabilities, the elderly and people with young children without barriers and that can be utilised without the need for any additional assistance.

DIN 18040-1 is limited to publicly accessible buildings, in particular the parts of the building and the associated outdoor spaces that are intended to be used by the general public. These requirements are especially applicable to cultural and educational buildings, as well as office, administrative and judicial buildings, shops and accommodation, car parks, parking garages and public toilets.

DIN 18040-2

This part of the standard applies to the accessibility of dwellings, whereby a distinction is made between accessible dwellings and accessible dwellings that can be used unrestricted with a wheelchair (R). The fact that accessibility means more than wheelchair use is documented by the additional requirements in terms of sensory and cognitive limitations.

The requirement to be able to retrofit the bathroom area on site is a new addition. The walls must be prepared in such a way that rails and handles can be affixed at a later date. This needs to be taken into the account during the planning and building stages. "Barrier-free concepts" are distinguished by the fact that they can be adapted to suit changing requirements.

TOILET AREA

DIN 18040 - 1 PUBLICLY ACCESSIBLE

Space to move in front of the WC	150 x 150 cm.
Side space to move between the WC and the wall	90 cm width (left and right).
WC seat height	46-48 cm including seat.
WC depth	Projection min. 70 cm.
Back rest	55 cm behind the front edge of the WC. Toilet lid does not count.
Hinged support rails	Left and right, can be folded up at different levels (brake). Upper edge of hinged support rail 28 cm above toilet seat height. Hinged support rail must project at least 15 cm in front of the front of the toilet bowl. Clearance distance between the hinged support rails 65 - 70 cm. Load-bearing capacity: point load of 1 kN at the front end of the rail.
Toilet roll holder	Can be reached without needing to change position.
Toilet flush	Can be reached with the hand or arm without needing to change position.
Waste bin	Optional: a place to dispose of hygienic waste should be provided.
Emergency call system	To be positioned close to the WC so it can be reached when sitting on the toilet and when lying on the floor.

TOILET AREA

DIN 18040 - 2 WHEELCHAIR-ACCESSIBLE DWELLING

Space to move in front of the WC	150 x 150 cm.
Space to move between the WC and the wall	One side at least 90 cm (left or right); the other side at least 30 cm.
WC seat height	46-48 cm including seat.
WC depth	Projection min. 70 cm.
Back rest	55 cm behind the front edge of the WC. Toilet lid does not count.
Hinged support rails	Left and right, can be folded up at different levels (brake). Upper edge of hinged support rail 28 cm above toilet seat height. Hinged support rail must project at least 15 cm in front of the front of the toilet bowl. Clearance distance between the hinged support rails 65 - 70 cm. Load-bearing capacity: point load of 1 kN at the front end of the rail.
Toilet roll holder	Can be reached without needing to change position.
Toilet flush	Can be reached with the hand or arm without needing to change position.


TOILET AREA

DIN 18040 - 2 ACCESSIBLE DWELLING


Space to move in front of the WC	120 x 120 cm.
Space to move between the WC and the wall	Min. 20 cm.
WC seat height	Custom.
WC depth	Custom.
Hinged support rails	Custom.
Toilet flush	Custom.

In the case of front-wall installation, please check to ensure that the system you have chosen allows for the type of assembly shown in the diagrams shown below the requirements.

Compliant with DIN 18040-1





Compliant with DIN 18040-2



In Gebäuden mit mehr als einer Wohneinheit für uneingeschränkte Rollstuhlnutzung, sind die Zugangsseiten zur Toilette abwechselnd rechts oder links vorzusehen.

Compliant with DIN 18040-1 and DIN 18040-2



Bei Verwendung einer Rückenstütze muss der Abstand der Stützklappgriffe 730 mm (lichte Weite 700 mm) betragen.

WASH BASIN AREA

DIN 18040 - 1 PUBLICLY ACCESSIBLE

Space to move in front of the wash stand	150 x 150 cm.
Installation height for the upper edge of the wash stand	Front edge height max. 80 cm.
Mirrors	Min. 100 cm tall. To be placed above the wash basin. Must be able to view the mirror from a seating and standing position.
Wheelchair clearance	Wheelchair clearance of min. 55 cm. Leg room 67 cm, measured up to 30 cm beyond the front edge of the wash stand. Wheelchair can fit below 90 cm width of wash stand.
Wheelchair clearance Hand washbasin	Wheelchair clearance of min. 45 cm.
Controls	Must be located close to the wash stand.
Coat hooks	If coat hooks are planned: in at least 2 heights, for people who are seated and standing.
Erlau's INSTALLATION RECOMMENDATION: (Grab rail + shelf = console grab rail)	Console grab rail - shelf with full length grab rail. • For convenient support when standing and sitting down. • For safe raising from a seated position.

WASH BASIN AREA



DIN 18040 - 1 WHEELCHAIR-ACCESSIBLE DWELLING

Space to move in front of the wash stand	150 x 150 cm.
Installation height for the upper edge of the wash stand	Front edge height max. 80 cm.
Mirrors	Min. 100 cm tall. To be placed above the wash basin. Must be able to view the mirror from a seating and standing position.
Wheelchair clearance	Wheelchair clearance of min. 55 cm. Leg room 67 cm, measured up to 30 cm beyond the front edge of the wash stand. Wheelchair can fit below 90 cm width of wash stand.

WASH BASIN AREA

DIN 18040 - 2 ACCESSIBLE DWELLING

Space to move in front of the wash stand	120 x 120 cm.
Installation height for the upper edge of the wash stand	Custom.
Mirrors	As required. 100 cm tall. To be placed above the wash basin.
Wheelchair clearance	Space to move legs required.
Erlau's INSTALLATION RECOMMENDATION: (Grab rail + shelf = grab rail with shelf)	Console grab rail - shelf with full length grab rail. • For convenient support when standing and sitting down. • For safe raising from a seated position.



SHOWER AREA

DIN 18040 - 1 PUBLICLY ACCESSIBLE

Space to move in the shower area	150 x 150 cm.
Shower seat	Folding shower seat required. • Seat height 46 - 48 cm. • Seat depth min. 45 cm. Alternative: portable, stable shower seat.
Hinged support rails	A hinged support rail must be installed on both sides of the folding shower seat. • Upper edge of the hinged support rail 28 cm above seat height. • Front edge projecting 15 cm beyond the seat. • Distance between the hinged support rails 65 - 70 cm.
Grab rails	Horizontal grab rails must be positioned at a height of 85 cm above the top edge of the flooring. Vertical grab rails must also be installed.

SHOWER AREA


DIN 18040 - 2 WHEELCHAIR-ACCESSIBLE DWELLING

Space to move in the shower area	150 x 150 cm.
Shower seat	Option to install a seat at a later date. Seat height 46 - 48 cm.
Folding grab rails	Option to install hinged support rails on both sides of the seat at a later date.

SHOWER AREA

DIN 18040 - 2 ACCESSIBLE DWELLING

Space to move in the shower area	120 x 120 cm.
Shower seat	Custom.





PLANNING GUIDE

UNIVERSALLY ACCESSIBLE CONCEPTS AUSTRIAN STANDARD B 1600

The aim of ÖNORM B 1600 (Austrian standard) is to make buildings accessible to people with disabilities, older people, and families with children, ensuring they can be used without restriction. This standard applies to both public and residential buildings, taking into account requirements relating to mobility, orientation, and communication.

ÖNORM B 1600 places particular emphasis on the design of public buildings and outdoor facilities. These include cultural venues, offices and administrative buildings, educational establishments, retail outlets and restaurants, as well as parking spaces, pavements and sanitary facilities for specific needs. In addition to ensuring the design is wheelchair-accessible, attention is also paid to sensory and cognitive barriers to ensure comprehensive accessibility.





In residential construction, ÖNORM B 1600

sets out detailed requirements for accessible and wheelchair-friendly dwellings. An important consideration is the ability to retrofit, particularly in the sanitary area. The walls should be designed so that grab rails and other fittings can easily be installed at a later date. Flexibility and the ability to adapt to changing circumstances are fundamental principles of the standard.

PLANNING GUIDE

TOILET AREA
AUSTRIAN STANDARD B 1600

Approach areas	130 x 185 cm
Distance between the WC and the wall	Wall to centre of WC 45-50 cm.
WC seat height	46-48 cm including seat.
WC depth	Projection min. 65 cm.
Back rest	60-75 cm above top of flooring; back rest required for seat depths of over 55 cm.
Grab rail and hinged support rail assembly height	Upper edge of single rail min. 75-80 cm; upper edge of double rail max. 80-85 cm. Rails projecting 15-25 cm above the upper edge of the WC, horizontal distance between the rails 65-75 cm, for toilets that can be accessed from one side only, angled grab rail on the wall with vertical length of min. up to H=150 cm; horizontal min. 50 cm.
Toilet roll holder	Left and right on the seat-height grab rail.








PLANNING GUIDE

TOILET AREA

AUSTRIAN STANDARD B 1600


EXAMPLE BATHROOM SOLUTIONS



PLANNING GUIDE

WASH BASIN AREA
AUSTRIAN STANDARD B 1600



Installation height	80-85 cm, projection min. 45 cm. For wash basins min. 35 cm with minimum room width of 165 cm.
Mirrors	Bottom edge of mirror max. 95 cm. Upper edge of mirror min. 180 cm.
Wheelchair clearance	Wheelchair can fit below min. 100 cm width. Min. continuous height of 70 cm, flush-mounted or surface-mounted syphon.
Controls	Installation height 80-110 cm and can be used at a distance of min. 20-35 cm from the front edge of the wash stand.
Coat hooks	Min. 2 coat hooks at a height of max. 120 cm.
Installation recommendation (Grab rail + shelf = console grab rail)	Toilet roll holder, paper towel dispenser, soap dispense at a height of 80-110 cm.



PLANNING GUIDE

SHOWER AREA
AUSTRIAN STANDARD B 1600

Large shower area	Min. 150 x 150 cm or 130 x 180 cm, accessible from 2 sides via corner.
Shower seat	Seat size min. 40 x 40 cm. Seat height 46 x 48 cm. Centre distance from the corner 45-50 cm.
Hinged support rail	Rather than installing a horizontal grab rail next to the folded seat, it is possible to install a hinged support rail with a horizontal distance of 65-75 cm between the rails, L = 70-85 cm. In the case of permanently installed chairs, installing a horizontal grab rail in the seat area is not a necessity.
Grab rails	Horizontal grab rails upper edge min. 75-85 cm, vertical grab rail from 75 cm up to a height of min. 150 cm with min. distance of 70-85 cm from the corner, can also be used as a shower rail.
Accessories	Soap dish.
Shower curtain / shower splash protection	Shower partitions must be flexible (curtain) or must be able to be folded away; must not restrict the space in which there is to move.




PLANNING GUIDE

SHOWER AREA

AUSTRIAN STANDARD B 1600

EXAMPLE BATHROOM SOLUTIONS





PLANNING GUIDE

SHOWER AREA

AUSTRIAN STANDARD B 1600

EXAMPLE BATHROOM SOLUTIONS





PLANNING GUIDE

SHOWER AREA

AUSTRIAN STANDARD B 1600

EXAMPLE BATHROOM SOLUTIONS





PLANNING GUIDE

UNIVERSALLY ACCESSIBLE CONCEPTS SIA 500

This standard aims to ensure that buildings and facilities are designed to be accessible to people with disabilities, older people, and parents with children. SIA 500 sets out the requirements for buildings and outdoor spaces to ensure they can be used independently and in a way that meets individual needs.

SIA 500 focuses on buildings and outdoor areas open to the public. To this end, it establishes specific requirements for cultural and educational establishments, administrative and office buildings, and retail and catering premises, as well as public spaces such as car parks, pavements, and public toilets. People with motor, sensory and cognitive impairments are the particular focus of attention when it comes to accessibility, orientation, and usability.

In residential construction, SIA 500 distinguishes between flats that are simply accessible and those that must be fully wheel-


chair-accessible. The requirements regarding accessibility, movement areas, and the retrofitting of facilities, such as sanitary facilities, are clearly defined here. The ability to make individual adjustments is an essential part of the standard.

PLANNING GUIDE

TOILET AREA
SIA 500

PUBLICLY ACCESSIBLE

Distance between the WC and the wall	Wall to centre of WC 45 cm.
WC seat height	46-48 cm including seat.
WC depth	Projection min. 65 cm.
Back rest	For toilets with flush-mounted cistern, 15-20 cm from rear wall or cistern.
Installation height for the grab rail and hinged support rails	70-75 cm. Angled grab rail projecting 20-25 cm from front edge of WC, length min. 50 cm, vertical upper edge min. 170 cm; hinged support rail projecting min. 10 cm from WC; hinged support rail on the outer side, distance from centre point of WC to centre point of hinged support rail 35 cm.
Toilet roll holder	Affixed below the horizontal grab rail.
Operation of folding rail	Single-handed.
Coat hooks	On the wall, 1.10 m above floor level, opposite toilet bowl/wash basin.





PLANNING GUIDE

WASH BASIN AREA
SIA 500

WHEELCHAIR-ACCESSIBLE DWELLING

Installation height Upper edge of the wash stand	85 cm, projection 35-40 cm (public bathrooms).
Mirrors	Affixed, tilting mirrors not permitted. Lower edge max. 100 cm above floor, upper edge min. 180 cm.
Wheelchair clearance Hand washbasin	70 cm in the knee area.
Controls	Operating height max. 110 cm.
Coat hooks	Installation height 110 cm.
INSTALLATION RECOMMENDATION (Grab rail + shelf = console grab rail)	Console grab rail - shelf with full length grab rail. • For convenient support when standing and sitting down. • For safe raising from a seated position.




PLANNING GUIDE

SHOWER AREA
SIA 500

WHEELCHAIR-ACCESSIBLE DWELLING

Large shower area	90 x 110 cm, or for communal showers 90 x 140 cm. Separated by shower curtain. Drying area. At least 30 cm larger than shower area.
Shower seat	Folding shower seat, projection min. 45 cm, seat height 46 cm.
Hinged support rail	Folding grab rail on the side with open space next to the folding shower seat; single-handed operation. Installation height 70-75 cm.
Grab rails	Horizontal grab rail, installation height 70-75 cm; vertical grab rail with adjustable shower holder, upper edge approx. 190 cm above floor level.
Accessories	Clothing hook 110 cm above floor level. Soap dish positioned next to the shower.
Shower curtain / shower splash protection	Yes.



QUICKFINDER

What are you looking for?

ERLAU BATHROOM FIXTURES AND FITTINGS

Product name	Page:
Shelf	140-143
Cup holder	152, 164
Fixing bracket	103
Shower holder	174
Shower hose	55, 173
Shower rail	45-46
Wall-mounted shower seat	84
Shower grab rail	48-53, 110-111
Shower stool	82-83, 170
Folding shower seat	79-80
Shower basket	173
Shower curtain	62
Shower curtain rail	57-61
Electronic flush	96
Replacement toilet roll holder	136-137, 155, 167
Spare parts	171, 174
Wireless remote-control button	99
Glass holder	152, 164
Hooks	132-133, 150, 162
Grab rail	39-43, 108-109
Hand shower	55, 173
Towel rail	39, 108, 139, 151, 163
Toilet roll holder	101, 134-135, 154, 166
Back rest	100
Soap dispenser / soap dish	153, 165
Mirrors	172
Splash protection	62, 95
Support leg	103
Support rail	92
Hinged support rail	88-91, 93-95
Toilet brush set	138, 155, 167
Angled grab rail	41-43

Product overview						
Product name	Visualisation	Dimensions in mm / Variant	Item no.	SF 1	SF 2	Page Catalogue

Handles and angle handles	Handle HG-R		300 400 500 600 700 800 900	53621..* 53622..* 53623..* 53624..* 53625..* 53626..* 53627..*		39
	HGE-R handrail, white		690	5370301		40
	Angled handle WG-45-R		300 x 300	53630..*		41
	Angled handle WG-90-R		305 x 305 605 x 305 805 x 605 1,005 x 605	53631..* 53632..* 53633..* 53634..*		42

Shower rails & handrails	Shower rail BS-R		800 1,000 1,200	55787..* 55785..* 55784..*		45
	Shower rail BS-V		900 1,100	5582185 5582085		46
	Shower handrail DB-R		1,205 x 500 1,205 x 700	55782..* 55783..*		48
	Shower handrail DBE-R		1,205 x 785 x 790 1,205 x 985 x 790	55781..* 55780..*		50
	Handrail HL-R		785 x 790	53640..*		54
	Shower hose BRS		Chrome Black	5008464 5008465		55
	Hand shower HBR		Chrome Black	5008466 5008467		55

Shower curtain rods & accessories	Shower curtain rail DVS-G		1,000 1,500 1,950	53644..* 53645..* 53646..*		57
	Shower curtain rail DVS-L-B		1,000 x 1,000 1,200 x 1,200 1,500 x 1,500	53934..* 53935..* 53936..*		58
	Shower curtain rail DVS-U-B		1,000 x 1,010 x 1,000 1,200 x 1,210 x 1,200 1,500 x 1,510 x 1,500	53937..* 53938..* 53939..*		60
	Shower curtain DV White		2,000 x 1,800 2,000 x 2,400 2,000 x 3,600	501492 501493 8101739		60
	Tip guard for XSK-850		XSK-850 Curtain Windscreen	55506..* 5008536 5551208		62
	Bracket for DVS-B			54163..*		63
	Spare parts set DVS			5008027		63
	Shower curtain ring set DVSR			5007039		63

Product overview						
Product name	Visualisation	Dimensions in mm / Variant	Item no.	SF 1	SF 2	Page Catalogue

Individual components	Handle tube		256 356 456 556 656 756 856 956 1,056 1,156 1,356 1,456	53761..* 53762..* 53763..* 53764..* 53765..* 53766..* 53767..* 53768..* 54166..* 53769..* 54168..* 53770..*			66
	Spare parts set			5007010			66
	Assembly kit 1			5006839			66
	Connector 58 (set of 2)			53771..*			67
	Connector 68 (1 pc.)			53780..*			68
	Wall bracket (1 pc.)			53772..*			67
	T-connector 90/1 (set of 2)			55339..*			67
	Corner connector 90/2 (set of 2)			53774..*			67
	Corner connector 45/3 (set of 2)			53775..*			67
	Corner connector 90/3 (set of 2)			53776..*			67
	Shower holder BRH3			55686..*			174
	Wall mounting kit			54339..*			69
	Drill hole seal (set of 10)			5008069			70
	(SET OF 30)			5008070			
	(SET OF 100)			5008071			
	VPX bolt-on plate gasket			5007707			70

Shower seats	DKS folding shower seat		white / anodised black-grey / anodised	5581685 5581785			80
	DKX folding shower seat		anthracite grey	5394408			79
	Pre-fit kit VSX for XSK, XSS, XSE and DKX			53788..*			102
	Shower stool HC1		white	5476301			82
	Shower stool HC2		white	5476401			82
	Shower stool DHX		anthracite grey	5400208			83
	DEX wall-mounted shower seat			53940..*			84
	DEX-BS FLOOR SUPPORT SET (2 PCS.)		anthracite grey	5408908			84

Product overview						
Product name	Visualisation	Dimensions in mm / Variant	Item no.	SF 1	SF 2	Page Catalogue

Grab bars & accessories	Folding support handle XSK		600 700 850 900 1000	53926..* 53927..* 53928..* 54090..* 54001..*		88
	XSK Direct folding support handle		600 700 850	55262..* 55263..* 55264..*		90
	Support handle XSS white		600 850	5400501 5400701		92
	XSE anodised folding support handle		600 700 850	5380585 5380685 5380785		93
	XSR Direct folding support handle		600 700 850 900 950 1000	55504..* 55505..* 55506..* 55507..* 55508..* 55509..*		94
	ESA-X-R carrier		black	5461036		96
	ESA-X-40 bracket		black	5557136		96
	ESA-X transmitter for toilet control		Without emergency call With emergency call	5007896 5007897		96
	2-channel flush-mounted receiver			5007731		96
	Transformer for 2-channel flush-mounted receiver			5008084		96
	FMI/E wireless remote trigger			8102213		99
	Backrest RS			53629..*		100
	Paper dispenser PAS-X-O		anthracite grey	5407008		101
	PAS-X-R paper dispenser			54071..*		101
	PAS-X-40 paper dispenser		black	5551036		101
	Adapter plate for ESK support handle		white	5409301		102
	Adapter plate for SGK/O support handle		white	5430001		102
	Pre-assembly kit VSX			53788..*		102
	Support leg SFX		white	5433701		103
	Mounting bracket BKK		white	5419501		103

Mounting kits	Mounting kit 1 - Handle systems	For masonry	5006839			104
	Mounting kit 6 – Support handles and shower seats	Solid wall	5008444			104
	Installation kit 3 – Grab rails and shower seats	Lightweight wall	5008249			104
	Installation kit 4 – XSK Direct support handle	Lightweight partition wall	5008399			104
	Composite mortar cartridge		8102684			104
	Screw-on plate gasket for VSX		5007707			104

Product overview						
Product name	Visualisation	Dimensions in mm / Variant	Item no.	SF 1	SF 2	Page Catalogue

ColorLine series	Handrail HG-R CL		300 600	5433103 5433203			108
	Angled handle WG-45-R CL		300 x 300	5433303			109
	Angled handle WG-90-R CL		805 x 605	5433403			109
	Shower handrail DB-R CL		1,200 x 500	5581803			110
	Shower handrail DBE-R CL		1,200 x 780 x 790	5581903			111
	Folding support handle XSK CL		600 700 850	5432503 5432603 5432703			112

COLORit accessories	Hook HAK		47	53967..*			132
	Hook HAK-2		90	53968..*			132
	Hook HAK-LD		47	53969..*			133
	Paper dispenser PAK-LE		132 x 171	53970..*			134
	Paper dispenser with lid PAK-DK		171 x 141	55123..*			135
	EPK-D replacement paper roll holder		112	53971..*			136
	Double roll holder DRH		167 x 85	55302..*			137
	toilet brush set WBK-DN		461 x 149	53972..*			138
	HHS towel rail		478	54092..*			139
	Corner shelf EA-K		199 x 199	54855..*			140
	Shelf AB-K		560	54856..*			141
	Shelf AS-XLS		240	54249..*			142
	Shower shelf DA		240 x 109	54591..*			143


Product overview						
Product name	Visualisation	Dimensions in mm / Variant	Item no.	SF 1	SF 2	Page Catalogue
Circle Accessories in Chrome & Black	Single hook	61	54861..*			150
	Double hook	65	54862..*			150
	Towel rail	600 800	54868..* 54869..*			151
	Towel rail	400	54866..*			151
	Towel ring	160	54860..*			152
	Glass holder	124	54857..*			152
	Soap dispenser	142	54858..*			153
	Soap dish	144	54859..*			153
	Paper dispenser	79	54864..*			154
	Paper dispenser with lid	85	54863..*			154
	Spare paper roll holder	69	54865..*			155
	Toilet brush set	167	54867..*			155

Accessories Cube Chrome & Black	Single hook	61	54874..*			162
	Double hook	65	54875..*			162
	Towel rail	600 800	54881..* 54882..*			163
	Towel rail	400	54879..*			163
	Towel ring	160	54873..*			164
	Glass holder	124	54870..*			164
	Soap dispenser	142	54871..*			165
	Soap dish	144	54872..*			165
	Paper dispenser	79	54877..*			166
	Paper dispenser with lid	85	54876..*			166
	Spare paper roll holder	69	54878..*			167
	Toilet brush set	167	54880..*			167


Product overview						
Product name	Visualisation	Dimensions in mm / Variant	Item no.	SF 1	SF 2	Page Catalogue

Accessories	Shower stool HC1		white	5476301			170
	Shower stool HC2		white	5476401			170
	Extra-long toilet brush handle		600	54883..*			171
	Replacement brush head Circle & Cube		white	5008384			171
	Replacement brush WB for WBK-DN			53973..*			171
	Mirror SP 600 x 600		Wooden packaging	5008468			172
	Mirror SP 1000 x 600		Cardboard packaging	5008470			
			Wooden packaging	5008469			
			Cardboard packaging	5008471			
	KSB tilting mirror fitting			501164			172
	Hand shower HBR		chrome black	5008466 5008467			173
	BRS shower hose		chrome black	5008464 5008465			173

Spare parts	Shower head BRH3			55686..*			174
	Shower curtain ring set DVSR		Set of 10	5007039			175
	Support disc STS			54988..*			175



MORE INFORMATION ABOUT ERLAU



WEBSITE

erlau-sanitaer.de

- ✓ Overview of products
- ✓ Extensive download area
(tender texts, assembly
instruction manuals)
- ✓ References
- ✓ Product information
- ✓ Catalogues

OPEN DATAPOOL

www.open-datapool.de

PLANNING AIDS

AUSSCHREIBEN.DE



SOCIAL MEDIA

[erlau.bad](https://www.facebook.com/erlau.bad)



VIRTUAL BATHROOM SHOWROOM



CLEANING RECOMMENDATIONS

Please note the following when cleaning our products:

- Only use cleaning agents intended for cleaning bathroom fittings.
- Avoid heavily acidic aids, which contain hydrochloric acid, nitric acid, phosphoric acid, acetic acid and formic acid for example.
- Avoid strong auxiliary materials containing lyes, e.g. bleach lyes, industrial cleaners, barbecue and pipe cleaners, floor cleaners and solvents (e.g. acetone).
- For cleaning, use a soft cloth, e.g. microfibre, and avoid abrasive cleaners and brushes, scouring pads and kitchen sponges as these can damage the surface.
- Do not spray the cleaning product directly onto the product, but apply it using a cleaning cloth.
- After cleaning, rinse the product with clear water or wipe off any remaining detergent with a cloth.
- Remove dirt and residues of body and cleaning products such as soap and shampoo from the product as early as possible to prevent them from sticking to the surface.
- Observe the application instructions of the cleaning product manufacturer (concentration and contact time).
- Where surfaces have become damaged during use, the damage may be increased by exposure to cleaning products of any kind.

In order to be able to guarantee a permanently visually highly appealing Erlau product with a long service life, we recommend that you clean the components gently on a regular basis!

Improper handling or improper care can attack or damage the surface. No warranty can be given for any damage resulting from this.

ERLAU

Delivery and payment conditions:

All prices are in EURO per item plus VAT. Delivery ex works Aalen on the basis of our General Terms and Conditions of Sale (GTC). Available at www.erlau.com, subject to the fulfilment of the conditions of our trade credit insurance.

Our invoices are payable within 30 days without deduction.

Complaints of any kind will only be considered within 14 days after receipt of the goods. Immediately upon receipt of the goods, the recipient shall inspect them both quantitatively and qualitatively to determine whether they deviate from the contractually agreed quality. You must notify us in writing of any obvious defects within 14 days of receiving the goods. You must notify us in writing of any non-obvious defects as soon as they become apparent and within max. 6 months of receiving the goods.

Postal or carrier deliveries within the Federal Republic of Germany are generally carriage paid (with the exception of express deliveries).

For shipments outside the German mainland, freight is offered and charged individually.

The packaging will neither be charged nor taken back; seaworthy packaging, however, will always be invoiced.

Within the Federal Republic of Germany, our packaging can be registered for collection with Interseroh.

All prices are without installation work. Detailed instructions are available for installation by clients. Unloading and/or dividing up the ordered goods to individual floors, storage locations and parking spaces is not part of our scope of services.

We exclude the return of goods without our express consent.

If we agree to take back goods, only our return notes are to be used.





CONTACT DETAILS

We are happy to help.

GERMANY

RUD Ketten
Rieger & Dietz GmbH & Co. KG
Friedensinsel, 73432 Aalen
Tel. +49 7361 504-3260
Fax +49 7361 504-3644
objekteinrichtung@erlau.com
erlau-sanitaer.de

AUSTRIA

ERLAU in Österreich GmbH
Pfongauer Straße 67
5202 Neumarkt
Tel.: +43 6216 9000
Fax: +43 6216 9000-88
info@erlau.at
erlau-sanitaer.at

SWITZERLAND

ERLAU Schweiz AG
Florastrasse 14
8610 Uster
Tel.: +41 43 466 99 61

info@erlau.ch
erlau-sanitaer.ch