


ENGLISH // EDITION 7

# **RUD TECDOS TM**

TOOL MOVER | PROFESSIONAL & PROGRESSIVE




#### **POWERFUL IN ANY ENVIRONMENT**

- ✓ Turning tools & moulds in seconds
- ✓ Easy, safe & ergonomic operation
- ✓ For all sizes of tool up to 64t














Can be used in a huge variety of manufacturing sectors



















Injection moulding | Automotive | Tool-manufacturing | Aluminium die casting | Metal stamping or bending technology | Packaging | Containers | Electrical devices | and many others

# The RUD TECDOS TM is used in these companies:











# Benefits & properties



#### **RUD TECDOS TM** benefits and properties

- Amortisation time <1 year
- Easy, ergonomic operation saves time and costs
- Operators not put at risk
- Can be used for all sizes of tool up to 64t
- Different options available (tailored to your requirements)
- Digital twin in RUD Cockpit\*


- Frequency-controlled drive ensures soft start-up and stopping
- Standard units produce audible warning signal during turn-over
- Turning table can be moved with a crane (attachment points) or fork lift truck (fork pockets)

### Construction and Dimensions



#### **Chain-end attachment**

The chain-end attachment is used to connect the chain and weight-bearing structures.



### **TECDOS** premium chain

This chain has extremely high dynamic strength and a long service life, ensuring max. operating safety.

### **Tabletop**


 $80 \times 130 \text{ cm}$  to  $250 \times 350 \text{ cm}$ . Up to  $64 \times 100 \times$ 

Optional: PE plates for damping and increasing safety.

# Safety rail

(optional)

Can be used with a hoist or forklift







Туре	Table surface in cm		Table Top Height	Load-bearing capacity	Approx. unit weight
	W	L	in mm	in kg	in kg
TM 08/13-10	80	130	595	10.000	1.050
TM 13/13-10	130	130	595	10.000	1.150
TM 15/20-16	150	200	885	16.000	3.700
TM 20/20-20	200	200	885	20.000	4.000
TM 20/25-25	200	250	1.167	25.000	8.000
TM 25/25-32	250	250	1.167	32.000	8.000
TM 25/25-40	250	250	1.167	40.000	8.000
TM 25/35-64	250	350	2.075	64.000	17.000

Other sizes on request

### **TECDOS OMEGA DRIVE**

The OMEGA DRIVE drive system is a quiet, powerful drive for the RUD TECDOS TM.

# **Contact protection**

(optional)


### RUD VLBG-PLUS Load ring

(optional)

Figures may differ from the standard version.



# Optional components



#### **RUD TECDOS TM safety rail**

Hoop construction as distance protection

- for the front zone
- rear zone



# RUD TECDOS TM contact protection

- Protects operators from reaching into the danger zone (danger of being crushed)
- Protective guard, yellow/black





### **RUD** attachment points


- RUD VLBG-PLUS load ring
- Bracket adjustable in force direction
- Comprehensive range of threads





### **RUD TECDOS TM operator devices**


- Can be operated safely outside the danger
- Two-hand operator device
- Radio control system



#### **RUD TECDOS TM surfaces**


- Table surface with different recesses
- Polyethylene table surface
- Steel mesh/polyurethane anti-slip surface





### **RUD TECDOS TM light curtain**

- Stops inadvertent or unauthorised entry to the danger zone
- Protects operators at or near the RUD TECDOS TM turning fixture



#### **RUD TECDOS TM protective fence**

- Complete protection for the operator and the RUD TECDOS TM
- An alternative to the light curtain can also be installed together



#### **RUD TECDOS TM working platform**

- For attaching attachment points and lashings safely
- Custom working platform configurations, stationary safety enclosures or mobile working platforms available



You will find more information about the RUD product portfolio at: www.rud.com



# RUD TECDOS TM Hotline:

+49(0)36074-36642





# Ergonomic & safe

### **Ergonomic work**

Cast and injection-formed objects, and stamping and pressing tools, can be turned over safely, ergonomically and quickly, using the RUD TECDOS TM turning fixture Handling heavy, easily damaged tools is made easier, protecting your staff in industrial workplaces and helping prevent serious damage to joints and backs.

### Safe working

Normal turning and rotating fixtures conceal enormous risks for the operator. Not only can handling them cause damage to expensive tools if they are not pulled in a straight line, but the health of staff can also be put at risk. The RUD TECDOS TM turning fixture guarantees that all kinds of objects, not matter what shape, can be moved easily and safely.





Service concept

Service Nr.: +49(0)36074-36642 (Mo.-Fr. 08:00 bis 14:00 Uhr)

E-Mail: salesfa@rud.com

#### **Services**



#### **Service**



#### Guarantee



<sup>\*</sup> The guarantee is extended by annual increments (Small service) up to three or a maximum of 5 years.



RUD Ketten Rieger & Dietz GmbH u. Co. KG

Friedensinsel

73432 Aalen, Germany
Phone: +49 7361 504-1457
Fax: +49 7361 504-1450
Mail: salesfa@rud.com
Web: www.rud.com





#### **RUD Conveyor & Drives**



#### **RUD** conveyor technology

Combinable components & individual parts for conveyor technology, conveyor systems and mining. RUD offers you perfectly coordinated systems and components for horizontal, vertical and ascending conveyors.



#### **RUD TECDOS** mechanical engineering

Cool moves for heavy tools and bulky items: With the **RUD TECDOS TM** TOOL MOVER and the **RUD TECDOS TS** TOOL SEPARATOR, handling tools has never been so safe, efficient and effective in terms of costs or processing.



#### **RUD TECDOS** drive technology

The RUD TECDOS team develops and produces drive solutions for rotating, lifting, moving, telescoping or pushing. In addition to the components range, TECDOS OMEGA and PI-GAMMA drives are also available as complete system drives.



#### **RUD** industrial chains

RUD components are the first choice worldwide for leading hoisting equipment manufacturers. We also offer a wide range of round link chains for different industries and areas, such as food, fishing and awnings.