

Kein Flock-down mit RUD



21/22
Schneeketten
Snow Chains

DE/EN



DVSE / Topmotive TecCat Online-Katalog

DVSE / Topmotive TecCat Online-Catalogue

RUD Schneeketten ist Datenlieferant bei DVSE / Topmotive. Nutzen Sie die RUD Schneeketten Daten für Ihren elektronischen Teilekatalog.

Einfach, schnell und unkompliziert!

RUD snow chains is data supplier for DVSE / Topmotive. Use the RUD snow chains data for your electronic parts catalogue.

Easy, fast and uncomplicated!



RUD Schneekettenberater – Jederzeit die passende Kette

RUD snow chains onlineshop – Always the right chain

Finden Sie im RUD Schneekettenberater unkompliziert die passende Kette zu Ihrem Fahrzeug oder zu einer bestimmten Reifendimension.

In the RUD snow chains onlineshop, you will find the right chain for your vehicle or for a specific tyre dimension.

www.schneekettenberater.rud.com



Inhalt

Index

Wichtige Informationen Important information	4
--	---

RUD Schneeketten für PKW, 4x4, SUV, Bus, Transporter RUD snow chains for passenger cars, 4x4, SUV, busses, transporter	6
---	----------

RUDcomfort CENTRAX	10
RUDinnov8 HYBRID	11
RUDcompact® ÖKOMat	12
RUDcompact® easy2go	13
RUDcompact® GRIP	14
RUDmatic® CLASSIC	15
RUDcomfort CENTRAX V	16
RUDcompact® GRIP V	17
RUDmatic® CLASSIC V	18
RUDmatic® MAXI	19

Reifendimensionen Tyre sizes	20
--	----

Preisliste Pricelist	36
--------------------------------	----

RUD-Profiketten für LKW und Schneeräumungsmaschinen RUD-profi chains for trucks and snow removal equipment	68
---	-----------

Erlauprofi ARKTIK	70
Erlauprofi ALLIGATOR PLUS	71
RUDprofi® BISON	72
RUDprofi® PROFILGREIFSTEG PRO	73
RUDprofi® PROFILGREIFSTEG	74
RUDprofi® SUPERGREIFSTEG	75
RUDprofi® GREIFSTEG	76
RUDprofi® CARGO	77
RUDprofi® ALLIGATOR	78
RUDprofi® ALLIGATOR 45G	79
RUDprofi® AGRAR DUO	80

Preisliste Pricelist	82
--------------------------------	----

ROTOGRIP®	134
------------------	-----

Ersatzteile / Zubehör Spare parts / Accessories	138
---	-----

Wichtige Informationen

Important information

Zertifizierungen und Homologationen

Certifications and homologations



RUD erhielt als erste Kettenfabrik das TÜV-CERT-Zertifikat nach DIN EN ISO 9001 für das hauseigene Management-System.



RUD was the first chain factory to gain the German TÜV-CERT certificate under DIN EN ISO 9001 for its company management system.

EN 16662-1

Die europäische **Norm EN 16662-1** wurde im Juli 2020 für Schneeketten für PKW bis hin zu leichten Nutzfahrzeugen in ganz Europa in Kraft gesetzt. Einige RUD-Schneekettenmodelle wurden bereits nach dieser Norm getestet und zertifiziert.

The European standard **EN 16662-1** became operative in July 2020 for snow chains for passenger cars up to light duty vehicles in the whole Europe. Some of RUD snow chain models have been already tested and certified according to this standard in general safety and performance requirements.



Die Schneeketten, die der österreichischen Norm **Ö-Norm V5117** entsprechen, sind in Ländern, in welchen die Erfüllung der Ö-Norm V5117 erforderlich war, weiterhin anerkannt. RUD-Schneeketten erfüllen die **SAE-Klasse „S“** (USA-Standard).

The snow chains that meet the Austrian standard **Ö-Norm V5117** are still recognized in the countries where the Ö-Norm V5117 compliance was required. RUD snow chains fulfil **SAE Class „S“** (USA standard).



Schneeketten für Schwerlastfahrzeuge müssen, wenn eine gesetzliche Verpflichtung zum Anbringen von Schneeketten besteht, der österreichischen Norm **Ö-Norm V5119** entsprechen. RUD-Schneeketten für schwerere Nutzfahrzeuge erfüllen die österreichische Norm **Ö-Norm V5119**.

When there is a legal obligation to fit snow chains on heavy duty vehicles, they must comply with the Austrian standard **Ö-Norm V5119**. RUD snow chains for heavy duty vehicles meet the Austrian standard **Ö-Norm V5119**.

Gesetze und Vorschriften können sich ändern. Bitte überprüfen Sie immer die örtlichen Vorschriften und Einschränkungen im Bezug auf die Verwendung und Mitführung von Schneeketten.

Laws and regulations can change. Please, always check the local country laws for any obligations, restrictions or limitations regarding the use of snow chains.

Patente

Patents



Alle RUD-Schneeketten werden in Deutschland entwickelt. Wesentliche Bestandteile der RUD Ketten sind Gegenstand deutscher und europäischer Patente.



All RUD snow chains are engineered in Germany. Major components of RUD chains are objects of German and European patents.

LKW und Busse: Mitführpflicht von Schneeketten - EUROPA

Trucks and buses:
obligation carrying snow chains - EUROPE

- **Gesetzl. Mitführpflicht**
Legal obligation to carry snow chains
- **Mitführpflicht bei winterlichen Verhältnissen**
Obligation to carry snow chains in winter conditions
- **Keine Mitführpflicht**
No obligation



RUD macht einen wichtigen Schritt in Richtung Nachhaltigkeit

RUD moves towards a sustainable future

Ist all das Plastik wirklich notwendig?

Inzwischen ist wohl allgemein bekannt, dass Plastik schlecht für die Umwelt ist und deshalb auch einen negativen Einfluss auf unsere Gesundheit hat. RUD hat sich, als führender Schneekettenhersteller, dafür entschieden seinen Beitrag zur Reduzierung des Plastikeinsatzes in seinen Produkten zu leisten.

Der erste Schritt ist die Verpackung: Wir stellen die Plastiktaschen einiger unserer Schneeketten auf **100% recyclebare**, ansprechende Kartonagen um. Auf einer Banderole finden Produktbild, Eigenschaften und Informationen zum Produkt Platz. Ein wasserdichter Leinensack wird im Karton beigelegt, um die Kette nach dem Gebrauch zu verstauen.

Is all the plastic really necessary?

We all know by now that the impact of plastic on the environment and consequently on the human health is devastating. RUD has decided to make its contribution in reducing the plastic use in its products.

Its first step is the packaging, converting the plastic cases of some of its snow chains products in **totally recyclable** appealing carton boxes that show features, information, image of the contained product. Inside the carton box, a waterproof sack will allow to store the chains once used.



RUDcompact® ÖKOMat

Ein weiterer wichtiger Beitrag ist die Einführung der neuen **RUDcompact® ÖKOMat**, die erste umweltfreundliche Schneekette!

Alle **nichtmetallischen Bauteile** sind aus **Bio-kunststoff**, der ausschließlich in **Deutschland** mit **100% zertifiziertem Ökostrom** aus **nachwachsenden Rohstoffen** produziert wird, sind vollständig **biologisch abbaubar** und **CO2 neutral**.



RUDcompact® ÖKOMat

Another important contribution is the introduction of the new **RUDcompact® ÖKOMat**, the first ECO-Friendly snow chain!

All **non-metallic components** are made of **bioplastics** produced exclusively in **Germany** from **renewable raw materials** with **100% certified green electricity**, are completely **biodegradable** and **CO2 neutral**.



RUD

PKW / SUV Schneeketten

RUD

Passenger cars /
SUVs snow chains




RUD Montagesysteme auf einen Blick

RUD fitting systems at a glance

COMFORT

Am leichtesten und einfachsten aufzulegen:
RUD CENTRAX Ketten. Alles im Blick.
Keine Kettenteile auf der Radinnenseite.


The simplest and easiest to fit: RUD CENTRAX chains. Everything at a glance. No parts of the chain on the inner side of the wheel.



INTUITIVE

Bedienungsfreundliche, innovative Schnell-
montage durch die einzigartige Kombination
von Textil und Metall.


User-friendly, innovative quick fitting with the
unique combination of textile and metal.



COMPACT

Praktisch bei Frontantrieb: Die Compact-
Montage. Einfach zusammenstecken und
spannen.


Practical for front-wheel drives: Compact
fitting. Just connect. Easy to tighten.



MATIC


Einfache Montage dank festem
Federstahlbügel vor allem bei
heckangetriebenen Fahrzeugen.

Easy fitting thanks to a strong spring-steel
hoop. Especially easy to fit on rear-wheel
drives.



Die richtige RUD Kette für Ihren Fahrzeugtyp

The right RUD chain for your type of vehicle

Montagesystem Fitting system	Modell Model	Freigängigkeit im Radhaus* Clearance inside the wheel housing*	Fahrzeugtyp Vehicle type	Standmontage Stationary fitting
COMFORT	CENTRAX	0 mm		•
	CENTRAX V	0 mm		•
INTUITIVE	HYBRID	7 mm		
COMPACT	ÖKomat	9 mm		•
	easy2go	9 mm		•
	GRIP	9 mm		•
	GRIP V	16 mm		•
MATIC	CLASSIC	14 mm		
	CLASSIC V	16 mm		



Mini, Kleinwagen, Mittelklasse und Oberklasse PKW
Minis, small, mid-range and top-range cars



SUV und Allradfahrzeuge
SUVs and all-wheel drive vehicles




Wohnmobile
Camper vans







Transporter und Lieferwagen
Transporters and delivery vans

*Freigängigkeit
Kette Radhaus
Innenseite →
*Body-to-tyre
clearance
inside the
wheel housing →



RUD Ketten im Vergleich

RUD chains in comparison

							  		
	CENTRAX	HYBRID	ÖKOMat	easy2go	GRIP	CLASSIC	CENTRAX V	GRIP V	CLASSIC V
Montage-Demontage Komfort Ease of fitting and removal	● ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	● ● ● ●	○ ● ● ●	○ ● ● ●
Eignung Frontantrieb Suitability for front-wheel drive	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●
Eignung Heckantrieb Suitability for rear-wheel drive	● ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	● ● ● ●	● ● ● ●	○ ○ ● ●	● ● ● ●
Eignung Schnee Suitability on snow	○ ○ ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ○ ● ●	○ ● ● ●	○ ● ● ●
Eignung Eis Suitability on ice	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●
Laufruhe (Fahrkomfort) Smooth running (comfortable ride)	● ● ● ●	● ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	● ● ● ●	○ ○ ● ●	○ ● ● ●
Freigängigkeit im Radhaus (innen) Body-to-tyre clearance inside the wheel housing	● ● ● ●	● ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	● ● ● ●	○ ● ● ●	○ ● ● ●
Felgenschutz Rim protection	● ● ● ●	● ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	● ● ● ●	○ ○ ● ●	○ ○ ● ●
Liefermenge pro Karton/Pair Quantity delivered for box/pair	1	3	3	3	3	1	1	1	1

RUDcomfort CENTRAX

Die automatische Schneekette
The automatic snow chain



- **Freigängigkeit 0 mm**
 - Alle Montageschritte von außen (1.)
 - Nur Adapter vormontieren
 - Montage der Kette ohne Werkzeug (2.)
 - Sehr laufruhig durch umlaufenden Kettengürtel
 - 3 mm Vierkant-Kettenglieder
 - Zertifizierungen und Homologationen: EN 16662-1 (Class 0-12mm), Ö-Norm V5117, TÜV
-
- **Body-to-tyre clearance 0 mm**
 - The chain is completely fitted from the outer side (1.)
 - Simply mount the adapter first
 - The chain can be fitted without any tools (2.)
 - The continuous chain net provides a very smooth ride
 - 3 mm square-section chain links
 - Certifications and Homologations: EN 16662-1 (Class 0-12mm), Ö-Norm V5117, TÜV



Mit 9 Größen alles abgedeckt!
Als CENTRAX V mit extra verstärkten Kettengliedern für härteste Beanspruchung siehe Seite 16.
With 9 sizes to cover everything!
CENTRAX V with reinforced chain links for heavy duty application page 16.



RUDinnov8 HYBRID

Mit innovativem Montagebügel
With innovative mounting bow



- **Innere Freigängigkeit 7 mm**
- Die perfekte Kombination aus Textil und Metall (1.)
- Einfachste Intuitiv-Montage und Demontage (2.)
- Platzsparend und leicht
- Hervorragender Schutz von Leichtmetallfelgen
- 3 mm Vierkant-Kettenglieder
- Neues und innovatives Einstellungssystem
- Neue **umweltfreundliche** Verpackung (3.)
- Zertifizierungen und Homologationen: EN 16662-1 (Class 13mm), Ö-Norm V5117, TÜV



- **Internal body-to-tyre clearance 7mm**
- Perfect combination between textile and steel (1.)
- Easy straight forward fitting and removal (2.)
- Space-saving and light-weight
- Excellent protection for light alloy rims
- 3 mm square-section chain links
- New and innovative setup system
- New **ECO-Friendly** packaging (3.)
- Certifications and Homologations: EN 16662-1 (Class 13mm), Ö-Norm V5117, TÜV

Mit 13 Größen alles abgedeckt! With 13 sizes to cover everything!

1.



2.



3.



RUDcompact® ÖKomat

Die erste umweltfreundliche Schneekette
The first ECO-Friendly snowchain



NEW



- **9 mm Freigängigkeit**
- Selbstspannend mit automatischer Spannratsche (1.)
- Alle **nichtmetallischen Bauteile** sind aus **Biokunststoff**, der ausschließlich in **Deutschland** mit **100% zertifiziertem Ökostrom** aus **nachwachsenden Rohstoffen** produziert wird, sind vollständig **biologisch abbaubar** und **CO2 neutral** (2.)
- NEUES integriertes Felgenschutzsystem
- Seilmontage
- **Umweltfreundliche** Verpackung (3.)
- Zertifizierungen und Homologationen: EN 16662-1 (Class 9mm), Ö-Norm V5117, TÜV
- **9 mm clearance**
- Self-tensioning with automatic tension ratchet (1.)
- All **non-metallic components** are made of **bioplastics** produced exclusively in **Germany** from **renewable raw materials** with **100% certified green electricity**, are completely **biodegradable** and **CO2 neutral** (2.)
- NEW integrated rim protection system
- Cable fitting
- **ECO-Friendly** packaging (3.)
- Certifications and Homologations: EN 16662-1 (Class 9mm), Ö-Norm V5117, TÜV

EN 16662-1



Mit 15 Größen alles abgedeckt! With 15 sizes to cover everything!

1.



2.



3.



RUDcompact® easy2go

Mit patentierter Spannvorrichtung / SELBSTSPANNEND
With patented permanent tensioning device / SELF TENSIONING



- **Freigängigkeit 9 mm**
- Patentierte Permanent-Spannvorrichtung (1.)
- Spurkreuz für gute Traktion und hohe Verschleißbeständigkeit
- Seilmontage
- 3 mm Vierkant-Kettenglieder
- NEUES integriertes Felgenschutzsystem (2.)
- Nach Montage kein Anhalten und Nachspannen mehr nötig
- Neue **umweltfreundliche** Verpackung (3.)
- Zertifizierungen und Homologationen: EN 16662-1 (Class 13mm), Ö-Norm V5117, TÜV

EN 16662-1



- **Body-to-tyre clearance 9 mm**
- Patented permanent tensioning device (1.)
- Diagonal configuration track pattern
- Cable fitting
- 3 mm square-section chain links
- NEW integrated rim protection system (2.)
- No stopping and re-tensioning after fitting
- New **ECO-Friendly** packaging (3.)
- Certifications and Homologations: EN 16662-1 (Class 13mm), Ö-Norm V5117, TÜV

Mit 11 Größen alles abgedeckt! With 11 sizes to cover everything!

1.



2.



3.



RUDcompact® GRIP

Praktisch und robust
Practical and robust



- **Freigängigkeit 9 mm**
- Hervorragend geeignet für Frontantrieb, auch für Heckantrieb
- Seilmontage (1.)
- 3 mm Vierkant-Kettenglieder
- NEUES integriertes Felgenschutzsystem (2.)
- Neue **umweltfreundliche** Verpackung (3.)
- Zertifizierungen und Homologationen: EN 16662-1 (Class 9mm), Ö-Norm V5117, TÜV

EN 16662-1



- **Body-to-tyre clearance 9 mm**
- Ideal for front and rear-wheel drives
- Cable fitting (1.)
- 3 mm square-section chain links
- NEW integrated rim protection system (2.)
- New **ECO-Friendly** packaging (3.)
- Certifications and Homologations: EN 16662-1 (Class 9mm), Ö-Norm V5117, TÜV

Mit 14 Größen alles abgedeckt! Als GRIP V mit extra verstärkten Kettengliedern für härteste Beanspruchung siehe Seite 17.
With 14 sizes to cover everything! GRIP V with reinforced square-section chain links for heavy duty page 17.

1.



2.



3.



RUDmatic® CLASSIC

Klassische Komfortbügelkette für schnelle Montage und Demontage bei engen Radkästen
 Classic comfort hoop chain for quick fitting and removal under low-clearance wheel housings



- **Freigängigkeit 14 mm**
 - Hervorragend geeignet für Heck- und Frontantrieb
 - Einfache Montage dank festem Federstahlbügel (1.)
 - 4 mm runde Kettenglieder mit Keilglied
 - Integrierter Felgenschutz (2.)
 - Zertifizierungen und Homologationen: EN 16662-1 (Class 17mm), Ö-Norm V5117, TÜV
-
- **Body-to-tyre clearance 14 mm**
 - Ideal for both front and rear-wheel drive
 - Easy fitting thanks to a strong spring-steel hoop (1.)
 - 4 mm round chain links with wedge-shaped link
 - Integrated rim protection (2.)
 - Certifications and Homologations: EN 16662-1 (Class 17mm), Ö-Norm V5117, TÜV



Mit 27 Größen alles abgedeckt!
 Als CLASSIC V mit extra verstärkten Kettengliedern für härteste Beanspruchung siehe Seite 18.
 With 27 sizes to cover everything!
 CLASSIC V with reinforced square-section chain links for heavy duty page 18.



RUDcomfort CENTRAX V



Kein Griff hinters Rad – die automatische Schneekette
No need to reach behind the wheel – the automatic snow chain



- **Freigängigkeit 0 mm**
- Alle Montageschritte von außen (1.)
- Nur Adapter vormontieren
- Montage der Kette ohne Werkzeug (2.)
- Sehr laufruhig durch umlaufenden Kettengürtel
- 4 mm runde Kettenglieder
- Zertifizierungen und Homologationen: EN 16662-1 (Class 0-16mm), Ö-Norm V5117, TÜV

EN 16662-1



- **Body-to-tyre clearance 0 mm**
- The chain is completely fitted from the outer side (1.)
- Simply mount the adapter first
- The chain can be fitted without any tools (2.)
- The continuous chain net provides a very smooth ride
- 4 mm round chain links
- Certifications and Homologations: EN 16662-1 (Class 0-16mm), Ö-Norm V5117, TÜV

Mit 7 Größen alles abgedeckt!
With 7 sizes to cover everything!

1.



2.



RUDcompact® GRIP V

Praktisch und robust
Practical and robust



- **Freigängigkeit 16 mm**
 - Seilmontage (1.)
 - Hervorragend geeignet für Frontantrieb, auch für Heckantrieb
 - 4,5 mm Vierkant-Kettenglieder (2.)
 - Zertifizierungen und Homologationen: Ö-Norm V5119, TÜV
-
- **Body-to-tyre clearance 16 mm**
 - Cable fitting (1.)
 - Ideal for both front and rear-wheel drive
 - 4,5 mm square-section chain links (2.)
 - Certifications and Homologations: Ö-Norm V5119, TÜV



Mit 10 Größen alles abgedeckt!
With 10 sizes to cover everything!

1.



2.



RUDmatic® CLASSIC V

Mit verstärkten Vierkant-Kettengliedern für hohe Beanspruchung
With reinforced square-section chain links for heavy duty



- **Freigängigkeit 16 mm**
- Hervorragend geeignet für Heck- und Frontantrieb
- Einfache Montage dank festem Federstahlbügel (1.)
- Perfekt zur Bekettung des äußeren Rades bei Zwillingsbereifung
- Ab 4,5 mm Vierkant-Kettenglieder (2.)
- Zertifizierungen und Homologationen: Ö-Norm V5119, TÜV



- **Body-to-tyre clearance 16 mm**
- Ideal for both front and rear-wheel drive
- Easy fitting thanks to a strong spring-steel hoop (1.)
- Perfect for fitting on the outer tyre of twin wheels
- From 4,5 mm square-shaped chain links (2.)
- Certifications and Homologations: Ö-Norm V5119, TÜV

Mit 28 Größen alles abgedeckt!
With 28 sizes to cover everything!



RUDmatic® MAXI

Traktionsstark für LKW und Busse
Powerful traction for trucks and buses



- **Freigängigkeit 22 mm**
- Wendbares, dichtes Laufnetz
- Federstahlbügelkette für nahezu automatische Montage und Demontage
- Zweifarbige Spannkette für optimierte Montagekontrolle (1.)
- 5 mm runde Kettenglieder mit Greifstegelementen (2.)
- Perfekt zur Bekettung des äußeren Rades bei Zwillingsbereifung
- Homologationen: Ö-Norm V5119



- **Body-to-tyre clearance 22 mm**
- Reversible, dense chain mesh
- Spring steel hoop chain for virtually automatic fitting and removal
- Two-colour tensioning chain for optimally controlled fitting (1.)
- 5 mm round chain links with additional traction elements (2.)
- Perfect for fitting on the outer tyre of twin wheels
- Homologations: Ö-Norm V5119

Mit 26 Größen alles abgedeckt!
With 26 sizes to cover everything!

1.



2.



RUDcomfort CENTRAX

13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
N887		-	4718068	367,00 €					
165/70 R	175/60 R	175/50 R							
175/60 R	185/55 R	185/50 R							
175/65 R	195/55 R	195/45 R							
185/60 R									
195/55 R									
N888		-	4718069	367,00 €					
175/70 R	175/65 R	175/55 R	175/50 R						
185/65 R	185/60 R	175/60 R	185/50 R						
195/65 R	185/65 R	185/55 R	195/45 R						
205/60 R	195/60 R	195/50 R	205/40 R						
	205/55 R	205/50 R	205/45 R						
		215/50 R	215/40 R						
			255/35 R						
N889		-	4716730	367,00 €					
175/75 R	165/80 R	175/65 R	175/60 R	185/50 R	205/40 R				
175/80 R	175/70 R	185/60 R	185/55 R	195/45 R	225/35 R				
185/70 R	175/75 R	185/65 R	185/60 R	205/40 R	265/30 R				
185/80 R	185/70 R	195/55 R	195/50 R	205/45 R					
195/70 R	195/65 R	195/60 R	195/55 R bis 5,5"	215/40 R					
205/70 R	205/60 R	205/55 R	195/55 R ab 6" + MO	215/45 R					
235/60 R	205/65 R	205/60 R	205/50 R	235/40 R					
	215/60 R	225/50 R	215/45 R	245/35 R					
	225/55 R	225/55 R	215/50 R						
	225/60 R	245/50 R	225/45 R						
	245/50 R	255/45 R	245/45 R						
N890		-	4716731	367,00 €					
	175/80 R	175/70 R	195/60 R	195/55 R	225/40 R	245/30 R			
	185/75 R	195/65 R	205/55 R	205/50 R	245/35 R	255/30 R			
	195/70 R	205/65 R	215/55 R	225/45 R	255/35 R				
	195/75 R	215/60 R	225/50 R	235/45 R	265/35 R				
	205/70 R	235/55 R	235/50 R	245/40 R					
	215/65 R			255/40 R					
	235/60 R								
N891		-	4716732	377,00 €					
	185/80 R	165/80 R	175/70 R	205/55 R	215/45 R	225/40 R	235/30 R		
	195/80 R	175/80 R	175/75 R	215/50 R	225/45 R	235/35 R	255/30 R		
	205/75 R	185/70 R	185/65 R	215/55 R	235/40 R	245/35 R	265/30 R		
	215/70 R	195/70 R	195/65 R	225/50 R	235/45 R	255/35 R			
	245/60 R	205/70 R	205/60 R bis 6"	235/50 R	245/40 R	285/30 R			
	255/60 R	215/65 R	205/60 R ab 6,5"	245/45 R	255/40 R	295/30 R			
		225/60 R	215/60 R	255/45 R	265/40 R				
		235/60 R	225/55 R	265/40 R	285/35 R				
		240/60 R	235/55 R						
		265/50 R	245/50 R						
		275/50 R	255/50 R						
			255/55 R						

Reifendimensionen

Tyre sizes

13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	
N892		-	4716733	377,00 €						
	205/80 R	185/75 R	175/80 R	205/60 R	205/55 R	175/60 R	225/40 R			
	215/75 R	195/75 R	185/75 R	225/55 R	215/50 R	225/45 R	235/35 R			
	225/70 R	205/75 R	195/70 R	245/50 R	225/50 R	235/40 R	245/35 R			
	235/70 R	215/70 R	205/65 R	255/50 R	245/45 R	245/40 R	255/35 R			
	265/60 R	225/65 R	215/65 R	275/45 R	255/45 R	255/40 R	275/30 R			
		245/60 R	225/60 R		275/40 R	265/35 R	285/30 R			
		255/60 R	245/55 R		285/40 R	275/35 R	295/30 R			
		295/50 R			295/35 R	285/35 R				
						295/35 R				
N893		-	4716734	404,00 €						
	215/80 R	185/80 R	185/80 R	205/65 R	215/55 R	235/45 R	215/45 R	255/35 R		
	225/75 R	195/80 R	205/70 R	215/60 R	225/55 R	255/45 R	235/40 R	275/30 R		
		205/80 R	245/60 R	215/65 R	235/50 R	265/40 R	245/40 R			
		215/75 R		245/55 R	245/50 R	275/40 R	255/40 R			
		225/70 R			265/45 R	285/40 R	265/35 R			
		235/70 R			275/45 R		285/35 R			
N894		-	4716735	404,00 €						
		215/80 R	195/80 R	225/65 R	225/60 R	225/55 R	195/55 R	245/40 R	295/30 R	
		225/75 R	205/80 R	235/65 R	235/55 R	235/50 R	235/45 R	255/40 R		
		235/75 R	215/75 R	275/55 R	235/60 R	235/55 R	235/55 R	275/35 R		
		245/70 R	225/70 R		245/55 R	245/50 R	245/45 R	295/35 R		
		255/70 R	235/70 R			275/45 R	255/45 R	315/30 R		
						295/40 R	265/40 R	325/30 R		
							275/40 R			
							285/40 R			
							295/35 R			
N899		-	4718010	428,00 €						
		265/70 R	215/80 R	225/70 R	285/50 R	245/55 R	235/50 R	245/45 R	265/35 R	
			225/75 R	245/65 R		265/50 R	245/50 R	265/40 R	275/35 R	
			245/70 R	265/60 R		295/45 R	265/45 R	275/40 R	315/30 R	
			265/65 R				275/45 R	305/35 R		
			315/55 R				295/40 R			
							305/40 R			

RUDinnov8 HYBRID

13"	14"	15"	16"	17"	18"
H100	-	4718364	133,00 €		
145/70 R					
155/65 R					
165/65 R					
H101	-	4718365	133,00 €		
155/70 R	155/65 R	175/50 R			
175/65 R		195/45 R			
H102	-	4718366	133,00 €		
145/80 R	165/65 R				
165/70 R	175/60 R				
	185/55 R				
H103	-	4718367	142,00 €		
175/70 R	195/55 R	175/55 R			
185/65 R		195/50 R			
H104	-	4718368	142,00 €		
155/80 R	155/70 R		195/45 R		
	165/70 R				
	185/60 R				
H105	-	4718369	142,00 €		
185/70 R	175/65 R	185/55 R	185/50 R		
195/65 R	195/60 R	205/50 R	205/45 R		
H106	-	4718370	142,00 €		
195/70 R	175/70 R	175/65 R	175/60 R		
	185/65 R	185/60 R	185/55 R		
	185/70 R	195/55 R	195/50 R		
	195/65 R	195/60 R			
H107	-	4718371	164,00 €		
	215/60 R	205/55 R	205/50 R	205/40 R	
		215/50 R	215/45 R	205/45 R	
		225/50 R		215/40 R	
H108	-	4718372	164,00 €		
185/80 R	175/80 R	185/65 R	195/55 R bis 5,5"	215/45 R	
	195/70 R	205/60 R	195/55 R ab 6" + MO		
	205/65 R	225/55 R	215/50 R		
	225/60 R		225/50 R		
H109	-	4718373	164,00 €		
	205/70 R	195/65 R	195/60 R	195/55 R	225/40 R
		215/60 R	205/55 R	205/50 R	
			215/55 R	225/45 R	
				235/45 R	
H110	-	4718374	175,00 €		
	185/80 R	205/65 R	205/60 R bis 6"	215/50 R	215/45 R
		225/60 R	205/60 R ab 6,5"		
H111	-	4718375	175,00 €		
		195/70 R	195/65 R	205/55 R	205/55 R
		215/65 R	205/65 R	215/55 R	225/45 R
		225/65 R	215/60 R	225/50 R	
			225/55 R		
			225/60 R		
H112	-	4718376	175,00 €		
			215/65 R	225/55 R	225/50 R
			235/60 R		

RUDcomfort CENTRAX V

15"	16"	17"	18"	19"	20"	21"	22"
S894	-	4717999	479,00 €				
	205/75 R	235/60 R				245/35 R	
	235/65 R					255/35 R	
S895	-	4717300	479,00 €				
	205/65 R	205/60 R	285/40 R	225/45 R	235/35 R		
	215/65 R	245/50 R		255/40 R	275/30 R		
				285/35 R	285/30 R		
S896	-	4717301	479,00 €				
225/70 R	195/75 R	215/60 R	235/50 R	175/60 R	225/40 R	275/30 R	
	215/70 R	225/60 R	275/45 R	245/45 R	235/40 R	285/30 R	
	225/65 R	235/55 R		265/40 R	245/40 R		
	235/60 R			275/40 R	265/35 R		
					275/35 R		
S897	-	4717310	479,00 €				
215/80 R	195/80 R	215/65 R	225/60 R	235/50 R	235/45 R	275/35 R	
225/75 R	215/75 R	225/65 R	235/60 R	235/55 R	245/45 R	315/30 R	
245/70 R	225/70 R	235/65 R	245/55 R	245/50 R	265/40 R		
275/60 R	235/70 R		285/45 R	295/40 R			
	255/60 R						
	265/60 R						
S898	-	4717311	479,00 €				
235/75 R	205/80 R	255/60 R	255/55 R	225/55 R	255/45 R	245/40 R	295/30 R
255/70 R	255/65 R	275/55 R		255/50 R	275/40 R	255/40 R	
				275/45 R	285/40 R	295/35 R	
				285/45 R	315/35 R	325/30 R	
S899	-	4718187	479,00 €				
	225/75 R			265/50 R	235/50 R	265/40 R	265/35 R
	265/65 R			295/45 R		305/35 R	
						315/35 R	
S902	-	4718194	479,00 €				
		265/65 R	255/65 R	235/65 R	255/55 R	265/45 R	275/40 R
				255/60 R	275/50 R	275/45 R	285/40 R
				265/55 R	285/45 R	285/45 R	315/35 R
				275/55 R	295/45 R	315/40 R	325/35 R

RUDcompact® ÖKOMat

12"	13"	14"	15"	16"	17"	18"	19"	20"
E020		-	4719084	130,00 €				
145/80 R	135/80 R							
	145/70 R							
	155/65 R							
	165/60 R							
E030		-	4719085	130,00 €				
155/80 R	145/80 R	135/80 R	135/70 R					
165/70 R	155/70 R	145/70 R	145/65 R					
175/70 R	160/65 R	155/60 R	155/55 R					
	165/65 R	155/65 R	165/50 R					
	175/50 R	165/55 R						
	175/55 R	165/60 R						
	175/60 R	175/50 R						
	195/50 R	175/55 R						
E040		-	4719086	130,00 €				
	155/80 R	145/80 R	125/80 R					
	165/70 R	155/70 R	135/80 R					
	175/65 R	165/65 R	155/60 R					
	185/55 R	175/60 R						
	185/60 R	185/50 R						
	195/55 R							
E045		-	4719087	130,00 €				
	175/70 R	165/70 R	155/65 R					
	185/65 R	185/55 R	165/60 R					
			175/50 R					
			175/55 R					
E050		-	4719088	144,00 €				
	165/80 R	155/80 R	145/80 R					
	185/70 R	165/75 R	155/70 R					
	195/60 R	175/65 R	165/65 R					
		185/60 R	175/60 R					
		195/55 R	185/50 R					
		205/50 R	195/45 R					
			205/45 R					
E060		-	4719089	144,00 €				
	175/80 R	165/80 R	155/80 R	185/50 R				
	185/75 R	185/65 R	165/70 R	195/45 R				
	195/65 R	195/60 R	175/65 R					
	205/60 R		185/55 R					
			195/50 R					
			215/45 R					
E065		-	4719090	144,00 €				
	195/70 R	175/75 R	175/70 R	195/50 R				
	205/65 R	185/70 R	185/60 R	205/45 R				
		205/55 R	195/55 R	215/40 R				
			205/50 R					
E070		-	4719091	162,00 €				
	185/80 R	175/80 R	165/80 R	185/55 R	205/40 R			
		185/75 R	185/65 R	185/60 R				
		195/65 R	195/60 R					

Reifendimensionen

Tyre sizes

12"	13"	14"	15"	16"	17"	18"	19"	20"
E070	-	4719091	162,00 €					
		195/70 R	205/55 R					
		205/60 R	215/50 R					
			225/45 R					
E080	-	4719092	162,00 €					
	205/70 R	185/80 R	175/80 R	185/65 R	205/45 R	205/40 R		
		205/65 R	185/70 R	195/55 R bis 5,5"	215/40 R			
		215/60 R	195/65 R	195/55 R ab 6" + MO	225/40 R			
		225/55 R	205/60 R	195/60 R				
			225/50 R	205/50 R				
				215/45 R				
				225/45 R				
E090	-	4719093	162,00 €					
		195/80 R	185/80 R	195/65 R	205/50 R	205/45 R		
		205/70 R	195/70 R	205/55 R	215/45 R	235/35 R		
		215/65 R	205/65 R	205/60 R bis 6"	235/40 R			
		225/60 R	215/60 R	205/60 R ab 6,5"				
			225/55 R	215/50 R				
E100	-	4719094	162,00 €					
		215/70 R	195/75 R	215/55 R	205/55 R	215/40 R		
		235/60 R	205/70 R	225/50 R	215/50 R	215/45 R		
			215/65 R		225/45 R	225/40 R		
			225/60 R					
E110	-	4719095	168,00 €					
		225/70 R	215/70 R	205/65 R	235/45 R	235/40 R	235/35 R	
			235/55 R	215/60 R	245/40 R			
				225/55 R				
				235/50 R				
				245/45 R				
E120	-	4719096	168,00 €					
		245/60 R	225/65 R	215/65 R	215/55 R	205/55 R	225/40 R	
			235/60 R	225/60 R	225/50 R	225/45 R		
				245/50 R	245/45 R	255/35 R		
					255/40 R			
E130	-	4719097	170,00 €					
			225/70 R	225/65 R	215/60 R	225/50 R	225/45 R	195/55 R
			235/70 R	235/60 R	215/65 R	235/45 R	245/35 R	
			245/60 R	245/55 R	225/55 R	245/40 R	245/40 R	
			265/50 R	255/50 R	225/60 R	245/45 R	255/35 R	
					235/50 R	255/40 R		
					245/50 R	265/35 R		
					255/45 R			
					265/40 R			
E140	-	4719098	170,00 €					
			255/60 R		235/55 R	235/50 R	255/40 R	
			275/50 R		275/40 R	255/45 R	265/35 R	
						265/40 R	275/30 R	
						275/35 R		
						285/30 R		
						285/35 R		
						295/30 R		

RUDcompact® easy2go

13"	14"	15"	16"	17"	18"	19"	20"
4020		-	4716945	159,00 €			
165/80 R	155/80 R	145/80 R					
175/70 R	165/70 R	155/65 R					
185/65 R	175/65 R	155/70 R					
195/60 R	185/55 R	175/55 R					
	185/60 R	175/60 R					
	195/55 R	185/50 R					
	205/50 R	195/45 R					
4025		-	4716946	159,00 €			
175/80 R	165/75 R	155/80 R	175/60 R				
185/70 R	165/80 R	165/65 R	185/50 R				
185/75 R	175/70 R	165/70 R	195/45 R				
195/65 R	175/75 R	175/65 R					
205/60 R	185/65 R	185/55 R					
	195/60 R	185/60 R					
	205/55 R	195/50 R					
		195/55 R					
		205/45 R					
		215/45 R					
4030		-	4716947	159,00 €			
185/80 R	175/80 R	165/80 R	185/55 R	205/40 R			
195/70 R	185/70 R	175/70 R	195/50 R				
205/65 R	185/75 R	185/65 R	205/45 R				
205/70 R	195/65 R	195/60 R	215/40 R				
	205/60 R	205/50 R					
		215/50 R					
		225/45 R					
4035		-	4716948	183,00 €			
	185/80 R	175/80 R	185/60 R	205/45 R	205/40 R		
	195/70 R	185/70 R	185/65 R	215/40 R			
	205/65 R	205/55 R	195/55 R bis 5,5"	225/40 R			
	215/60 R	205/60 R	195/55 R ab 6" + MO				
			205/50 R				
			215/45 R				
4040		-	4716949	183,00 €			
	195/75 R	185/80 R	195/60 R	205/50 R	215/40 R		
	195/80 R	195/65 R	205/55 R	215/45 R			
	205/70 R	195/70 R	215/50 R				
	215/65 R	205/65 R	225/45 R				
	225/55 R	215/60 R					
	225/60 R	225/50 R					
		225/55 R					
4045		-	4716950	183,00 €			
	205/75 R	195/75 R	195/65 R	195/55 R	205/45 R		
	215/70 R	205/70 R	205/60 R bis 6"	225/45 R	215/45 R		
	235/60 R	215/65 R	205/60 R ab 6,5"	235/40 R	235/35 R		
		225/60 R	215/55 R				

Reifendimensionen Tyre sizes

13"	14"	15"	16"	17"	18"	19"	20"
4045	-	4716950	183,00 €				
			225/50 R				
			245/45 R				
4050	-	4716951	183,00 €				
	225/70 R	215/70 R	205/65 R	205/55 R	205/55 R	225/35 R	
	245/60 R	225/65 R	205/70 R	205/60 R	225/40 R	235/35 R	
			215/60 R	215/50 R	225/45 R		
			225/55 R	215/55 R	235/40 R		
			235/50 R	225/50 R			
				235/45 R			
				245/40 R			
				255/40 R			
4055	-	4716952	195,00 €				
		225/70 R	215/65 R	205/65 R	255/35 R	225/40 R	
		235/60 R	225/60 R	215/60 R			
		245/60 R	235/55 R	235/50 R			
		265/50 R	245/50 R	245/45 R			
4060	-	4716953	195,00 €				
		235/70 R	215/70 R	215/65 R	215/50 R	225/45 R	195/55 R
		275/50 R	225/65 R	225/55 R	215/55 R	235/40 R	
			235/60 R	225/60 R	225/50 R	235/45 R	
			245/55 R	235/55 R	225/55 R	245/35 R	
			255/50 R	255/45 R	235/45 R	245/40 R	
				265/40 R	235/50 R	255/35 R	
				275/40 R	245/40 R		
					245/45 R		
					255/40 R		
					255/45 R		
					265/35 R		
4065	-	4716954	195,00 €				
				225/65 R	235/55 R	235/50 R	
				235/60 R	245/50 R	245/45 R	
				245/50 R	265/40 R	255/40 R	
				245/55 R	275/35 R	265/30 R	
					285/30 R	265/35 R	
					285/35 R	275/30 R	
					295/30 R		

RUDcompact[®] GRIP

12"	13"	14"	15"	16"	17"	18"	19"	20"
4005		-	4716955	83,00 €				
145/80 R	135/80 R							
155/70 R	145/70 R							
	155/60 R							
	155/65 R							
	165/55 R							
	165/60 R							
	175/50 R							
	175/55 R							
4010		-	4716956	83,00 €				
155/80 R	145/80 R	135/80 R	135/70 R					
165/70 R	155/70 R	145/70 R	145/65 R					
175/70 R	160/65 R	155/60 R	155/55 R					
	165/65 R	155/65 R	155/60 R					
	175/60 R	165/55 R	165/50 R					
	185/55 R	165/60 R						
	195/50 R	175/50 R						
		175/55 R						
		185/50 R						
		195/40 R						
4015		-	4716957	87,00 €				
	155/80 R	145/80 R	125/80 R					
	165/70 R	155/70 R	135/80 R					
	175/65 R	165/65 R	165/60 R					
	185/60 R	175/60 R	175/50 R					
	195/55 R	195/45 R						
4020		-	4716958	87,00 €				
	165/80 R	155/80 R	145/80 R					
	175/70 R	165/70 R	155/65 R					
	185/65 R	175/65 R	155/70 R					
	195/60 R	185/55 R	175/55 R					
		185/60 R	175/60 R					
		195/55 R	185/50 R					
		205/50 R	195/45 R					
4025		-	4716959	87,00 €				
	175/80 R	165/75 R	155/80 R	175/50 R				
	185/70 R	165/80 R	165/65 R	175/60 R				
	185/75 R	175/70 R	165/70 R	185/50 R				
	195/65 R	175/75 R	175/65 R	195/45 R				
	205/60 R	185/65 R	185/55 R					
		195/60 R	185/60 R					
		205/55 R	195/50 R					
			195/55 R					
			205/45 R					
			215/45 R					
4030		-	4716960	89,00 €				
	185/80 R	175/80 R	165/80 R	185/55 R	195/45 R			
	195/70 R	185/70 R	175/70 R	195/50 R	205/40 R			
	205/65 R	185/75 R	185/65 R	205/45 R				
	205/70 R	195/65 R	195/60 R	215/40 R				
		205/60 R	205/50 R					
			215/50 R					
			225/45 R					
4035		-	4716961	89,00 €				
		185/80 R	175/80 R	185/60 R	205/45 R	205/40 R		
		195/70 R	185/70 R	185/65 R	215/40 R			

Reifendimensionen

Tyre sizes

12"	13"	14"	15"	16"	17"	18"	19"	20"
4035	-	4716961	89,00 €					
		205/65 R	205/55 R	195/55 R bis 5,5"	225/40 R			
		215/60 R	205/60 R	195/55 R ab 6" + MO				
				205/50 R				
				215/45 R				
4040	-	4716962	89,00 €					
		195/75 R	185/80 R	195/60 R	205/50 R	215/40 R		
		195/80 R	195/65 R	205/55 R	215/45 R			
		205/70 R	195/70 R	215/50 R				
		215/65 R	205/65 R	225/45 R				
		225/55 R	215/60 R					
		225/60 R	225/50 R					
			225/55 R					
4045	-	4716963	91,00 €					
		205/75 R	195/75 R	195/65 R	195/55 R	205/45 R	175/60 R	
		215/70 R	205/70 R	205/60 R bis 6"	225/45 R	215/45 R		
		235/60 R	215/65 R	205/60 R ab 6,5"	235/40 R	235/35 R		
			225/60 R	215/55 R	245/35 R			
				225/50 R				
				245/45 R				
4050	-	4716964	91,00 €					
		225/70 R	215/70 R	205/65 R	205/55 R	205/55 R	225/35 R	
		245/60 R	225/65 R	205/70 R	205/60 R	225/40 R	235/35 R	
				215/60 R	215/50 R	225/45 R	245/30 R	
				225/55 R	215/55 R	235/40 R	255/30 R	
				235/50 R	225/50 R			
					235/45 R			
					245/40 R			
					255/40 R			
4055	-	4716965	95,00 €					
			225/70 R	215/65 R	205/65 R	255/35 R	225/40 R	
			235/60 R	225/60 R	215/60 R			
			245/60 R	235/55 R	235/50 R			
			265/50 R	245/50 R	245/45 R			
4060	-	4716966	95,00 €					
			235/70 R	215/70 R	215/65 R	215/50 R	225/45 R	195/55 R
			275/50 R	225/65 R	225/55 R	215/55 R	235/40 R	225/40 R
				235/60 R	225/60 R	225/50 R	235/45 R	235/35 R
				245/55 R	235/55 R	225/55 R	245/35 R	
				255/50 R	235/55 R	235/45 R	245/40 R	
					255/45 R	235/50 R	255/35 R	
					265/40 R	245/40 R		
					275/40 R	245/45 R		
						255/40 R		
						255/45 R		
						265/35 R		
4065	-	4716967	95,00 €					
				225/70 R	225/65 R	225/60 R	235/50 R	235/40 R
					235/60 R	235/55 R	245/45 R	245/40 R
					245/50 R	245/50 R	255/40 R	255/30 R
					245/55 R	265/40 R	265/30 R	255/35 R
						275/35 R	265/35 R	265/30 R
						285/30 R	275/30 R	275/30 R
						285/35 R	285/35 R	285/30 R
						285/40 R		
						295/30 R		

RUDmatic® CLASSIC

12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
0005	-	48404	222,00 €							
	175/80 R	165/75 R	155/80 R							
	185/70 R	165/80 R								
	195/65 R	175/70 R								
		185/65 R								
		195/60 R								
0010	-	48410	186,00 €							
145/80 R	135/80 R									
155/70 R	145/70 R									
	155/65 R									
	165/55 R									
0014	-	48414	186,00 €							
155/80 R	145/80 R	135/80 R	145/65 R	215/40 R						
165/70 R	155/70 R	145/70 R	155/60 R							
175/70 R	165/60 R	155/60 R	175/50 R							
	165/65 R	155/65 R								
	175/60 R	165/60 R								
	185/55 R									
0015	-	48415	186,00 €							
	155/80 R	145/80 R	135/80 R							
	165/70 R	155/70 R	155/65 R							
	175/65 R	165/65 R								
	185/60 R	175/60 R								
	195/55 R									
0073	-	48473	222,00 €							
	165/80 R	155/80 R	145/80 R							
	175/70 R	165/70 R	155/70 R							
	185/65 R	175/65 R	165/65 R							
		185/55 R	175/55 R							
		185/60 R	175/60 R							
0076	-	48476	222,00 €							
		195/55 R	185/55 R	195/45 R						
			195/50 R							
0077	-	48479	222,00 €							
	185/80 R	175/80 R	165/80 R	185/55 R	205/45 R					
		185/70 R	175/70 R	195/55 R bis 5,5"	215/40 R					
		205/60 R	185/65 R	205/50 R						
			195/60 R	215/45 R						
			205/55 R							
			215/50 R							
0078	-	48478	222,00 €							
	195/70 R	175/75 R	185/60 R	195/50 R						
		195/65 R	185/60 R MO	205/45 R						
			195/55 R							
			205/50 R							
0082	-	48482	222,00 €							
	205/70 R	185/75 R	175/80 R	185/60 R	195/55 R					
		185/80 R	185/75 R	195/55 R ab 6" + MO						
		195/70 R	195/65 R	195/60 R						
		205/65 R	205/60 R	215/50 R						
			225/50 R							
0084	-	48484	246,00 €							
		195/75 R	185/80 R	195/65 R	205/50 R					
		205/70 R	195/70 R	205/55 R	215/45 R					

Reifendimensionen

Tyre sizes

12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
0084	-	48484	246,00 €							
		215/60 R	205/65 R	205/60 R bis 6"	225/45 R Volvo					
		225/60 R	215/60 R							
		245/50 R	225/55 R							
0089	-	48489	246,00 €							
		205/75 R	205/70 R	205/60 R ab 6,5"	215/50 R	215/45 R				
		215/70 R	225/60 R	215/55 R	225/45 R	225/40 R				
			235/55 R	225/50 R	245/40 R					
			255/45 R	235/50 R						
				245/45 R						
0092	-	48492	246,00 €							
			215/65 R	205/65 R	225/50 R	225/45 R				
				215/60 R	235/45 R	235/40 R				
				225/55 R						
0093	-	48493	246,00 €							
		225/70 R	215/70 R	235/55 R	205/60 R	205/55 R				
			225/65 R	245/50 R	215/55 R					
			235/60 R		245/45 R					
					255/40 R					
0094	-	48494	246,00 €							
		225/75 R	215/75 R	215/65 R	215/60 R	215/50 R		215/45 R		
			225/70 R	225/60 R	235/50 R	235/45 R				
0095	-	48495	246,00 €							
			245/60 R	215/70 R	225/55 R	215/55 R	205/55 R	195/55 R		
				225/65 R	225/55 R MO	225/50 R	225/45 R			
				235/60 R	225/60 R	225/55 R	235/45 R			
				245/55 R	235/55 R	235/50 R	245/40 R			
					245/50 R	245/45 R				
5096	-	4717091	328,00 €							
					205/65 R					
5143	-	4717112	349,00 €							
					235/60 R					
0755	-	4716134	328,00 €							
				235/70 R	235/65 R	235/60 R	235/55 R	235/50 R		
0756	-	4714329	328,00 €							
				255/65 R	255/60 R	255/55 R	255/50 R			
0767	-	4718659	357,00 €							
						275/40 R				
0813	-	4716674	318,00 €							
			175/65 R	175/60 R						
0817	-	4718058	306,00 €							
							155/70 R			
16622	-	4719144	330,00 €							
					205/55 R					
18325	-	4718866	275,00 €							
						235/55 R				
						245/50 R				
19926	-	4718824	275,00 €							
								235/60 R		
20529	-	4718828	435,00 €							
									285/45 R	
21029	-	4718754	427,00 €							
									275/50 R	275/45 R
										285/45 R

RUDcompact® GRIP V

5"	10"	12"	13"	14"	15"	16"	17"	17.5"	18"	19"	20"	21"	22"
0126 - 2002728 132,00 €													
23 R	7.50 -	7.00 - SE 23X10 - 250/60 R 270/55 R	6.70 -	7 R 7.00 R 185/75 R 185/80 R 195/70 R	5.00 R 23X12.50- GOLF 175/80 R 205/60 R	175/75 R 195/60 R							
0131 - 2002729 132,00 €													
				195/75 R 205/65 R	195/70 R								
0133 - 2002733 160,00 €													
				7.50 R 195/80 R 205/70 R 205/75 R 215/70 R	205/70 R 215/65 R	6.95 R 175/80 R 185/75 R 195/65 R 205/65 R							
0138 - 2002738 160,00 €													
				205/80 R 225/70 R	195/75 R 195/80 R 205/75 R 215/70 R	185/80 R 195/70 R 195/75 R 225/60 R							
0139 - 2002739 198,00 €													
		270/60 R		215/75 R 215/80 R 215/75 R 225/70 R 255/60 R	27X10.50 R 205/80 R 205/70 R 205/75 R 215/65 R	6.50 R 195/80 R 205/70 R 205/75 R 215/65 R	215/60 R 215/65 R 225/55 R 225/55 R MO 235/55 R	205/65 R	225/50 R 225/55 R				
						215/70 R 225/65 R 235/50 R 235/60 R 245/50 R							
0141 - 2002741 206,00 €													
					8.40 R 31X10.50 - 255/75 R 265/70 R 275/70 R	235/80 R 245/75 R 255/65 R 255/70 R	235/75 R 245/70 R 255/60 R 255/65 R 265/65 R	8 R 225/75 R	245/55 R 245/60 R 255/55 R 255/60 R	245/55 R 255/50 R 255/55 R	235/50 R 235/55 R 235/60 R 255/50 R	245/40 R 245/45 R 255/35 R 255/40 R	
											265/50 R 275/45 R		

Reifendimensionen

Tyre sizes

5"	10"	12"	13"	14"	15"	16"	17"	17.5"	18"	19"	20"	21"	22"
0142 - 2002742 206,00 €													
					30X9.5 -	215/80 R	225/70 R	205/75 R	225/65 R		255/45 R		
					30X9.50 -	225/75 R	235/65 R	215/75 R	235/60 R		275/40 R		
					235/75 R	235/70 R	235/70 R		235/65 R				
					255/70 R	235/75 R	245/65 R						
					275/60 R	245/70 R	255/50 R						
						255/60 R							
0143 - 2002743 206,00 €													
		8.25 R			8.15 R SE	9.0/70 R	225/65 R	7 R	225/60 R	225/55 R			
					28X9 - SE	205/80 R	235/60 R		235/55 R				
					215/80 R	215/75 R							
					225/75 R	225/70 R							
					225/75 R SE	235/65 R							
					235/70 R								
					240/70 R								
0157 - 2002757 245,00 €													
					265/75 R	235/85 R	245/75 R	8.5 R	255/65 R	235/65 R	255/55 R		275/40 R
						255/75 R	265/60 R	235/75 R	265/60 R	255/60 R			
						265/65 R	275/65 R	245/70 R	275/60 R	265/50 R			
						265/70 R	285/60 R			265/55 R			
						275/70 R							
0160 - 2002760 245,00 €													
					8.25 R	9.5 R	255/75 R	9.5 R	255/70 R	275/55 R		285/45 R	
					31X13.50 -	265/75 R	265/70 R	245/75 R	265/65 R			295/40 R	
					33X9.50 -			265/70 R	275/65 R				
					270/75 R			275/70 R	285/55 R				
					285/70 R				285/60 R				
					300 R								

RUDmatic® CLASSIC V

12"	14"	15"	15.3"	16"	17"	17.5"	18"	19"	19.5"	20"	21"	22"	22.5"	24"
0131	-	4715833	513,00 €											
	195/75 R	195/70 R 205/65 R												
0133	-	19633	513,00 €											
	7.50 R	205/70 R		6.95 R										
	195/80 R	215/65 R		175/80 R										
	205/70 R			185/75 R										
	205/75 R			195/65 R										
	215/70 R			205/65 R										
0135	-	19642	602,00 €											
		29X9.50 -		7.00 R	225/70 R	205/75 R	6.00 R	235/55 R		245/45 R				
		30X9.5 -		215/80 R	235/65 R		225/65 R			275/40 R				
		30X9.50 -		215/85 R	235/70 R		235/60 R							
		235/75 R		225/75 R	245/65 R									
		255/70 R		235/70 R										
				235/75 R										
				245/70 R										
0138	-	19638	524,00 €											
	205/80 R	195/75 R		185/80 R										
	225/70 R	195/80 R		195/70 R										
		205/75 R		195/75 R										
		215/70 R		225/60 R										
0139	-	19639	524,00 €											
270/60 R	215/75 R	27X10.50 R		6.50 R	215/60 R	205/65 R	225/50 R							
	215/80 R	205/80 R		175/75 R	215/65 R		225/55 R							
		215/75 R		195/80 R	225/55 R									
		225/70 R		205/70 R	225/55 R MO									
		255/60 R		205/75 R	235/55 R									
				215/65 R										
				215/70 R										
				225/65 R										
				235/50 R										
				235/60 R										
				245/50 R										
0141	-	19641	558,00 €											
		8.40 R	10.00/75 R	235/80 R	235/75 R	8 R	245/60 R	245/55 R		235/55 R				
		9 R		245/75 R	245/70 R	225/75 R	255/55 R	255/50 R		255/50 R				
		31X10.50 -		255/65 R	255/60 R		255/60 R	255/55 R		265/50 R				
		255/75 R		255/70 R	255/65 R					275/45 R				
		265/70 R												
		320/55 R												
0143	-	19643	602,00 €											
8.25 R		8.15 R SE		9.0/70 R	225/65 R	7 R	225/60 R	225/55 R						
		28X9 - SE		205/80 R	235/60 R		235/55 R							
		215/80 R		215/75 R										
		225/75 R		225/70 R										
		225/75 R SE		235/65 R										
		235/70 R												
		240/70 R												
0150	-	19650	558,00 €											
		275/60 R		255/60 R							285/30 R			
		295/50 R		265/60 R										
S150	-	4717076	614,00 €											
						215/75 R								
0159	-	19658	810,00 €											
		32X11.50 -		265/65 R		255/75 R			8 R					
						265/70 R			245/70 R					
						265/70 R Bridgestone								
						275/70 R								
0160	-	19660	602,00 €											
		8.25 R		9.5 R	255/75 R	9.5 R	265/65 R							
		8.25 R Continental SC20		265/75 R	265/70 R	245/75 R	275/65 R							
		31X13.50 -					285/60 R							
		33X9.50 -												
		270/75 R												
		285/70 R												
		300 R												
C161	-	19661	810,00 €											
				255/85 R	34x10.50 R	10 R	275/70 R		265/70 R	255/65 R				
				265/85 R	285/70 R	270/75 R	275/75 R			275/60 R				
				285/75 R	305/65 R		280/70 R			275/65 R				
				285/80 R						285/50 R				

12"	14"	15"	15.3"	16"	17"	17.5"	18"	19"	19.5"	20"	21"	22"	22.5"	24"
C163	-	19663	860,00 €							285/70 R	7.50 R 280/70 R			
				9.00 R										
0164	-	19657	636,00 €											
		265/75 R 275/70 R		235/85 R 245/80 R 255/75 R 265/70 R 275/70 R 285/65 R 315/55 R	265/60 R 265/65 R 275/65 R 285/60 R	8.5 R 235/75 R 245/70 R	265/60 R	235/65 R 255/60 R 265/55 R 285/45 R	225/70 R	255/55 R 285/40 R 295/45 R	275/45 R 275/40 R			
0175	-	19675	900,00 €										8 R 255/70 R	
0176	-	19676	900,00 €										9 R 295/55 R	
C177	-	19677	1.070,00 €											
		37x12.50 R		315/70 R			355/60 R		305/70 R	325/60 R		325/55 R	245/75 R 265/70 R 285/60 R 295/60 R	
0178	-	19678	1.070,00 €											
		35X15.50 -		10.5 R 11.00 R	37x12.50 R	14 R				280/80 R 300/70 R			11/70 R 265/75 R 275/70 R 285/70 R 305/60 R	
0182	-	19684	1.070,00 €								9.00 R		10 R 295/70 R 305/70 R	
0183	-	19683	1.070,00 €										315/60 R	
0187	-	19687	1.070,00 €											
0188	-	19688	1.070,00 €			13.6 R					290/90 R		315/70 R	
													275/80 R 280/80 R	
0189	-	19689	1.120,00 €											
										12.4 R 13/80 R 320/85 R 335/80 R Continental AC 70 340/80 R 360/70 R 385/65 R		12 R Michelin 12/80 R 295/80 R	11.2 R 280/85 R	
S189	-	4718424	1.120,00 €											
													295/80 R Continental HD 295/80 R Bridgestone M 295/80 R Michelin XD 295/80 R Michelin Remix	
C190	-	19690	1.120,00 €											
										11.00 R			12 R 305/85 R 315/75 R 315/80 R 385/55 R	
0202	-	19702	1.120,00 €											
										12.00 R 355/80D R 360/80 R			13 R 335/80 R 350/75 R	320/80 R
M211	-	4718534	1.120,00 €											
										365/85 R Continental HCS				
0666	-	19666	810,00 €											
		12 R 32X12.5 - 33X10.50 R 33X12.50 - 300 R SE 300/75 R 315/70 R SE 350 - SE 355/65 R SE 400/50 R Starco AS Dumper		295/75 R	285/65 R		285/65 R		9 R	33x12.50 R				



**RUDcomfort
CENTRAX / CENTRAX V**



**RUDinnov8
HYBRID**



**RUDcompact®
ÖKOMat**



**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
5"																
23	R	5														
10"																
7.50	-	10														
12"																
7.00	-	12	SE													
8.25	R	12														
23X10	-	12														
145/80	R	12								E020	4719084	130,-				
155/70	R	12														
155/80	R	12								E030	4719085	130,-				
165/70	R	12								E030	4719085	130,-				
175/70	R	12								E030	4719085	130,-				
250/60	R	12														
270/55	R	12														
270/60	R	12														
13"																
6.70	-	13														
135/80	R	13								E020	4719084	130,-				
145/70	R	13					H100	4718364	133,-	E020	4719084	130,-				
145/80	R	13					H102	4718366	133,-	E030	4719085	130,-				
155/60	R	13														
155/65	R	13					H100	4718364	133,-	E020	4719084	130,-				
155/70	R	13					H101	4718365	133,-	E030	4719085	130,-				
155/80	R	13					H104	4718368	142,-	E040	4719086	130,-				
160/65	R	13								E030	4719085	130,-				
165/55	R	13														
165/60	R	13								E020	4719084	130,-				
165/65	R	13					H100	4718364	133,-	E030	4719085	130,-				
165/70	R	13	N887	4718068		367,-	H102	4718366	133,-	E040	4719086	130,-				
165/80	R	13								E050	4719088	144,-	4020	4716945	159,-	
175/50	R	13								E030	4719085	130,-				
175/55	R	13								E030	4719085	130,-				
175/60	R	13	N887	4718068		367,-				E030	4719085	130,-				
175/65	R	13	N887	4718068		367,-	H101	4718365	133,-	E040	4719086	130,-				
175/70	R	13	N888	4718069		367,-	H103	4718367	142,-	E045	4719087	130,-	4020	4716945	159,-	
175/75	R	13	N889	4716730		367,-										
175/80	R	13	N889	4716730		367,-				E060	4719089	144,-	4025	4716946	159,-	
185/55	R	13								E040	4719086	130,-				
185/60	R	13	N887	4718068		367,-				E040	4719086	130,-				
185/65	R	13	N888	4718069		367,-	H103	4718367	142,-	E045	4719087	130,-	4020	4716945	159,-	
185/70	R	13	N889	4716730		367,-	H105	4718369	142,-	E050	4719088	144,-	4025	4716946	159,-	
185/75	R	13								E060	4719089	144,-	4025	4716946	159,-	
185/80	R	13	N889	4716730		367,-	H108	4718372	164,-	E070	4719091	162,-	4030	4716947	159,-	
195/50	R	13								E030	4719085	130,-				
195/55	R	13	N887	4718068		367,-				E040	4719086	130,-				
195/60	R	13								E050	4719088	144,-	4020	4716945	159,-	



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
5"															
23	R	5	0126	2002728	V	132,-									
10"															
7.50	-	10	0126	2002728	V	132,-									
12"															
7.00	-	12	SE	0126	2002728	V	132,-								
8.25	R	12		0143	2002743	V	206,-			0143	19643	602,-			
23X10	-	12		0126	2002728	V	132,-								
145/80	R	12		4005	4716955		83,-	0010	48410	186,-					
155/70	R	12		4005	4716955		83,-	0010	48410	186,-					
155/80	R	12		4010	4716956		83,-	0014	48414	186,-					
165/70	R	12		4010	4716956		83,-	0014	48414	186,-					
175/70	R	12		4010	4716956		83,-	0014	48414	186,-					
250/60	R	12		0126	2002728	V	132,-								
270/55	R	12		0126	2002728	V	132,-								
270/60	R	12		0139	2002739	V	198,-			0139	19639	524,-			
13"															
6.70	-	13		0126	2002728	V	132,-								
135/80	R	13		4005	4716955		83,-	0010	48410	186,-					
145/70	R	13		4005	4716955		83,-	0010	48410	186,-					
145/80	R	13		4010	4716956		83,-	0014	48414	186,-					
155/60	R	13		4005	4716955		83,-								
155/65	R	13		4005	4716955		83,-	0010	48410	186,-					
155/70	R	13		4010	4716956		83,-	0014	48414	186,-					
155/80	R	13		4015	4716957		87,-	0015	48415	186,-					
160/65	R	13		4010	4716956		83,-								
165/55	R	13		4005	4716955		83,-	0010	48410	186,-					
165/60	R	13		4005	4716955		83,-	0014	48414	186,-					
165/65	R	13		4010	4716956		83,-	0014	48414	186,-					
165/70	R	13		4015	4716957		87,-	0015	48415	186,-					
165/80	R	13		4020	4716958		87,-	0073	48473	222,-					
175/50	R	13		4005	4716955		83,-								
175/55	R	13		4005	4716955		83,-								
175/60	R	13		4010	4716956		83,-	0014	48414	186,-					
175/65	R	13		4015	4716957		87,-	0015	48415	186,-					
175/70	R	13		4020	4716958		87,-	0073	48473	222,-					
175/75	R	13													
175/80	R	13		4025	4716959		87,-	0005	48404	222,-					
185/55	R	13		4010	4716956		83,-	0014	48414	186,-					
185/60	R	13		4015	4716957		87,-	0015	48415	186,-					
185/65	R	13		4020	4716958		87,-	0073	48473	222,-					
185/70	R	13		4025	4716959		87,-	0005	48404	222,-					
185/75	R	13		4025	4716959		87,-								
185/80	R	13		4030	4716960		89,-	0077	48479	222,-					
195/50	R	13		4010	4716956		83,-								
195/55	R	13		4015	4716957		87,-	0015	48415	186,-					
195/60	R	13		4020	4716958		87,-								

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V			RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go		
			Größe Size	Best.-Nr. Part no.	Art Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
195/65	R 13		N888	4718069	367,-	H105	4718369	142,-	E060	4719089	144,-	4025	4716946	159,-
195/70	R 13		N889	4716730	367,-	H106	4718370	142,-	E065	4719090	144,-	4030	4716947	159,-
205/60	R 13		N888	4718069	367,-				E060	4719089	144,-	4025	4716946	159,-
205/65	R 13								E065	4719090	144,-	4030	4716947	159,-
205/70	R 13		N889	4716730	367,-				E080	4719092	162,-	4030	4716947	159,-
235/60	R 13		N889	4716730	367,-									
14"														
7	R 14													
7.00	R 14													
7.50	R 14													
135/80	R 14								E030	4719085	130,-			
145/70	R 14								E030	4719085	130,-			
145/80	R 14								E040	4719086	130,-			
155/60	R 14								E030	4719085	130,-			
155/65	R 14					H101	4718365	133,-	E030	4719085	130,-			
155/70	R 14					H104	4718368	142,-	E040	4719086	130,-			
155/80	R 14								E050	4719088	144,-	4020	4716945	159,-
165/55	R 14								E030	4719085	130,-			
165/60	R 14								E030	4719085	130,-			
165/65	R 14					H102	4718366	133,-	E040	4719086	130,-			
165/70	R 14					H104	4718368	142,-	E045	4719087	130,-	4020	4716945	159,-
165/75	R 14								E050	4719088	144,-	4025	4716946	159,-
165/80	R 14		N889	4716730	367,-				E060	4719089	144,-	4025	4716946	159,-
175/50	R 14								E030	4719085	130,-			
175/55	R 14								E030	4719085	130,-			
175/60	R 14		N887	4718068	367,-	H102	4718366	133,-	E040	4719086	130,-			
175/65	R 14		N888	4718069	367,-	H105	4718369	142,-	E050	4719088	144,-	4020	4716945	159,-
175/70	R 14		N889	4716730	367,-	H106	4718370	142,-				4025	4716946	159,-
175/75	R 14		N889	4716730	367,-				E065	4719090	144,-	4025	4716946	159,-
175/80	R 14		N890	4716731	367,-	H108	4718372	164,-	E070	4719091	162,-	4030	4716947	159,-
185/50	R 14								E040	4719086	130,-			
185/55	R 14		N887	4718068	367,-	H102	4718366	133,-	E045	4719087	130,-	4020	4716945	159,-
185/60	R 14		N888	4718069	367,-	H104	4718368	142,-	E050	4719088	144,-	4020	4716945	159,-
185/65	R 14		N888	4718069	367,-	H106	4718370	142,-	E060	4719089	144,-	4025	4716946	159,-
185/70	R 14		N889	4716730	367,-	H106	4718370	142,-	E065	4719090	144,-	4030	4716947	159,-
185/75	R 14		N890	4716731	367,-				E070	4719091	162,-	4030	4716947	159,-
185/75	R 14													
185/80	R 14		N891	4716732	377,-	H110	4718374	175,-	E080	4719092	162,-	4035	4716948	183,-
185/80	R 14													
195/40	R 14													
195/45	R 14													
195/55	R 14		N887	4718068	367,-	H103	4718367	142,-	E050	4719088	144,-	4020	4716945	159,-
195/60	R 14		N888	4718069	367,-	H105	4718369	142,-	E060	4719089	144,-	4025	4716946	159,-
195/65	R 14		N889	4716730	367,-	H106	4718370	142,-	E070	4719091	162,-	4030	4716947	159,-
195/70	R 14		N890	4716731	367,-	H108	4718372	164,-	E070	4719091	162,-	4035	4716948	183,-
195/70	R 14													
195/75	R 14		N890	4716731	367,-							4040	4716949	183,-
195/75	R 14													
195/80	R 14		N891	4716732	377,-				E090	4719093	162,-	4040	4716949	183,-



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.
195/65	R 13		4025	4716959		87,-	0005	48404	222,-					
195/70	R 13		4030	4716960		89,-	0078	48478	222,-					
205/60	R 13		4025	4716959		87,-								
205/65	R 13		4030	4716960		89,-								
205/70	R 13		4030	4716960		89,-	0082	48482	222,-					
235/60	R 13													
14"														
7	R 14		0126	2002728	V	132,-								
7.00	R 14		0126	2002728	V	132,-								
7.50	R 14		0133	2002733	V	160,-				0133	19633	513,-		
135/80	R 14		4010	4716956		83,-	0014	48414	186,-					
145/70	R 14		4010	4716956		83,-	0014	48414	186,-					
145/80	R 14		4015	4716957		87,-	0015	48415	186,-					
155/60	R 14		4010	4716956		83,-	0014	48414	186,-					
155/65	R 14		4010	4716956		83,-	0014	48414	186,-					
155/70	R 14		4015	4716957		87,-	0015	48415	186,-					
155/80	R 14		4020	4716958		87,-	0073	48473	222,-					
165/55	R 14		4010	4716956		83,-								
165/60	R 14		4010	4716956		83,-	0014	48414	186,-					
165/65	R 14		4015	4716957		87,-	0015	48415	186,-					
165/70	R 14		4020	4716958		87,-	0073	48473	222,-					
165/75	R 14		4025	4716959		87,-	0005	48404	222,-					
165/80	R 14		4025	4716959		87,-	0005	48404	222,-					
175/50	R 14		4010	4716956		83,-								
175/55	R 14		4010	4716956		83,-								
175/60	R 14		4015	4716957		87,-	0015	48415	186,-					
175/65	R 14		4020	4716958		87,-	0073	48473	222,-					
175/70	R 14		4025	4716959		87,-	0005	48404	222,-					
175/75	R 14		4025	4716959		87,-	0078	48478	222,-					
175/80	R 14		4030	4716960		89,-	0077	48479	222,-					
185/50	R 14		4010	4716956		83,-								
185/55	R 14		4020	4716958		87,-	0073	48473	222,-					
185/60	R 14		4020	4716958		87,-	0073	48473	222,-					
185/65	R 14		4025	4716959		87,-	0005	48404	222,-					
185/70	R 14		4030	4716960		89,-	0077	48479	222,-					
185/75	R 14		4030	4716960		89,-	0082	48482	222,-					
185/75	R 14		0126	2002728	V	132,-								
185/80	R 14		4035	4716961		89,-	0082	48482	222,-					
185/80	R 14		0126	2002728	V	132,-								
195/40	R 14		4010	4716956		83,-								
195/45	R 14		4015	4716957		87,-								
195/55	R 14		4020	4716958		87,-	0076	48476	222,-					
195/60	R 14		4025	4716959		87,-	0005	48404	222,-					
195/65	R 14		4030	4716960		89,-	0078	48478	222,-					
195/70	R 14		4035	4716961		89,-	0082	48482	222,-					
195/70	R 14		0126	2002728	V	132,-								
195/75	R 14		4040	4716962		89,-	0084	48484	246,-					
195/75	R 14		0131	2002729	V	132,-				0131	4715833	513,-		
195/80	R 14		4040	4716962		89,-								

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
195/80	R	14													
205/50	R	14								E050	4719088	144,-	4020	4716945	159,-
205/55	R	14	N888	4718069		367,-				E065	4719090	144,-	4025	4716946	159,-
205/60	R	14	N889	4716730		367,-				E070	4719091	162,-	4030	4716947	159,-
205/65	R	14	N889	4716730		367,-	H108	4718372	164,-	E080	4719092	162,-	4035	4716948	183,-
205/70	R	14	N890	4716731		367,-	H109	4718373	164,-	E090	4719093	162,-	4040	4716949	183,-
205/70	R	14													
205/75	R	14	N891	4716732		377,-							4045	4716950	183,-
205/75	R	14													
205/80	R	14	N892	4716733		377,-									
205/80	R	14													
215/60	R	14	N889	4716730		367,-	H107	4718371	164,-	E080	4719092	162,-	4035	4716948	183,-
215/65	R	14	N890	4716731		367,-				E090	4719093	162,-	4040	4716949	183,-
215/70	R	14	N891	4716732		377,-				E100	4719094	162,-	4045	4716950	183,-
215/70	R	14													
215/75	R	14	N892	4716733		377,-									
215/80	R	14	N893	4716734		404,-									
225/55	R	14	N889	4716730		367,-				E080	4719092	162,-	4040	4716949	183,-
225/60	R	14	N889	4716730		367,-	H108	4718372	164,-	E090	4719093	162,-	4040	4716949	183,-
225/70	R	14	N892	4716733		377,-				E110	4719095	168,-	4050	4716951	183,-
225/70	R	14													
225/75	R	14	N893	4716734		404,-									
235/60	R	14	N890	4716731		367,-				E100	4719094	162,-	4045	4716950	183,-
235/70	R	14	N892	4716733		377,-									
245/50	R	14	N889	4716730		367,-									
245/60	R	14	N891	4716732		377,-				E120	4719096	168,-	4050	4716951	183,-
255/60	R	14	N891	4716732		377,-									
265/60	R	14	N892	4716733		377,-									
15"															
5.00	R	15													
8.15	R	15	SE												
8.25	R	15													
8.25	R	15	Continental SC20												
8.40	R	15													
9	R	15													
12	R	15													
23X12.50	-	15	GOLF												
27X10.50	R	15													
28X9	-	15	SE												
29X9.50	-	15													
30X9.5	-	15													
30X9.50	-	15													
31X10.50	-	15													
31X13.50	-	15													
32X11.50	-	15													
32X12.5	-	15													
33X9.50	-	15													
33X10.50	R	15													
33X12.50	-	15													



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
195/80	R 14		0133	2002733	V	160,-				0133	19633	513,-			
205/50	R 14		4020	4716958		87,-									
205/55	R 14		4025	4716959		87,-									
205/60	R 14		4030	4716960		89,-	0077	48479	222,-						
205/65	R 14		4035	4716961		89,-	0082	48482	222,-						
205/70	R 14		4040	4716962		89,-	0084	48484	246,-						
205/70	R 14		0133	2002733	V	160,-				0133	19633	513,-			
205/75	R 14		4045	4716963		91,-	0089	48489	246,-						
205/75	R 14		0133	2002733	V	160,-				0133	19633	513,-			
205/80	R 14														
205/80	R 14		0138	2002738	V	160,-				0138	19638	524,-			
215/60	R 14		4035	4716961		89,-	0084	48484	246,-						
215/65	R 14		4040	4716962		89,-									
215/70	R 14		4045	4716963		91,-	0089	48489	246,-						
215/70	R 14		0133	2002733	V	160,-				0133	19633	513,-			
215/75	R 14		0139	2002739	V	198,-				0139	19639	524,-			
215/80	R 14		0139	2002739	V	198,-				0139	19639	524,-	M139	4717305	745,-
225/55	R 14		4040	4716962		89,-									
225/60	R 14		4040	4716962		89,-	0084	48484	246,-						
225/70	R 14		4050	4716964		91,-	0093	48493	246,-						
225/70	R 14		0138	2002738	V	160,-				0138	19638	524,-			
225/75	R 14						0094	48494	246,-						
235/60	R 14		4045	4716963		91,-									
235/70	R 14														
245/50	R 14						0084	48484	246,-						
245/60	R 14		4050	4716964		91,-									
255/60	R 14														
265/60	R 14														
15"															
5.00	R 15		0126	2002728	V	132,-									
8.15	R 15	SE	0143	2002743	V	206,-				0143	19643	602,-			
8.25	R 15		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
8.25	R 15	Continental SC20								0160	19660	602,-	0160	4717004	920,-
8.40	R 15		0141	2002741	V	206,-				0141	19641	558,-			
9	R 15									0141	19641	558,-			
12	R 15									0666	19666	810,-			
23X12.50	- 15	GOLF	0126	2002728	V	132,-									
27X10.50	R 15		0139	2002739	V	198,-				0139	19639	524,-			
28X9	- 15	SE	0143	2002743	V	206,-				0143	19643	602,-			
29X9.50	- 15									0135	19642	602,-			
30X9.5	- 15		0142	2002742	V	206,-				0135	19642	602,-			
30X9.50	- 15		0142	2002742	V	206,-				0135	19642	602,-			
31X10.50	- 15		0141	2002741	V	206,-				0141	19641	558,-			
31X13.50	- 15		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
32X11.50	- 15									0159	19658	810,-			
32X12.5	- 15									0666	19666	810,-			
33X9.50	- 15		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
33X10.50	R 15									0666	19666	810,-			
33X12.50	- 15									0666	19666	810,-			

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
35X15.50	-	15														
37x12.50	R	15														
125/80	R	15								E040	4719086	130,-				
135/70	R	15								E030	4719085	130,-				
135/80	R	15								E040	4719086	130,-				
145/65	R	15								E030	4719085	130,-				
145/80	R	15								E050	4719088	144,-	4020	4716945	159,-	
155/55	R	15								E030	4719085	130,-				
155/60	R	15								E040	4719086	130,-				
155/65	R	15								E045	4719087	130,-	4020	4716945	159,-	
155/70	R	15								E050	4719088	144,-	4020	4716945	159,-	
155/80	R	15								E060	4719089	144,-	4025	4716946	159,-	
165/50	R	15								E030	4719085	130,-				
165/60	R	15								E045	4719087	130,-				
165/65	R	15								E050	4719088	144,-	4025	4716946	159,-	
165/70	R	15								E060	4719089	144,-	4025	4716946	159,-	
165/80	R	15	N891	4716732		377,-				E070	4719091	162,-	4030	4716947	159,-	
175/50	R	15	N887	4718068		367,-	H101	4718365	133,-	E045	4719087	130,-				
175/55	R	15	N888	4718069		367,-	H103	4718367	142,-	E045	4719087	130,-	4020	4716945	159,-	
175/60	R	15	N888	4718069		367,-				E050	4719088	144,-	4020	4716945	159,-	
175/65	R	15	N889	4716730		367,-	H106	4718370	142,-	E060	4719089	144,-	4025	4716946	159,-	
175/70	R	15	N890	4716731		367,-				E065	4719090	144,-	4030	4716947	159,-	
175/80	R	15	N891	4716732		377,-				E080	4719092	162,-	4035	4716948	183,-	
175/80	R	15														
185/50	R	15	N887	4718068		367,-				E050	4719088	144,-	4020	4716945	159,-	
185/55	R	15	N888	4718069		367,-	H105	4718369	142,-	E060	4719089	144,-	4025	4716946	159,-	
185/60	R	15	N889	4716730		367,-	H106	4718370	142,-	E065	4719090	144,-	4025	4716946	159,-	
185/60	R	15	MO													
185/65	R	15	N889	4716730		367,-	H108	4718372	164,-	E070	4719091	162,-	4030	4716947	159,-	
185/70	R	15	N891	4716732		377,-				E080	4719092	162,-	4035	4716948	183,-	
185/75	R	15	N892	4716733		377,-										
185/80	R	15	N893	4716734		404,-				E090	4719093	162,-	4040	4716949	183,-	
195/45	R	15	N887	4718068		367,-	H101	4718365	133,-	E050	4719088	144,-	4020	4716945	159,-	
195/50	R	15	N888	4718069		367,-	H103	4718367	142,-	E060	4719089	144,-	4025	4716946	159,-	
195/55	R	15	N889	4716730		367,-	H106	4718370	142,-	E065	4719090	144,-	4025	4716946	159,-	
195/60	R	15	N889	4716730		367,-	H106	4718370	142,-	E070	4719091	162,-	4030	4716947	159,-	
195/65	R	15	N890	4716731		367,-	H109	4718373	164,-	E080	4719092	162,-	4040	4716949	183,-	
195/70	R	15	N891	4716732		377,-	H111	4718375	175,-	E090	4719093	162,-	4040	4716949	183,-	
195/70	R	15														
195/75	R	15	N892	4716733		377,-				E100	4719094	162,-	4045	4716950	183,-	
195/75	R	15														
195/80	R	15	N893	4716734		404,-										
205/45	R	15								E050	4719088	144,-	4025	4716946	159,-	
205/50	R	15	N888	4718069		367,-	H105	4718369	142,-	E065	4719090	144,-	4030	4716947	159,-	
205/55	R	15	N889	4716730		367,-	H107	4718371	164,-	E070	4719091	162,-	4035	4716948	183,-	
205/60	R	15	N889	4716730		367,-	H108	4718372	164,-	E080	4719092	162,-	4035	4716948	183,-	
205/60	R	15														
205/65	R	15	N890	4716731		367,-	H110	4718374	175,-	E090	4719093	162,-	4040	4716949	183,-	
205/65	R	15														
205/70	R	15	N891	4716732		377,-				E100	4719094	162,-	4045	4716950	183,-	



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.
35X15.50	-	15							0178	19678	1.070,-	0178	19178	1.800,-
37x12.50	R	15							C177	19677	1.070,-	M177	19177	1.670,-
125/80	R	15	4015	4716957										
135/70	R	15	4010	4716956										
135/80	R	15	4015	4716957		0015	48415	186,-						
145/65	R	15	4010	4716956		0014	48414	186,-						
145/80	R	15	4020	4716958		0073	48473	222,-						
155/55	R	15	4010	4716956										
155/60	R	15	4010	4716956		0014	48414	186,-						
155/65	R	15	4020	4716958		0015	48415	186,-						
155/70	R	15	4020	4716958		0073	48473	222,-						
155/80	R	15	4025	4716959		0005	48404	222,-						
165/50	R	15	4010	4716956										
165/60	R	15	4015	4716957										
165/65	R	15	4025	4716959		0073	48473	222,-						
165/70	R	15	4025	4716959										
165/80	R	15	4030	4716960		0077	48479	222,-						
175/50	R	15	4015	4716957		0014	48414	186,-						
175/55	R	15	4020	4716958		0073	48473	222,-						
175/60	R	15	4020	4716958		0073	48473	222,-						
175/65	R	15	4025	4716959		0813	4716674	318,-						
175/70	R	15	4030	4716960		0077	48479	222,-						
175/80	R	15	4035	4716961		0082	48482	222,-						
175/80	R	15	0126	2002728	V			132,-						
185/50	R	15	4020	4716958										
185/55	R	15	4025	4716959		0076	48476	222,-						
185/60	R	15	4025	4716959		0078	48478	222,-						
185/60	R	15	MO				0078	48478	222,-					
185/65	R	15	4030	4716960		0077	48479	222,-						
185/70	R	15	4035	4716961										
185/75	R	15				0082	48482	222,-						
185/80	R	15	4040	4716962		0084	48484	246,-						
195/45	R	15	4020	4716958										
195/50	R	15	4025	4716959		0076	48476	222,-						
195/55	R	15	4025	4716959		0078	48478	222,-						
195/60	R	15	4030	4716960		0077	48479	222,-						
195/65	R	15	4040	4716962		0082	48482	222,-						
195/70	R	15	4040	4716962		0084	48484	246,-						
195/70	R	15	0131	2002729	V			132,-	0131	4715833	513,-			
195/75	R	15	4045	4716963				91,-						
195/75	R	15	0138	2002738	V			160,-	0138	19638	524,-			
195/80	R	15	0138	2002738	V			160,-	0138	19638	524,-			
205/45	R	15	4025	4716959										
205/50	R	15	4030	4716960		0078	48478	222,-						
205/55	R	15	4035	4716961		0077	48479	222,-						
205/60	R	15	4035	4716961		0082	48482	222,-						
205/60	R	15	0126	2002728	V			132,-						
205/65	R	15	4040	4716962		0084	48484	246,-						
205/65	R	15	0131	2002729	V			132,-	0131	4715833	513,-			
205/70	R	15	4045	4716963		0089	48489	246,-						

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
205/70	R	15													
205/75	R	15	N892	4716733		377,-									
205/80	R	15	N893	4716734		404,-									
215/45	R	15								E060	4719089	144,-	4025	4716946	159,-
215/50	R	15	N888	4718069		367,-	H107	4718371	164,-	E070	4719091	162,-	4030	4716947	159,-
215/60	R	15	N890	4716731		367,-	H109	4718373	164,-	E090	4719093	162,-	4040	4716949	183,-
215/65	R	15	N891	4716732		377,-	H111	4718375	175,-	E100	4719094	162,-	4045	4716950	183,-
215/65	R	15													
215/70	R	15	N892	4716733		377,-				E110	4719095	168,-	4050	4716951	183,-
215/70	R	15													
215/75	R	15	N893	4716734		404,-									
215/80	R	15	N894	4716735		404,-									
215/80	R	15	S897	4717310	V	479,-									
225/45	R	15								E070	4719091	162,-	4030	4716947	159,-
225/50	R	15	N889	4716730		367,-	H107	4718371	164,-	E080	4719092	162,-	4040	4716949	183,-
225/55	R	15	N889	4716730		367,-	H108	4718372	164,-	E090	4719093	162,-	4040	4716949	183,-
225/60	R	15	N891	4716732		377,-	H110	4718374	175,-	E100	4719094	162,-	4045	4716950	183,-
225/65	R	15	N892	4716733		377,-	H111	4718375	175,-	E120	4719096	168,-	4050	4716951	183,-
225/70	R	15	N893	4716734		404,-				E130	4719097	170,-	4055	4716952	195,-
225/70	R	15	S896	4717301	V	479,-									
225/75	R	15	N894	4716735		404,-									
225/75	R	15	S897	4717310	V	479,-									
225/75	R	15	SE												
235/55	R	15	N890	4716731		367,-				E110	4719095	168,-			
235/60	R	15	N891	4716732		377,-				E120	4719096	168,-	4055	4716952	195,-
235/70	R	15	N893	4716734		404,-				E130	4719097	170,-	4060	4716953	195,-
235/70	R	15													
235/75	R	15	N894	4716735		404,-									
235/75	R	15	S898	4717311	V	479,-									
240/60	R	15	N891	4716732		377,-									
240/70	R	15													
245/50	R	15	N889	4716730		367,-									
245/60	R	15	N892	4716733		377,-				E130	4719097	170,-	4055	4716952	195,-
245/70	R	15	N894	4716735		404,-									
245/70	R	15	S897	4717310	V	479,-									
255/45	R	15	N889	4716730		367,-									
255/60	R	15	N892	4716733		377,-				E140	4719098	170,-			
255/70	R	15	N894	4716735		404,-									
255/70	R	15	S898	4717311	V	479,-									
255/75	R	15													
265/50	R	15	N891	4716732		377,-				E130	4719097	170,-	4055	4716952	195,-
265/70	R	15	N899	4718010		428,-									
265/75	R	15													
270/75	R	15													
275/50	R	15	N891	4716732		377,-				E140	4719098	170,-	4060	4716953	195,-
275/60	R	15	S897	4717310	V	479,-									
275/70	R	15													
285/70	R	15													
295/50	R	15	N892	4716733		377,-									
300	R	15													



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
205/70	R 15		0133	2002733	V	160,-				0133	19633	513,-			
205/75	R 15		0138	2002738	V	160,-				0138	19638	524,-			
205/80	R 15		0139	2002739	V	198,-				0139	19639	524,-			
215/45	R 15		4025	4716959		87,-									
215/50	R 15		4030	4716960		89,-	0077	48479	222,-						
215/60	R 15		4040	4716962		89,-	0084	48484	246,-						
215/65	R 15		4045	4716963		91,-	0092	48492	246,-						
215/65	R 15		0133	2002733	V	160,-				0133	19633	513,-			
215/70	R 15		4050	4716964		91,-	0093	48493	246,-						
215/70	R 15		0138	2002738	V	160,-				0138	19638	524,-	M138	4717304	745,-
215/75	R 15		0139	2002739	V	198,-	0094	48494	246,-	0139	19639	524,-			
215/80	R 15														
215/80	R 15		0143	2002743	V	206,-				0143	19643	602,-			
225/45	R 15		4030	4716960		89,-									
225/50	R 15		4040	4716962		89,-	0082	48482	222,-						
225/55	R 15		4040	4716962		89,-	0084	48484	246,-						
225/60	R 15		4045	4716963		91,-	0089	48489	246,-						
225/65	R 15		4050	4716964		91,-	0093	48493	246,-						
225/70	R 15		4055	4716965		95,-	0094	48494	246,-						
225/70	R 15		0139	2002739	V	198,-				0139	19639	524,-	M139	4717305	745,-
225/75	R 15														
225/75	R 15		0143	2002743	V	206,-				0143	19643	602,-			
225/75	R 15	SE	0143	2002743	V	206,-				0143	19643	602,-			
235/55	R 15						0089	48489	246,-						
235/60	R 15		4055	4716965		95,-	0093	48493	246,-						
235/70	R 15		4060	4716966		95,-									
235/70	R 15		0143	2002743	V	206,-				0143	19643	602,-			
235/75	R 15														
235/75	R 15		0142	2002742	V	206,-				0135	19642	602,-			
240/60	R 15														
240/70	R 15		0143	2002743	V	206,-				0143	19643	602,-			
245/50	R 15														
245/60	R 15		4055	4716965		95,-	0095	48495	246,-						
245/70	R 15														
245/70	R 15														
255/45	R 15						0089	48489	246,-						
255/60	R 15		0139	2002739	V	198,-				0139	19639	524,-			
255/70	R 15														
255/70	R 15		0142	2002742	V	206,-				0135	19642	602,-			
255/75	R 15		0141	2002741	V	206,-				0141	19641	558,-			
265/50	R 15		4055	4716965		95,-									
265/70	R 15		0141	2002741	V	206,-				0141	19641	558,-			
265/75	R 15		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
270/75	R 15		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
275/50	R 15		4060	4716966		95,-									
275/60	R 15		0142	2002742	V	206,-				0150	19650	558,-			
275/70	R 15		0141	2002741	V	206,-				0164	19657	636,-	0164	4717005	900,-
285/70	R 15		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
295/50	R 15									0150	19650	558,-			
300	R 15		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
300	R 15	SE													
300/75	R 15														
315/70	R 15	SE													
320/55	R 15														
350	- 15	SE													
355/65	R 15	SE													
400/50	R 15	Starco AS Dumper													
15.3"															
10.00/75	R 15.3														
16"															
6.50	R 16														
6.95	R 16														
7.00	R 16														
9.00	R 16														
9.0/70	R 16														
9.5	R 16														
10.5	R 16														
11.00	R 16														
13.6	R 16														
175/50	R 16		N888	4718069		367,-									
175/60	R 16		N889	4716730		367,-	H106	4718370	142,-				4025	4716946	159,-
175/70	R 16		N891	4716732		377,-									
175/75	R 16		N891	4716732		377,-									
175/80	R 16		N892	4716733		377,-									
185/50	R 16		N888	4718069		367,-	H105	4718369	142,-	E060	4719089	144,-	4025	4716946	159,-
185/55	R 16		N889	4716730		367,-	H106	4718370	142,-	E070	4719091	162,-	4030	4716947	159,-
185/60	R 16		N889	4716730		367,-				E070	4719091	162,-	4035	4716948	183,-
185/65	R 16		N891	4716732		377,-				E080	4719092	162,-	4035	4716948	183,-
185/75	R 16		N892	4716733		377,-									
185/80	R 16		N893	4716734		404,-									
195/45	R 16		N888	4718069		367,-	H104	4718368	142,-	E060	4719089	144,-	4025	4716946	159,-
195/50	R 16		N889	4716730		367,-	H106	4718370	142,-	E065	4719090	144,-	4030	4716947	159,-
195/55	R 16	bis 5,5"	N889	4716730		367,-	H108	4718372	164,-	E080	4719092	162,-	4035	4716948	183,-
195/55	R 16	ab 6" + MO	N889	4716730		367,-	H108	4718372	164,-	E080	4719092	162,-	4035	4716948	183,-
195/60	R 16		N890	4716731		367,-	H109	4718373	164,-	E080	4719092	162,-	4040	4716949	183,-
195/60	R 16														
195/65	R 16		N891	4716732		377,-	H111	4718375	175,-	E090	4719093	162,-	4045	4716950	183,-
195/65	R 16														
195/70	R 16		N892	4716733		377,-									
195/75	R 16		S896	4717301	V	479,-									
195/80	R 16		N894	4716735		404,-									
195/80	R 16		S897	4717310	V	479,-									
205/40	R 16		N888	4718069		367,-									
205/45	R 16		N888	4718069		367,-	H105	4718369	142,-	E065	4719090	144,-	4030	4716947	159,-
205/50	R 16		N889	4716730		367,-	H107	4718371	164,-	E080	4719092	162,-	4035	4716948	183,-
205/55	R 16		N890	4716731		367,-	H109	4718373	164,-	E090	4719093	162,-	4040	4716949	183,-
205/60	R 16	bis 6"	N891	4716732		377,-	H110	4718374	175,-	E090	4719093	162,-	4045	4716950	183,-
205/60	R 16	ab 6,5"	N891	4716732		377,-	H110	4718374	175,-	E090	4719093	162,-	4045	4716950	183,-



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V				RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
300	R 15	SE							0666	19666	810,-				
300/75	R 15								0666	19666	810,-				
315/70	R 15	SE							0666	19666	810,-				
320/55	R 15								0141	19641	558,-				
350	- 15	SE							0666	19666	810,-				
355/65	R 15	SE							0666	19666	810,-				
400/50	R 15	Starco AS Dumper							0666	19666	810,-				
15.3"															
10.00/75	R 15.3								0141	19641	558,-				
16"															
6.50	R 16		0139	2002739	V	198,-			0139	19639	524,-				
6.95	R 16		0133	2002733	V	160,-			0133	19633	513,-				
7.00	R 16								0135	19642	602,-				
9.00	R 16								C163	19663	860,-				
9.0/70	R 16		0143	2002743	V	206,-			0143	19643	602,-				
9.5	R 16		0160	2002760	V	245,-			0160	19660	602,-	0160	4717004	920,-	
10.5	R 16								0178	19678	1.070,-	0178	19178	1.800,-	
11.00	R 16								0178	19678	1.070,-	0178	19178	1.800,-	
13.6	R 16								0187	19687	1.070,-				
175/50	R 16		4025	4716959		87,-									
175/60	R 16		4025	4716959		87,-	0813	4716674	318,-						
175/70	R 16														
175/75	R 16		0126	2002728	V	132,-			0139	19639	524,-	M138	4717304	745,-	
175/80	R 16		0133	2002733	V	160,-			0133	19633	513,-				
185/50	R 16		4025	4716959		87,-									
185/55	R 16		4030	4716960		89,-	0077	48479	222,-						
185/60	R 16		4035	4716961		89,-	0082	48482	222,-						
185/65	R 16		4035	4716961		89,-									
185/75	R 16		0133	2002733	V	160,-			0133	19633	513,-				
185/80	R 16		0138	2002738	V	160,-			0138	19638	524,-				
195/45	R 16		4025	4716959		87,-	0076	48476	222,-						
195/50	R 16		4030	4716960		89,-	0078	48478	222,-						
195/55	R 16	bis 5,5"	4035	4716961		89,-	0077	48479	222,-						
195/55	R 16	ab 6" + MO	4035	4716961		89,-	0082	48482	222,-						
195/60	R 16		4040	4716962		89,-	0082	48482	222,-						
195/60	R 16		0126	2002728	V	132,-									
195/65	R 16		4045	4716963		91,-	0084	48484	246,-						
195/65	R 16		0133	2002733	V	160,-			0133	19633	513,-				
195/70	R 16		0138	2002738	V	160,-			0138	19638	524,-				
195/75	R 16		0138	2002738	V	160,-			0138	19638	524,-	M138	4717304	745,-	
195/80	R 16														
195/80	R 16		0139	2002739	V	198,-			0139	19639	524,-				
205/40	R 16														
205/45	R 16		4030	4716960		89,-	0078	48478	222,-						
205/50	R 16		4035	4716961		89,-	0077	48479	222,-						
205/55	R 16		4040	4716962		89,-	0084	48484	246,-						
205/60	R 16	bis 6"	4045	4716963		91,-	0084	48484	246,-						
205/60	R 16	ab 6,5"	4045	4716963		91,-	0089	48489	246,-						

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
205/65	R 16		N892	4716733		377,-	H111	4718375	175,-	E110	4719095	168,-	4050	4716951	183,-
205/65	R 16		S895	4717300	V	479,-									
205/70	R 16		N893	4716734		404,-							4050	4716951	183,-
205/70	R 16														
205/75	R 16		S894	4717999	V	479,-									
205/80	R 16		N894	4716735		404,-									
205/80	R 16		S898	4717311	V	479,-									
215/40	R 16		N888	4718069		367,-				E065	4719090	144,-	4030	4716947	159,-
215/45	R 16		N889	4716730		367,-	H107	4718371	164,-	E080	4719092	162,-	4035	4716948	183,-
215/50	R 16		N889	4716730		367,-	H108	4718372	164,-	E090	4719093	162,-	4040	4716949	183,-
215/55	R 16		N890	4716731		367,-	H109	4718373	164,-	E100	4719094	162,-	4045	4716950	183,-
215/60	R 16		N891	4716732		377,-	H111	4718375	175,-	E110	4719095	168,-	4050	4716951	183,-
215/65	R 16		N892	4716733		377,-	H112	4718376	175,-	E120	4719096	168,-	4055	4716952	195,-
215/65	R 16		S895	4717300	V	479,-									
215/70	R 16												4060	4716953	195,-
215/70	R 16		S896	4717301	V	479,-									
215/75	R 16		N894	4716735		404,-									
215/75	R 16		S897	4717310	V	479,-									
215/80	R 16		N899	4718010		428,-									
215/85	R 16														
225/45	R 16		N889	4716730		367,-				E080	4719092	162,-	4040	4716949	183,-
225/50	R 16		N890	4716731		367,-	H108	4718372	164,-	E100	4719094	162,-	4045	4716950	183,-
225/55	R 16		N891	4716732		377,-	H111	4718375	175,-	E110	4719095	168,-	4050	4716951	183,-
225/60	R 16		N892	4716733		377,-	H111	4718375	175,-	E120	4719096	168,-	4055	4716952	195,-
225/60	R 16														
225/65	R 16									E130	4719097	170,-	4060	4716953	195,-
225/65	R 16		S896	4717301	V	479,-									
225/70	R 16		N894	4716735		404,-									
225/70	R 16		S897	4717310	V	479,-									
225/75	R 16		N899	4718010		428,-									
225/75	R 16		S899	4718187	V	479,-									
235/50	R 16		N890	4716731		367,-				E110	4719095	168,-	4050	4716951	183,-
235/50	R 16														
235/55	R 16		N891	4716732		377,-							4055	4716952	195,-
235/60	R 16						H112	4718376	175,-	E130	4719097	170,-	4060	4716953	195,-
235/60	R 16		S896	4717301	V	479,-									
235/65	R 16		S894	4717999	V	479,-									
235/70	R 16		N894	4716735		404,-									
235/70	R 16		S897	4717310	V	479,-									
235/75	R 16														
235/80	R 16														
235/85	R 16														
245/45	R 16		N889	4716730		367,-				E110	4719095	168,-	4045	4716950	183,-
245/50	R 16		N891	4716732		377,-				E120	4719096	168,-	4055	4716952	195,-
245/50	R 16														
245/55	R 16		N892	4716733		377,-				E130	4719097	170,-	4060	4716953	195,-
245/60	R 16		N893	4716734		404,-									
245/70	R 16		N899	4718010		428,-									
245/75	R 16														
245/80	R 16														



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
205/65	R 16		4050	4716964		91,-	0092	48492	246,-						
205/65	R 16		0133	2002733	V	160,-				0133	19633	513,-	M138	4717304	745,-
205/70	R 16		4050	4716964		91,-									
205/70	R 16		0139	2002739	V	198,-				0139	19639	524,-			
205/75	R 16		0139	2002739	V	198,-				0139	19639	524,-	M139	4717305	745,-
205/80	R 16														
205/80	R 16		0143	2002743	V	206,-				0143	19643	602,-			
215/40	R 16		4030	4716960		89,-	0014	48414	186,-						
215/45	R 16		4035	4716961		89,-	0077	48479	222,-						
215/50	R 16		4040	4716962		89,-	0082	48482	222,-						
215/55	R 16		4045	4716963		91,-	0089	48489	246,-						
215/60	R 16		4050	4716964		91,-	0092	48492	246,-						
215/65	R 16		4055	4716965		95,-	0094	48494	246,-						
215/65	R 16		0139	2002739	V	198,-				0139	19639	524,-	M139	4717305	745,-
215/70	R 16		4060	4716966		95,-	0095	48495	246,-						
215/70	R 16		0139	2002739	V	198,-				0139	19639	524,-			
215/75	R 16														
215/75	R 16		0143	2002743	V	206,-				0143	19643	602,-	M135	4717307	745,-
215/80	R 16		0142	2002742	V	206,-				0135	19642	602,-			
215/85	R 16									0135	19642	602,-			
225/45	R 16		4040	4716962		89,-									
225/50	R 16		4045	4716963		91,-	0089	48489	246,-						
225/55	R 16		4050	4716964		91,-	0092	48492	246,-						
225/60	R 16		4055	4716965		95,-	0094	48494	246,-						
225/60	R 16		0138	2002738	V	160,-				0138	19638	524,-	M138	4717304	745,-
225/65	R 16		4060	4716966		95,-	0095	48495	246,-						
225/65	R 16		0139	2002739	V	198,-				0139	19639	524,-	M139	4717305	745,-
225/70	R 16		4065	4716967		95,-									
225/70	R 16		0143	2002743	V	206,-				0143	19643	602,-	M143	4717308	770,-
225/75	R 16														
225/75	R 16		0142	2002742	V	206,-				0135	19642	602,-	M142	4718054	780,-
235/50	R 16		4050	4716964		91,-	0089	48489	246,-						
235/50	R 16		0139	2002739	V	198,-				0139	19639	524,-			
235/55	R 16		4055	4716965		95,-	0093	48493	246,-						
235/60	R 16		4060	4716966		95,-	0095	48495	246,-						
235/60	R 16		0139	2002739	V	198,-				0139	19639	524,-			
235/65	R 16		0143	2002743	V	206,-				0143	19643	602,-	M143	4717308	770,-
235/70	R 16						0755	4716134	328,-						
235/70	R 16		0142	2002742	V	206,-				0135	19642	602,-			
235/75	R 16		0142	2002742	V	206,-				0135	19642	602,-			
235/80	R 16		0141	2002741	V	206,-				0141	19641	558,-			
235/85	R 16		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
245/45	R 16		4045	4716963		91,-	0089	48489	246,-						
245/50	R 16		4055	4716965		95,-	0093	48493	246,-						
245/50	R 16		0139	2002739	V	198,-				0139	19639	524,-			
245/55	R 16		4060	4716966		95,-	0095	48495	246,-						
245/60	R 16														
245/70	R 16		0142	2002742	V	206,-				0135	19642	602,-			
245/75	R 16		0141	2002741	V	206,-				0141	19641	558,-			
245/80	R 16									0164	19657	636,-	0164	4717005	900,-

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID				RUDcompact® ÖKOMat				RUDcompact® easy2go			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*			
255/35	R	16	N888	4718069		367,-												
255/50	R	16	N891	4716732		377,-					E130	4719097	170,-	4060	4716953	195,-		
255/55	R	16	N891	4716732		377,-												
255/60	R	16	S897	4717310	V	479,-												
255/65	R	16	S898	4717311	V	479,-												
255/70	R	16																
255/75	R	16																
255/85	R	16																
265/60	R	16	S897	4717310	V	479,-												
265/65	R	16	N899	4718010		428,-												
265/65	R	16	S899	4718187	V	479,-												
265/70	R	16																
265/75	R	16																
265/85	R	16																
275/70	R	16																
285/65	R	16																
285/75	R	16																
285/80	R	16																
295/75	R	16																
305/70	R	16																
315/55	R	16	N899	4718010		428,-												
315/70	R	16																
17"																		
34x10.50	R	17																
37x12.50	R	17																
185/50	R	17	N889	4716730		367,-												
195/45	R	17	N889	4716730		367,-												
195/55	R	17	N890	4716731		367,-	H109	4718373	164,-				4045	4716950	183,-			
205/40	R	17	N889	4716730		367,-	H107	4718371	164,-	E070	4719091	162,-	4030	4716947	159,-			
205/45	R	17	N889	4716730		367,-	H107	4718371	164,-	E080	4719092	162,-	4035	4716948	183,-			
205/50	R	17	N890	4716731		367,-	H109	4718373	164,-	E090	4719093	162,-	4040	4716949	183,-			
205/55	R	17	N891	4716732		377,-	H111	4718375	175,-	E100	4719094	162,-	4050	4716951	183,-			
205/60	R	17	N892	4716733		377,-							4050	4716951	183,-			
205/60	R	17	S895	4717300	V	479,-												
205/65	R	17	N893	4716734		404,-							4055	4716952	195,-			
215/40	R	17	N889	4716730		367,-	H107	4718371	164,-	E080	4719092	162,-	4035	4716948	183,-			
215/45	R	17	N889	4716730		367,-	H108	4718372	164,-	E090	4719093	162,-	4040	4716949	183,-			
215/50	R	17	N891	4716732		377,-	H110	4718374	175,-	E100	4719094	162,-	4050	4716951	183,-			
215/55	R	17	N891	4716732		377,-	H111	4718375	175,-	E120	4719096	168,-	4050	4716951	183,-			
215/60	R	17	N893	4716734		404,-				E130	4719097	170,-	4055	4716952	195,-			
215/60	R	17	S896	4717301	V	479,-												
215/65	R	17	N893	4716734		404,-				E130	4719097	170,-	4060	4716953	195,-			
215/65	R	17	S897	4717310	V	479,-												
225/40	R	17								E080	4719092	162,-	4035	4716948	183,-			
225/45	R	17	N890	4716731		367,-	H109	4718373	164,-	E100	4719094	162,-	4045	4716950	183,-			
225/45	R	17	Volvo															
225/50	R	17	N891	4716732		377,-	H111	4718375	175,-	E120	4719096	168,-	4050	4716951	183,-			
225/55	R	17	N892	4716733		377,-	H112	4718376	175,-	E130	4719097	170,-	4060	4716953	195,-			
225/55	R	17																



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.
255/35	R 16													
255/50	R 16		4060	4716966		95,-								
255/55	R 16													
255/60	R 16		0142	2002742	V	206,-			0150	19650	558,-			
255/65	R 16		0141	2002741	V	206,-	0756	4714329	328,-	0141	19641	558,-		
255/70	R 16		0141	2002741	V	206,-			0141	19641	558,-			
255/75	R 16		0157	2002757	V	245,-			0164	19657	636,-	0164	4717005	900,-
255/85	R 16								C161	19661	810,-	M161	4714024	1.000,-
265/60	R 16								0150	19650	558,-			
265/65	R 16													
265/65	R 16		0157	2002757	V	245,-			0159	19658	810,-			
265/70	R 16		0157	2002757	V	245,-			0164	19657	636,-	0164	4717005	900,-
265/75	R 16		0160	2002760	V	245,-			0160	19660	602,-	0160	4717004	920,-
265/85	R 16								C161	19661	810,-	M161	4714024	1.000,-
275/70	R 16		0157	2002757	V	245,-			0164	19657	636,-	0164	4717005	900,-
285/65	R 16								0164	19657	636,-	0164	4717005	900,-
285/75	R 16								C161	19661	810,-	M161	4714024	1.000,-
285/80	R 16								C161	19661	810,-			
295/75	R 16								0666	19666	810,-			
305/70	R 16											M161	4714024	1.000,-
315/55	R 16								0164	19657	636,-	0164	4717005	900,-
315/70	R 16								C177	19677	1.070,-	M177	19177	1.670,-
17"														
34x10.50	R 17								C161	19661	810,-			
37x12.50	R 17								0178	19678	1.070,-	0178	19178	1.800,-
185/50	R 17													
195/45	R 17		4030	4716960		89,-								
195/55	R 17		4045	4716963		91,-	0082	48482	222,-					
205/40	R 17		4030	4716960		89,-								
205/45	R 17		4035	4716961		89,-	0077	48479	222,-					
205/50	R 17		4040	4716962		89,-	0084	48484	246,-					
205/55	R 17		4050	4716964		91,-	16622	4719144	330,-					
205/60	R 17		4050	4716964		91,-	0093	48493	246,-					
205/60	R 17													
205/65	R 17		4055	4716965		95,-	5096	4717091	328,-					
215/40	R 17		4035	4716961		89,-	0077	48479	222,-					
215/45	R 17		4040	4716962		89,-	0084	48484	246,-					
215/50	R 17		4050	4716964		91,-	0089	48489	246,-					
215/55	R 17		4050	4716964		91,-	0093	48493	246,-					
215/60	R 17		4055	4716965		95,-	0094	48494	246,-					
215/60	R 17		0139	2002739	V	198,-			0139	19639	524,-			
215/65	R 17		4060	4716966		95,-								
215/65	R 17		0139	2002739	V	198,-			0139	19639	524,-			
225/40	R 17		4035	4716961		89,-								
225/45	R 17		4045	4716963		91,-	0089	48489	246,-					
225/45	R 17	Volvo					0084	48484	246,-					
225/50	R 17		4050	4716964		91,-	0092	48492	246,-					
225/55	R 17		4060	4716966		95,-	0095	48495	246,-					
225/55	R 17		0139	2002739	V	198,-			0139	19639	524,-	M139	4717305	745,-

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
225/55	R 17	MO													
225/55	R 17	MO													
225/60	R 17		S896	4717301	V	479,-				E130	4719097	170,-	4060	4716953	195,-
225/65	R 17		N894	4716735		404,-							4065	4716954	195,-
225/65	R 17		S897	4717310	V	479,-									
225/70	R 17		N899	4718010		428,-									
235/40	R 17		N889	4716730		367,-				E090	4719093	162,-	4045	4716950	183,-
235/45	R 17		N890	4716731		367,-	H109	4718373	164,-	E110	4719095	168,-	4050	4716951	183,-
235/50	R 17		N891	4716732		377,-				E130	4719097	170,-	4055	4716952	195,-
235/55	R 17									E140	4719098	170,-	4060	4716953	195,-
235/55	R 17		S896	4717301	V	479,-									
235/60	R 17												4065	4716954	195,-
235/60	R 17		S894	4717999	V	479,-									
235/65	R 17		N894	4716735		404,-									
235/65	R 17		S897	4717310	V	479,-									
235/70	R 17														
235/75	R 17														
245/35	R 17		N889	4716730		367,-									
245/40	R 17		N890	4716731		367,-				E110	4719095	168,-	4050	4716951	183,-
245/45	R 17		N891	4716732		377,-				E120	4719096	168,-	4055	4716952	195,-
245/50	R 17		N892	4716733		377,-				E130	4719097	170,-	4065	4716954	195,-
245/50	R 17		S895	4717300	V	479,-									
245/55	R 17		N893	4716734		404,-							4065	4716954	195,-
245/65	R 17		N899	4718010		428,-									
245/70	R 17														
245/75	R 17														
255/40	R 17		N890	4716731		367,-				E120	4719096	168,-	4050	4716951	183,-
255/45	R 17		N891	4716732		377,-				E130	4719097	170,-	4060	4716953	195,-
255/50	R 17		N892	4716733		377,-									
255/60	R 17		S898	4717311	V	479,-									
255/65	R 17														
255/75	R 17														
265/40	R 17		N891	4716732		377,-				E130	4719097	170,-	4060	4716953	195,-
265/60	R 17		N899	4718010		428,-									
265/65	R 17		S902	4718194	V	479,-									
265/70	R 17														
275/40	R 17									E140	4719098	170,-	4060	4716953	195,-
275/45	R 17		N892	4716733		377,-									
275/55	R 17		N894	4716735		404,-									
275/55	R 17		S898	4717311	V	479,-									
275/65	R 17														
285/60	R 17														
285/65	R 17														
285/70	R 17														
305/65	R 17														
17.5"															
7	R 17.5														
8	R 17.5														
8.5	R 17.5														



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V				RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
225/55	R 17	MO					0095	48495	246,-						
225/55	R 17	MO	0139	2002739	V	198,-				0139	19639	524,-	M139	4717305	745,-
225/60	R 17		4060	4716966		95,-	0095	48495	246,-						
225/65	R 17		4065	4716967		95,-									
225/65	R 17		0143	2002743	V	206,-				0143	19643	602,-	M143	4717308	770,-
225/70	R 17		0142	2002742	V	206,-				0135	19642	602,-			
235/40	R 17		4045	4716963		91,-									
235/45	R 17		4050	4716964		91,-	0092	48492	246,-						
235/50	R 17		4055	4716965		95,-	0094	48494	246,-						
235/55	R 17		4060	4716966		95,-	0095	48495	246,-						
235/55	R 17		0139	2002739	V	198,-				0139	19639	524,-			
235/60	R 17		4065	4716967		95,-	5143	4717112	349,-						
235/60	R 17		0143	2002743	V	206,-				0143	19643	602,-	M143	4717308	770,-
235/65	R 17						0755	4716134	328,-						
235/65	R 17		0142	2002742	V	206,-				0135	19642	602,-			
235/70	R 17		0142	2002742	V	206,-				0135	19642	602,-			
235/75	R 17		0141	2002741	V	206,-				0141	19641	558,-			
245/35	R 17		4045	4716963		91,-									
245/40	R 17		4050	4716964		91,-	0089	48489	246,-						
245/45	R 17		4055	4716965		95,-	0093	48493	246,-						
245/50	R 17		4065	4716967		95,-	0095	48495	246,-						
245/50	R 17														
245/55	R 17		4065	4716967		95,-									
245/65	R 17		0142	2002742	V	206,-				0135	19642	602,-			
245/70	R 17		0141	2002741	V	206,-				0141	19641	558,-			
245/75	R 17		0157	2002757	V	245,-									
255/40	R 17		4050	4716964		91,-	0093	48493	246,-						
255/45	R 17		4060	4716966		95,-									
255/50	R 17		0142	2002742	V	206,-									
255/60	R 17		0141	2002741	V	206,-	0756	4714329	328,-	0141	19641	558,-			
255/65	R 17		0141	2002741	V	206,-				0141	19641	558,-			
255/75	R 17		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
265/40	R 17		4060	4716966		95,-									
265/60	R 17		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
265/65	R 17		0141	2002741	V	206,-				0164	19657	636,-	0164	4717005	900,-
265/70	R 17		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
275/40	R 17		4060	4716966		95,-									
275/45	R 17														
275/55	R 17														
275/55	R 17														
275/65	R 17		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
285/60	R 17		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
285/65	R 17									0666	19666	810,-			
285/70	R 17									C161	19661	810,-			
305/65	R 17									C161	19661	810,-			
17.5"															
7	R 17.5		0143	2002743	V	206,-				0143	19643	602,-			
8	R 17.5		0141	2002741	V	206,-				0141	19641	558,-			
8.5	R 17.5		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
9.5	R	17.5													
10	R	17.5													
14	R	17.5													
205/65	R	17.5													
205/75	R	17.5													
215/75	R	17.5													
225/75	R	17.5													
235/75	R	17.5													
245/70	R	17.5													
245/75	R	17.5													
255/75	R	17.5													
265/70	R	17.5													
265/70	R	17.5			Bridge- stone										
270/75	R	17.5													
275/70	R	17.5													
18"															
6.00	R	18													
205/40	R	18	N889	4716730		367,-				E080	4719092	162,-	4035	4716948	183,-
205/45	R	18								E090	4719093	162,-	4045	4716950	183,-
205/55	R	18	N892	4716733		377,-	H111	4718375	175,-	E120	4719096	168,-	4050	4716951	183,-
215/40	R	18								E100	4719094	162,-	4040	4716949	183,-
215/45	R	18	N891	4716732		377,-	H110	4718374	175,-	E100	4719094	162,-	4045	4716950	183,-
215/50	R	18	N892	4716733		377,-							4060	4716953	195,-
215/55	R	18	N893	4716734		404,-							4060	4716953	195,-
225/35	R	18	N889	4716730		367,-									
225/40	R	18	N890	4716731		367,-	H109	4718373	164,-	E100	4719094	162,-	4050	4716951	183,-
225/45	R	18	N891	4716732		377,-	H111	4718375	175,-	E120	4719096	168,-	4050	4716951	183,-
225/50	R	18	N892	4716733		377,-	H112	4718376	175,-	E130	4719097	170,-	4060	4716953	195,-
225/50	R	18													
225/55	R	18	N893	4716734		404,-							4060	4716953	195,-
225/55	R	18													
225/60	R	18	N894	4716735		404,-									
225/60	R	18	S897	4717310	V	479,-									
225/65	R	18													
235/35	R	18								E090	4719093	162,-	4045	4716950	183,-
235/40	R	18	N891	4716732		377,-				E110	4719095	168,-	4050	4716951	183,-
235/45	R	18	N891	4716732		377,-				E130	4719097	170,-	4060	4716953	195,-
235/50	R	18	N893	4716734		404,-				E140	4719098	170,-	4060	4716953	195,-
235/50	R	18	S896	4717301	V	479,-									
235/55	R	18	N894	4716735		404,-							4065	4716954	195,-
235/55	R	18													
235/60	R	18	N894	4716735		404,-									
235/60	R	18	S897	4717310	V	479,-									
235/65	R	18													
245/35	R	18	N890	4716731		367,-									
245/40	R	18	N891	4716732		377,-				E130	4719097	170,-	4060	4716953	195,-
245/45	R	18	N892	4716733		377,-				E130	4719097	170,-	4060	4716953	195,-
245/50	R	18	N893	4716734		404,-							4065	4716954	195,-
245/55	R	18	N894	4716735		404,-									



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
9.5	R 17.5		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
10	R 17.5									C161	19661	810,-	M161	4714024	1.000,-
14	R 17.5									0178	19678	1.070,-	0178	19178	1.800,-
205/65	R 17.5		0139	2002739	V	198,-				0139	19639	524,-			
205/75	R 17.5		0142	2002742	V	206,-				0135	19642	602,-	M142	4718054	780,-
215/75	R 17.5		0142	2002742	V	206,-				S150	4717076	614,-	M141	4717306	770,-
225/75	R 17.5		0141	2002741	V	206,-				0141	19641	558,-	M141	4717306	770,-
235/75	R 17.5		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
245/70	R 17.5		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
245/75	R 17.5		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
255/75	R 17.5									0159	19658	810,-			
265/70	R 17.5		0160	2002760	V	245,-				0159	19658	810,-	0160	4717004	920,-
265/70	R 17.5	Bridge- steine								0159	19658	810,-			
270/75	R 17.5									C161	19661	810,-			
275/70	R 17.5		0160	2002760	V	245,-				0159	19658	810,-	0160	4717004	920,-
18"															
6.00	R 18									0135	19642	602,-			
205/40	R 18		4035	4716961		89,-									
205/45	R 18		4045	4716963		91,-									
205/55	R 18		4050	4716964		91,-	0093	48493	246,-						
215/40	R 18		4040	4716962		89,-									
215/45	R 18		4045	4716963		91,-	0089	48489	246,-						
215/50	R 18		4060	4716966		95,-	0094	48494	246,-						
215/55	R 18		4060	4716966		95,-	0095	48495	246,-						
225/35	R 18														
225/40	R 18		4050	4716964		91,-	0089	48489	246,-						
225/45	R 18		4050	4716964		91,-	0092	48492	246,-						
225/50	R 18		4060	4716966		95,-	0095	48495	246,-						
225/50	R 18		0139	2002739	V	198,-				0139	19639	524,-			
225/55	R 18		4060	4716966		95,-	0095	48495	246,-						
225/55	R 18		0139	2002739	V	198,-				0139	19639	524,-			
225/60	R 18		4065	4716967		95,-									
225/60	R 18		0143	2002743	V	206,-				0143	19643	602,-			
225/65	R 18		0142	2002742	V	206,-				0135	19642	602,-			
235/35	R 18		4045	4716963		91,-									
235/40	R 18		4050	4716964		91,-	0092	48492	246,-						
235/45	R 18		4060	4716966		95,-	0094	48494	246,-						
235/50	R 18		4060	4716966		95,-	0095	48495	246,-						
235/50	R 18														
235/55	R 18		4065	4716967		95,-	18325	4718866	275,-						
235/55	R 18		0143	2002743	V	206,-				0143	19643	602,-			
235/60	R 18						0755	4716134	328,-						
235/60	R 18		0142	2002742	V	206,-				0135	19642	602,-			
235/65	R 18		0142	2002742	V	206,-									
245/35	R 18														
245/40	R 18		4060	4716966		95,-									
245/45	R 18		4060	4716966		95,-	0095	48495	246,-						
245/50	R 18		4065	4716967		95,-	18325	4718866	275,-						
245/55	R 18														

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
245/55	R 18		S897	4717310	V	479,-										
245/60	R 18															
255/35	R 18		N890	4716731		367,-				E120	4719096	168,-	4055	4716952	195,-	
255/40	R 18		N891	4716732		377,-				E130	4719097	170,-	4060	4716953	195,-	
255/45	R 18		N892	4716733		377,-				E140	4719098	170,-	4060	4716953	195,-	
255/55	R 18		S898	4717311	V	479,-										
255/60	R 18															
255/65	R 18		S902	4718194	V	479,-										
255/70	R 18															
265/30	R 18		N889	4716730		367,-										
265/35	R 18		N890	4716731		367,-				E130	4719097	170,-	4060	4716953	195,-	
265/40	R 18		N891	4716732		377,-				E140	4719098	170,-	4065	4716954	195,-	
265/45	R 18		N893	4716734		404,-										
265/60	R 18															
265/65	R 18															
275/35	R 18															
275/40	R 18		N892	4716733		377,-				E140	4719098	170,-	4065	4716954	195,-	
275/45	R 18		N893	4716734		404,-										
275/45	R 18		S896	4717301	V	479,-										
275/60	R 18															
275/65	R 18															
275/70	R 18															
275/75	R 18															
280/70	R 18															
285/30	R 18									E140	4719098	170,-	4065	4716954	195,-	
285/35	R 18		N891	4716732		377,-				E140	4719098	170,-	4065	4716954	195,-	
285/40	R 18		N892	4716733		377,-										
285/40	R 18		S895	4717300	V	479,-										
285/45	R 18		S897	4717310	V	479,-										
285/50	R 18		N899	4718010		428,-										
285/55	R 18															
285/60	R 18															
285/65	R 18															
295/30	R 18									E140	4719098	170,-	4065	4716954	195,-	
295/35	R 18		N892	4716733		377,-										
355/60	R 18															
19"																
155/70	R 19															
175/60	R 19		N892	4716733		377,-										
175/60	R 19		S896	4717301	V	479,-										
205/55	R 19															
225/35	R 19												4050	4716951	183,-	
225/40	R 19		N891	4716732		377,-				E120	4719096	168,-	4055	4716952	195,-	
225/45	R 19		N892	4716733		377,-				E130	4719097	170,-	4060	4716953	195,-	
225/45	R 19		S895	4717300	V	479,-										
225/55	R 19		N894	4716735		404,-										
225/55	R 19		S898	4717311	V	479,-										
235/35	R 19		N891	4716732		377,-				E110	4719095	168,-	4050	4716951	183,-	
235/40	R 19		N892	4716733		377,-							4060	4716953	195,-	



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
245/55	R 18		0141	2002741	V	206,-									
245/60	R 18		0141	2002741	V	206,-				0141	19641	558,-			
255/35	R 18		4055	4716965		95,-									
255/40	R 18		4060	4716966		95,-									
255/45	R 18		4060	4716966		95,-									
255/55	R 18		0141	2002741	V	206,-	0756	4714329	328,-	0141	19641	558,-			
255/60	R 18		0141	2002741	V	206,-				0141	19641	558,-			
255/65	R 18		0157	2002757	V	245,-									
255/70	R 18		0160	2002760	V	245,-									
265/30	R 18														
265/35	R 18		4060	4716966		95,-									
265/40	R 18		4065	4716967		95,-									
265/45	R 18														
265/60	R 18		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
265/65	R 18		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
275/35	R 18		4065	4716967		95,-									
275/40	R 18						0767	4718659	357,-						
275/45	R 18														
275/45	R 18														
275/60	R 18		0157	2002757	V	245,-									
275/65	R 18		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
275/70	R 18									C161	19661	810,-			
275/75	R 18									C161	19661	810,-			
280/70	R 18									C161	19661	810,-	M161	4714024	1.000,-
285/30	R 18		4065	4716967		95,-									
285/35	R 18		4065	4716967		95,-									
285/40	R 18		4065	4716967		95,-									
285/40	R 18														
285/45	R 18														
285/50	R 18														
285/55	R 18		0160	2002760	V	245,-									
285/60	R 18		0160	2002760	V	245,-				0160	19660	602,-	0160	4717004	920,-
285/65	R 18									0666	19666	810,-			
295/30	R 18		4065	4716967		95,-									
295/35	R 18														
355/60	R 18									C177	19677	1.070,-	M177	19177	1.670,-
19"															
155/70	R 19						0817	4718058	306,-						
175/60	R 19		4045	4716963		91,-									
175/60	R 19														
205/55	R 19						0095	48495	246,-						
225/35	R 19		4050	4716964		91,-									
225/40	R 19		4055	4716965		95,-									
225/45	R 19		4060	4716966		95,-	0095	48495	246,-						
225/45	R 19														
225/55	R 19														
225/55	R 19		0143	2002743	V	206,-				0143	19643	602,-			
235/35	R 19		4050	4716964		91,-									
235/40	R 19		4060	4716966		95,-									

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V			RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go			
			Größe Size	Best.-Nr. Part no.	Art Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
235/45	R	19	N893	4716734	404,-							4060	4716953	195,-	
235/50	R	19	N894	4716735	404,-							4065	4716954	195,-	
235/50	R	19	S897	4717310	V 479,-										
235/55	R	19	N894	4716735	404,-										
235/55	R	19	S897	4717310	V 479,-										
235/65	R	19	S902	4718194	V 479,-										
245/30	R	19	N890	4716731	367,-										
245/35	R	19	N891	4716732	377,-				E130	4719097	170,-	4060	4716953	195,-	
245/40	R	19	N892	4716733	377,-				E130	4719097	170,-	4060	4716953	195,-	
245/45	R	19	S896	4717301	V 479,-							4065	4716954	195,-	
245/50	R	19	N894	4716735	404,-										
245/50	R	19	S897	4717310	V 479,-										
245/55	R	19	N899	4718010	428,-										
255/30	R	19	N890	4716731	367,-										
255/35	R	19	N891	4716732	377,-				E130	4719097	170,-	4060	4716953	195,-	
255/40	R	19	N892	4716733	377,-				E140	4719098	170,-	4065	4716954	195,-	
255/40	R	19	S895	4717300	V 479,-										
255/45	R	19	N893	4716734	404,-										
255/50	R	19	S898	4717311	V 479,-										
255/55	R	19													
255/60	R	19	S902	4718194	V 479,-										
265/30	R	19										4065	4716954	195,-	
265/35	R	19	N892	4716733	377,-				E140	4719098	170,-	4065	4716954	195,-	
265/40	R	19	N893	4716734	404,-										
265/40	R	19	S896	4717301	V 479,-										
265/50	R	19	N899	4718010	428,-										
265/50	R	19	S899	4718187	V 479,-										
265/55	R	19	S902	4718194	V 479,-										
275/30	R	19							E140	4719098	170,-	4065	4716954	195,-	
275/35	R	19	N892	4716733	377,-										
275/40	R	19	N893	4716734	404,-										
275/40	R	19	S896	4717301	V 479,-										
275/45	R	19	N894	4716735	404,-										
275/45	R	19	S898	4717311	V 479,-										
275/55	R	19	S902	4718194	V 479,-										
285/30	R	19	N891	4716732	377,-										
285/35	R	19	N892	4716733	377,-										
285/35	R	19	S895	4717300	V 479,-										
285/40	R	19	N893	4716734	404,-										
285/45	R	19	S898	4717311	V 479,-										
295/30	R	19	N891	4716732	377,-										
295/35	R	19	N892	4716733	377,-										
295/40	R	19	N894	4716735	404,-										
295/40	R	19	S897	4717310	V 479,-										
295/45	R	19	N899	4718010	428,-										
295/45	R	19	S899	4718187	V 479,-										
19.5"															
8	R	19.5													
9	R	19.5													



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
235/45	R 19		4060	4716966		95,-	0095	48495	246,-						
235/50	R 19		4065	4716967		95,-									
235/50	R 19														
235/55	R 19						0755	4716134	328,-						
235/55	R 19									0135	19642	602,-			
235/65	R 19		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
245/30	R 19		4050	4716964		91,-									
245/35	R 19		4060	4716966		95,-									
245/40	R 19		4060	4716966		95,-	0095	48495	246,-						
245/45	R 19		4065	4716967		95,-									
245/50	R 19														
245/50	R 19														
245/55	R 19		0141	2002741	V	206,-				0141	19641	558,-			
255/30	R 19		4050	4716964		91,-									
255/35	R 19		4060	4716966		95,-									
255/40	R 19		4065	4716967		95,-									
255/40	R 19														
255/45	R 19														
255/50	R 19		0141	2002741	V	206,-	0756	4714329	328,-	0141	19641	558,-			
255/55	R 19		0141	2002741	V	206,-				0141	19641	558,-			
255/60	R 19		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
265/30	R 19		4065	4716967		95,-									
265/35	R 19		4065	4716967		95,-									
265/40	R 19														
265/40	R 19														
265/50	R 19														
265/50	R 19		0157	2002757	V	245,-									
265/55	R 19		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
275/30	R 19		4065	4716967		95,-									
275/35	R 19														
275/40	R 19														
275/40	R 19														
275/45	R 19														
275/45	R 19														
275/55	R 19		0160	2002760	V	245,-									
285/30	R 19														
285/35	R 19		4065	4716967		95,-									
285/35	R 19														
285/40	R 19														
285/45	R 19									0164	19657	636,-	0164	4717005	900,-
295/30	R 19														
295/35	R 19														
295/40	R 19														
295/40	R 19														
295/45	R 19														
295/45	R 19														
19.5"															
8	R 19.5									0159	19658	810,-			
9	R 19.5									0666	19666	810,-			

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
225/70	R 19.5														
245/70	R 19.5														
265/70	R 19.5														
285/70	R 19.5														
305/70	R 19.5														
20"															
7.50	R 20														
9.00	R 20														
11.00	R 20														
12.00	R 20														
12.4	R 20														
13/80	R 20														
33x12.50	R 20														
195/55	R 20		N894	4716735		404,-				E130	4719097	170,-	4060	4716953	195,-
215/45	R 20		N893	4716734		404,-									
225/40	R 20		N892	4716733		377,-									
225/40	R 20		S896	4717301	V	479,-									
235/30	R 20		N891	4716732		377,-									
235/35	R 20		N892	4716733		377,-									
235/35	R 20		S895	4717300	V	479,-									
235/40	R 20		N893	4716734		404,-									
235/40	R 20		S896	4717301	V	479,-									
235/45	R 20		N894	4716735		404,-									
235/45	R 20		S897	4717310	V	479,-									
235/50	R 20		N899	4718010		428,-									
235/50	R 20		S899	4718187	V	479,-									
235/55	R 20		N894	4716735		404,-									
235/60	R 20														
245/35	R 20		N892	4716733		377,-									
245/40	R 20		N893	4716734		404,-									
245/40	R 20		S896	4717301	V	479,-									
245/45	R 20		N894	4716735		404,-									
245/45	R 20		S897	4717310	V	479,-									
245/50	R 20		N899	4718010		428,-									
255/30	R 20		N891	4716732		377,-									
255/35	R 20		N892	4716733		377,-									
255/40	R 20		N893	4716734		404,-									
255/45	R 20		N894	4716735		404,-									
255/45	R 20		S898	4717311	V	479,-									
255/50	R 20														
255/55	R 20		S902	4718194	V	479,-									
255/65	R 20														
265/30	R 20		N891	4716732		377,-									
265/35	R 20		N893	4716734		404,-									
265/35	R 20		S896	4717301	V	479,-									
265/40	R 20		N894	4716735		404,-									
265/40	R 20		S897	4717310	V	479,-									
265/45	R 20		N899	4718010		428,-									
265/50	R 20														



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
225/70	R 19.5								0164	19657	636,-	0164	4717005	900,-	
245/70	R 19.5								0159	19658	810,-	M161	4714024	1.000,-	
265/70	R 19.5								C161	19661	810,-	M161	4714024	1.000,-	
285/70	R 19.5								C163	19663	860,-				
305/70	R 19.5								C177	19677	1.070,-	M177	19177	1.670,-	
20"															
7.50	R 20								C163	19663	860,-				
9.00	R 20								0182	19684	1.070,-	0182	19184	1.800,-	
11.00	R 20								C190	19690	1.120,-	M190	19190	1.960,-	
12.00	R 20								0202	19702	1.120,-	M202	19202	1.960,-	
12.4	R 20								0189	19689	1.120,-	0189	19189	1.960,-	
13/80	R 20								0189	19689	1.120,-	0189	19189	1.960,-	
33x12.50	R 20								0666	19666	810,-				
195/55	R 20		4060	4716966			95,-	0095	48495						
215/45	R 20							0094	48494						
225/40	R 20		4060	4716966			95,-								
225/40	R 20														
235/30	R 20														
235/35	R 20		4060	4716966			95,-								
235/35	R 20														
235/40	R 20		4065	4716967			95,-								
235/40	R 20														
235/45	R 20														
235/45	R 20														
235/50	R 20							0755	4716134						
235/50	R 20		0141	2002741	V		206,-								
235/55	R 20		0141	2002741	V		206,-			0141	19641			558,-	
235/60	R 20		0141	2002741	V		206,-	19926	4718824					275,-	
245/35	R 20														
245/40	R 20		4065	4716967			95,-								
245/40	R 20														
245/45	R 20														
245/45	R 20									0135	19642			602,-	
245/50	R 20														
255/30	R 20		4065	4716967			95,-								
255/35	R 20		4065	4716967			95,-								
255/40	R 20														
255/45	R 20														
255/45	R 20		0142	2002742	V		206,-								
255/50	R 20		0141	2002741	V		206,-			0141	19641			558,-	
255/55	R 20		0157	2002757	V		245,-			0164	19657		0164	4717005	900,-
255/65	R 20									C161	19661			810,-	
265/30	R 20		4065	4716967			95,-								
265/35	R 20														
265/35	R 20														
265/40	R 20														
265/40	R 20														
265/45	R 20														
265/50	R 20		0141	2002741	V		206,-			0141	19641			558,-	

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
275/30	R	20	N892	4716733		377,-										
275/30	R	20	S895	4717300	V	479,-										
275/35	R	20	S896	4717301	V	479,-										
275/40	R	20	N894	4716735		404,-										
275/40	R	20	S898	4717311	V	479,-										
275/45	R	20	N899	4718010		428,-										
275/50	R	20	S902	4718194	V	479,-										
275/60	R	20														
275/65	R	20														
280/70	R	20														
280/80	R	20														
285/30	R	20	N892	4716733		377,-										
285/30	R	20	S895	4717300	V	479,-										
285/35	R	20	N893	4716734		404,-										
285/40	R	20	N894	4716735		404,-										
285/40	R	20	S898	4717311	V	479,-										
285/45	R	20	S902	4718194	V	479,-										
285/50	R	20														
285/60	R	20														
290/90	R	20														
295/30	R	20	N892	4716733		377,-										
295/35	R	20	N894	4716735		404,-										
295/40	R	20	N899	4718010		428,-										
295/45	R	20	S902	4718194	V	479,-										
300/70	R	20														
305/40	R	20	N899	4718010		428,-										
315/35	R	20	S898	4717311	V	479,-										
320/85	R	20														
325/60	R	20														
335/80	R	20	Continen- tal AC 70													
340/80	R	20														
355/80D	R	20														
360/70	R	20														
360/80	R	20														
365/85	R	20	Continen- tal HCS													
385/65	R	20														
21"																
245/35	R	21	S894	4717999	V	479,-										
245/40	R	21	N894	4716735		404,-										
245/40	R	21	S898	4717311	V	479,-										
245/45	R	21	N899	4718010		428,-										
255/35	R	21	N893	4716734		404,-										
255/35	R	21	S894	4717999	V	479,-										
255/40	R	21	N894	4716735		404,-										
255/40	R	21	S898	4717311	V	479,-										
265/40	R	21	N899	4718010		428,-										
265/40	R	21	S899	4718187	V	479,-										
265/45	R	21	S902	4718194	V	479,-										
275/30	R	21	N893	4716734		404,-										



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.
275/30	R 20		4065	4716967			95,-							
275/30	R 20													
275/35	R 20													
275/40	R 20													
275/40	R 20		0142	2002742	V		206,-		0135	19642				602,-
275/45	R 20		0141	2002741	V		206,-		0141	19641				558,-
275/50	R 20													
275/60	R 20								C161	19661				810,-
275/65	R 20								C161	19661		M161	4714024	1.000,-
280/70	R 20								C163	19663				860,-
280/80	R 20								0178	19678		0178	19178	1.800,-
285/30	R 20		4065	4716967			95,-							
285/30	R 20													
285/35	R 20													
285/40	R 20													
285/40	R 20								0164	19657		0164	4717005	900,-
285/45	R 20													
285/50	R 20								C161	19661		M161	4714024	1.000,-
285/60	R 20											M161	4714024	1.000,-
290/90	R 20								0187	19687				1.070,-
295/30	R 20													
295/35	R 20													
295/40	R 20													
295/45	R 20								0164	19657		0164	4717005	900,-
300/70	R 20								0178	19678		0178	19178	1.800,-
305/40	R 20													
315/35	R 20													
320/85	R 20								0189	19689		0189	19189	1.960,-
325/60	R 20								C177	19677		M177	19177	1.670,-
335/80	R 20	Continental AC 70							0189	19689		0189	19189	1.960,-
340/80	R 20								0189	19689		0189	19189	1.960,-
355/80D	R 20								0202	19702				1.120,-
360/70	R 20								0189	19689		0189	19189	1.960,-
360/80	R 20								0202	19702		M202	19202	1.960,-
365/85	R 20	Continental HCS							M211	4718534				1.120,-
385/65	R 20								0189	19689		0189	19189	1.960,-
21"														
245/35	R 21													
245/40	R 21													
245/40	R 21		0141	2002741	V		206,-							
245/45	R 21		0141	2002741	V		206,-							
255/35	R 21													
255/35	R 21		0141	2002741	V		206,-							
255/40	R 21													
255/40	R 21		0141	2002741	V		206,-							
265/40	R 21													
265/40	R 21													
265/45	R 21													
275/30	R 21													

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
275/30	R	21	S896	4717301	V	479,-										
275/35	R	21	N894	4716735		404,-										
275/35	R	21	S897	4717310	V	479,-										
275/40	R	21	N899	4718010		428,-										
275/45	R	21	S902	4718194	V	479,-										
275/50	R	21														
285/30	R	21	S896	4717301	V	479,-										
285/45	R	21	S902	4718194	V	479,-										
295/35	R	21	N894	4716735		404,-										
295/35	R	21	S898	4717311	V	479,-										
295/40	R	21														
305/35	R	21	N899	4718010		428,-										
305/35	R	21	S899	4718187	V	479,-										
315/30	R	21	N894	4716735		404,-										
315/30	R	21	S897	4717310	V	479,-										
315/35	R	21	S899	4718187	V	479,-										
315/40	R	21	S902	4718194	V	479,-										
325/30	R	21	N894	4716735		404,-										
325/30	R	21	S898	4717311	V	479,-										
22"																
265/35	R	22	N899	4718010		428,-										
265/35	R	22	S899	4718187	V	479,-										
275/35	R	22	N899	4718010		428,-										
275/40	R	22	S902	4718194	V	479,-										
275/45	R	22														
285/40	R	22	S902	4718194	V	479,-										
285/45	R	22														
295/30	R	22	N894	4716735		404,-										
295/30	R	22	S898	4717311	V	479,-										
315/30	R	22	N899	4718010		428,-										
315/35	R	22	S902	4718194	V	479,-										
325/35	R	22	S902	4718194	V	479,-										
325/55	R	22														
22.5"																
8	R	22.5														
9	R	22.5														
10	R	22.5														
11	R	22.5														
11/70	R	22.5														
12	R	22.5														
12	R	22.5	Michelin													
12/80	R	22.5														
13	R	22.5														
245/75	R	22.5														
255/70	R	22.5														
265/70	R	22.5														
265/75	R	22.5														
275/70	R	22.5														



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V				RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
275/30	R 21														
275/35	R 21														
275/35	R 21														
275/40	R 21														
275/45	R 21									0164	19657	636,-	0164	4717005	900,-
275/50	R 21						21029	4718754	427,-						
285/30	R 21									0150	19650	558,-			
285/45	R 21		0160	2002760	V	245,-	20529	4718828	435,-						
295/35	R 21														
295/35	R 21														
295/40	R 21		0160	2002760	V	245,-									
305/35	R 21														
305/35	R 21														
315/30	R 21														
315/30	R 21														
315/35	R 21														
315/40	R 21														
325/30	R 21														
325/30	R 21														
22"															
265/35	R 22														
265/35	R 22														
275/35	R 22														
275/40	R 22		0157	2002757	V	245,-				0164	19657	636,-	0164	4717005	900,-
275/45	R 22						21029	4718754	427,-						
285/40	R 22														
285/45	R 22						21029	4718754	427,-						
295/30	R 22														
295/30	R 22														
315/30	R 22														
315/35	R 22														
325/35	R 22														
325/55	R 22									C177	19677	1.070,-	M177	19177	1.670,-
22.5"															
8	R 22.5									0175	19675	900,-	0175	19175	1.670,-
9	R 22.5									0176	19676	900,-			
10	R 22.5									0182	19684	1.070,-	0182	19184	1.800,-
11	R 22.5												M187	19187	1.960,-
11/70	R 22.5									0178	19678	1.070,-	0178	19178	1.800,-
12	R 22.5									C190	19690	1.120,-	M190	19190	1.960,-
12	R 22.5	Michelin								0189	19689	1.120,-	0189	19189	1.960,-
12/80	R 22.5									0189	19689	1.120,-	0189	19189	1.960,-
13	R 22.5									0202	19702	1.120,-	M202	19202	1.960,-
245/75	R 22.5									C177	19677	1.070,-	M177	19177	1.670,-
255/70	R 22.5									0175	19675	900,-	0175	19175	1.670,-
265/70	R 22.5									C177	19677	1.070,-	M177	19177	1.670,-
265/75	R 22.5									0178	19678	1.070,-	0178	19178	1.800,-
275/70	R 22.5									0178	19678	1.070,-	0178	19178	1.800,-

€



**RUDcomfort
CENTRAX / CENTRAX V**

**RUDinnov8
HYBRID**

**RUDcompact®
ÖKOMat**

**RUDcompact®
easy2go**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcomfort CENTRAX / CENTRAX V				RUDinnov8 HYBRID			RUDcompact® ÖKOMat			RUDcompact® easy2go		
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
275/70	R 22.5	Citaro													
275/80	R 22.5														
280/80	R 22.5														
285/60	R 22.5														
285/70	R 22.5														
295/55	R 22.5														
295/60	R 22.5														
295/70	R 22.5														
295/80	R 22.5														
295/80	R 22.5	Continen- tal HD													
295/80	R 22.5	Bridge- stone M													
295/80	R 22.5	Michelin XD													
295/80	R 22.5	Michelin Remix													
305/60	R 22.5														
305/70	R 22.5														
305/85	R 22.5														
315/45	R 22.5														
315/60	R 22.5														
315/70	R 22.5														
315/75	R 22.5														
315/80	R 22.5														
315/80	R 22.5	Continen- tal HD													
315/80	R 22.5	Bridge- stone M													
315/80	R 22.5	Michelin XD													
315/80	R 22.5	Michelin Remix													
335/80	R 22.5														
350/75	R 22.5														
385/55	R 22.5														
385/65	R 22.5														
435/45	R 22.5														
445/65	R 22.5														
455/45	R 22.5														
495/45	R 22.5														
24"															
11.2	R 24														
280/85	R 24														
320/80	R 24														



**RUDcompact®
GRIP / GRIP V**

**RUDmatic®
CLASSIC**

**RUDmatic®
CLASSIC V**

**RUDmatic®
MAXI**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	RUDcompact® GRIP / GRIP V			RUDmatic® CLASSIC			RUDmatic® CLASSIC V			RUDmatic® MAXI			
			Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
275/70	R 22.5	Citaro										S178	4716488	1.800,-	
275/80	R 22.5							0188	19688	1.070,-		0188	19188	1.960,-	
280/80	R 22.5							0188	19688	1.070,-		0188	19188	1.960,-	
285/60	R 22.5							C177	19677	1.070,-		M177	19177	1.670,-	
285/70	R 22.5							0178	19678	1.070,-		0178	19178	1.800,-	
295/55	R 22.5							0176	19676	900,-					
295/60	R 22.5							C177	19677	1.070,-		M177	19177	1.670,-	
295/70	R 22.5							0182	19684	1.070,-		0182	19184	1.800,-	
295/80	R 22.5							0189	19689	1.120,-		0189	19189	1.960,-	
295/80	R 22.5	Continental HD						S189	4718424	1.120,-		S189	4716264	1.960,-	
295/80	R 22.5	Bridgestone M						S189	4718424	1.120,-		S189	4716264	1.960,-	
295/80	R 22.5	Michelin XD						S189	4718424	1.120,-		S189	4716264	1.960,-	
295/80	R 22.5	Michelin Remix						S189	4718424	1.120,-		S189	4716264	1.960,-	
305/60	R 22.5							0178	19678	1.070,-		0178	19178	1.800,-	
305/70	R 22.5							0182	19684	1.070,-		0182	19184	1.800,-	
305/85	R 22.5							C190	19690	1.120,-		M190	19190	1.960,-	
315/45	R 22.5											M163	4718635	1.590,-	
315/60	R 22.5							0183	19683	1.070,-		0183	19183	1.800,-	
315/70	R 22.5							0187	19687	1.070,-		M187	19187	1.960,-	
315/75	R 22.5							C190	19690	1.120,-		M190	19190	1.960,-	
315/80	R 22.5							C190	19690	1.120,-		M190	19190	1.960,-	
315/80	R 22.5	Continental HD										M202	19202	1.960,-	
315/80	R 22.5	Bridgestone M										M202	19202	1.960,-	
315/80	R 22.5	Michelin XD										M202	19202	1.960,-	
315/80	R 22.5	Michelin Remix										M202	19202	1.960,-	
335/80	R 22.5							0202	19702	1.120,-		M202	19202	1.960,-	
350/75	R 22.5							0202	19702	1.120,-		M202	19202	1.960,-	
385/55	R 22.5							C190	19690	1.120,-		0206	4715576	1.840,-	
385/65	R 22.5											M202	19202	1.960,-	
435/45	R 22.5											0206	4715576	1.840,-	
445/65	R 22.5											M217	4718497	2.150,-	
455/45	R 22.5											0205	4715575	1.840,-	
495/45	R 22.5											0185	4715850	2.150,-	
24"															
11.2	R 24									0189	19689	1.120,-	0189	19189	1.960,-
280/85	R 24									0189	19689	1.120,-	0189	19189	1.960,-
320/80	R 24									0202	19702	1.120,-			

€

RUD
Profiketten

RUD
chains for professional use



RUD Ketten im Vergleich

RUD chains in comparison

	ARKTIK	ALLIGATOR PLUS	BISON	PROFIL-GREIFSTEG PRO	PROFIL-GREIFSTEG	SUPER-GREIFSTEG	GREIFSTEG	CARGO	ALLIGATOR	ALLIGATOR 45G	AGRAR DUO
Montage-Demontage Komfort Ease of fitting and removal	○ ●	○ ●	○ ●	○ ●	○ ●	○ ●	○ ●	○ ●	○ ●	○ ●	○ ●
Eignung Transporter/LKW Suitable for transporters/ trucks	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○
Eignung LKW/Gelände Suitable for trucks/off-road	● ● ● ●	○ ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	○ ● ● ●	○ ● ● ●	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○
Eignung Busse Suitable for buses	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○
Eignung Schneeräumung Suitable for snow clearance	● ● ● ●	○ ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	○ ● ● ●	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○
Eignung Traktoren/ Forstmaschinen Suitable for tractors/forestry vehicles	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ● ● ●	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○	○ ○ ○ ○



4X4 /4x4



Radlader / Wheel Loader



Bus / Bus



Quad / Quad



Forstmaschinen / Forestry equipment



Traktor / Tractor



Gabelstapler / Forklift



Nutzfahrzeug / Off-road truck



Unimog / Unimog



LKW / Truck



ERLAU^{profi}® ARKTIK

Die traktionsstarke Wabenkette für Schneeräumung
The high-traction honeycomb chain for snow clearance



- Das Non-plus-ultra in der Traktion
- Extrem dichtes, wabenförmiges Laufnetz im Steg-Ring-System (1.)
- Effektive Verbindungshöhe 11 mm und extrem hohe Zugwinkelglieder (2.)
- Besonders lafruhig
- Hohe Laufleistung und Lebensdauer
- Lückenlos geschlossenes Laufnetz
- Homologationen: Ö-Norm V5119



- This link-ring system provides the ultimate traction
- Extremely dense, honeycomb chain mesh with link-ring system (1.)
- Effective link height 11 mm and extremely high-traction angle links (2.)
- Especially quiet running
- High mileage and service life
- Continuous closed chain mesh
- Homologations: Ö-Norm V5119

1.



2.



ERLAU^{profi}® ALLIGATOR PLUS

Einzigartige Traktion für Schneeräumung und Forstarbeit
Unequalled traction for snow clearance and forestry work



- Höchste Traktion durch Steg-Ring-Systeme
 - Effektive Verbindungshöhe 11 mm und extrem hohe Zugwinkelglieder
 - Hohe Laufleistung/Lebensdauer
 - Zwei geschmiedete Schließhaken garantieren einen sicheren und reibungslosen Fahrt (1.)
 - Gute Selbstreinigung
 - Laufnetz im Steg-Ring-System (2.)
 - Lückenlos geschlossenes Laufnetz
 - Homologationen: Ö-Norm V5119
-
- Link-ring system provides the highest traction
 - Effective link height 11 mm and extremely high-traction angle links
 - High mileage and long service life
 - Two drop forged locking hooks guarantee a sure-footed and smooth drive (1.)
 - Good self-cleaning
 - Chain mesh with link-ring system (2.)
 - Continuous, closed chain mesh
 - Homologations: Ö-Norm V5119



1.



2.



RUDprofi® BISON

Dauerläufer für schwerstes Gelände und extremsten Winterdienst
High-endurance runner for the most difficult terrain and snow clearing service



- Besonders traktionsstarke Hochleistungskette
 - Sehr dichtes Laufnetz in Doppelaufnetzkonfiguration für beste Griffigkeit
 - Extrem verschleißfest und bruchzäh
 - Beidseitig nutzbares Laufnetz (1.)
 - Mangan-Chrom-Nickel legierter Stahl
 - In Drahtstärke 9 und 11 mm erhältlich
 - Lückenlos geschlossenes Laufnetz
 - Ab Drahtstärke 11 mm ist das Laufnetz in der Seitenkette eingeschweißt
-
- Heavy-duty chain with especially high traction
 - Very dense, double chain mesh configuration for maximum grip
 - Extremely resistant to wear and fracture
 - Reversible chain mesh (1.)
 - Manganese-chrome-nickel alloy steel
 - Available in 9 and 11 mm wire diameters
 - Continuous, closed chain mesh
 - In wire diameter 11 mm chain mesh welded into side chain

1.



RUDprofi® PROFILGREIFSTEG PRO

Für schwerstes Gelände und extremen Winterdienst
For difficult terrain and extreme snow clearing service



- Besonders traktionsstarke Hochleistungskette
- Sehr dichtes Laufnetz für größtmögliche Griffigkeit
- Extrem verschleißfest und bruchzäh
- Speziell entwickelte Profilgreifstege für maximale Traktion (1.)
- Überdurchschnittliche Lebensdauer
- Mangan-Chrom-Nickel legierter Stahl
- Lückenlos geschlossenes Laufnetz
- Die besondere Form ermöglicht ein schnelles, einfaches und sicheres Einhängen der Seitenkette, insbesondere am hinteren Ende der Reifen (2.)
- Homologationen: Ö-Norm V5119
- Particularly strong heavy-duty chain
- Very dense chain mesh for the highest possible traction
- Extremely resistant to wear and fracture
- Specially developed profile grip links for maximum traction (1.)
- Longer than average service life
- Manganese-chrome-nickel alloy steel
- Continuous, closed chain mesh
- The particular shape of the closing hook enables a fast, easy and safe hooking of the side chain specially on the rear end of the tyres (2.)
- Homologations: Ö-Norm V5119



1.



2.



RUDprofi® PROFILGREIFSTEG

Für schweres und tiefes Gelände im Wald oder Schnee
For deep, difficult forest terrain or snow conditions



- Wirtschaftliche Hochleistungskette
- Dichtes Wechsellspur-Laufnetz für größtmögliche Griffigkeit
- Extrem verschleißfest und bruchzäh
- Speziell entwickelte Profilgreifstege für maximale Traktion (1.)
- Überdurchschnittliche Lebensdauer
- Mangan-Chrom-Nickel legierter Stahl
- Lückenlos geschlossenes Laufnetz
- Die besondere Form ermöglicht ein schnelles, einfaches und sicheres Einhängen der Seitenkette, insbesondere am hinteren Ende der Reifen (2.)
- Homologationen: Ö-Norm V5119
- Economical heavy-duty chain
- Dense, alternating track chain mesh for the highest possible traction
- Extremely resistant to wear and fracture
- Specially developed profile grip links for maximum traction (1.)
- Longer than average service life
- Manganese-chrome-nickel alloy steel
- Continuous, closed chain mesh
- The particular shape of the closing hook enables a fast, easy and safe hooking of the side chain specially on the rear end of the tyres (2.)
- Homologations: Ö-Norm V5119



1.



2.



RUDprofi® SUPERGREIFSTEG

Kraftvolle Traktion bei Schneedecken und blankem Eis
Powerful traction on snow coverings and ice



- Durchgehendes Laufnetz für höchste Griffigkeit und Laufleistung
 - Wendbare Kette mit verstärktem, bug-geschweißtem Greifsteg, für maximale Traktion (1.)
 - Mangan-Chrom-Nickel legierter Feinkorn-Edelstahl
 - Lückenlos geschlossenes Laufnetz
 - Die besondere Form ermöglicht ein schnelles, einfaches und sicheres Einhängen der Seitenkette, insbesondere am hinteren Ende der Reifen (2.)
 - Homologationen: Ö-Norm V5119
-
- Continuous chain mesh for maximum traction and high mileage
 - Reversible chain with reinforced, crownwelded grip links for maximum traction (1.)
 - Fine-grain, high-grade, manganese-chrome-nickel alloy steel
 - Continuous, closed chain mesh
 - The particular shape of the closing hook enables a fast, easy and safe hooking of the side chain specially on the rear end of the tyres (2.)
 - Homologations: Ö-Norm V5119



1.



2.



RUDprofi® GREIFSTEG

Intelligente Kettentechnik gegen winterliche Gefahren, als Einzel- oder Zwillingskette
Intelligent chain engineering to combat winter hazards. Available as single or twin chain



- Spurkreuzkette ohne Verschluss auf der Lauffläche
 - Zusätzliche Greifstege steigern die Traktion (1.)
 - Wirtschaftlich durch wendbares Laufnetz
 - Buggeschweißte, bewegliche Greifstege
 - Chrom-Mangan-Nickel legierter Feinkorn-Edelstahl
 - Auch als Zwillingskette erhältlich (2.)
 - Homologationen: Ö-Norm V5119
-
- Diamond pattern chain without connector on the tyre tread
 - Additional grip links increase traction (1.)
 - Economical due to reversible chain mesh
 - Crown-welded, movable grip links
 - Fine-grain, high-grade manganese-chrome-nickel alloy steel
 - Also available as twin chain (2.)
 - Homologations: Ö-Norm V5119



1.



2.



RUDprofi® CARGO

Langlebige Kette für normale und mittelschwere Einsätze, als Einzel- oder Zwillingskette
Long-life chain for normal and moderately heavy use. Available as single or twin chain



- Hält auch härtere Belastung aus
 - Wendbares Laufnetz mit greifstarken Vierkantgliedern (1.)
 - Einfache, leichte Montage/Demontage
 - Lange Lebensdauer
 - Hohe Bruchsicherheit
 - Edelstahl, verschleißfest gehärtet
 - Griffiges Laufnetz mit Spurkreuzen ohne Verschluss auf Lauffläche
 - Auch als Zwillingskette erhältlich (2.)
 - Homologationen: Ö-Norm V5119
-
- Also stands up to heavier use
 - Reversible chain mesh with high-grip, square links (1.)
 - Simple and easy to fit and remove
 - Long service life
 - High-grade steel, hardened for greater wear-resistance
 - High-grip, diamond pattern chain mesh without connector on the tyre tread
 - Also available as twin chain (2.)
 - Homologations: Ö-Norm V5119



1.



2.



RUDprofi® ALLIGATOR

Für Schneeräumung und Forstarbeit
For snow clearance and forestry work



- Greifstarke Vierkantglieder
 - Besonders laufruhig
 - Wendbares Laufnetz mit quadratischen Gliedern für beste Traktion (1.)
 - Edelstahl, verschleißfest gehärtet
 - Drahtstärke 8,5 bis 10,5 mm ist das Laufnetz in der Seitenkette eingeschweißt
 - Lückenlos geschlossenes Laufnetz (2.)
 - Homologationen: Ö-Norm V5119
-
- High-grip, square links
 - Especially quiet running
 - Reversible chain mesh with square links for good traction (1.)
 - High-grade steel, hardened for greater wear-resistance
 - In wire diameter from 8,5 to 10,5 mm chain mesh welded into side chain
 - Continuous, closed chain mesh (2.)
 - Homologations: Ö-Norm V5119



1.



2.



RUDprofi® ALLIGATOR 45G

Für Schneeräumung und häufigen Fahreinsatz
For snow clearance and frequent driving



- Greifstarke 7,5mm-Vierkantglieder (1.)
 - Kettenglieder stehen im permanenten 45°-Winkel, sodass alle Glieder in ständigem Einsatz sind (1.)
 - Erhöhtes Verschleißvolumen für eine längere Lebensdauer
 - Besonders laufruhig
 - Wendbares Laufnetz
 - Edelstahl, verschleißfest gehärtet
 - Lückenlos geschlossenes Laufnetz (2.)
 - Homologationen: Ö-Norm V5119
-
- High-grip, square links in 7,5mm diameter wire
 - Chain links in permanent 45° angle, so all links are in constant use (1.)
 - Increased available wear-volume for a longer service life.
 - Especially quiet running
 - Reversible chain mesh
 - High-grade steel, hardened for greater wear-resistance
 - Continuous, closed chain mesh (2.)
 - Homologations: Ö-Norm V5119



1.



2.



RUDprofi® AGRAR DUO

Kette speziell für landwirtschaftliche Einsätze
Special chain for agricultural usage



- Laufnetz in Rechteckkonfiguration (1.)
 - Wendbare Kette mit zusätzlichen Gliedern für eine erhöhte Lebensdauer (2.)
 - Spursicher
 - Edelstahl, verschleißfest gehärtet
-
- Chain mesh with rectangular configuration (1.)
 - Reversible chain with additional grip links for a longer service life (2.)
 - Sure-footed
 - High-grade steel, hardened for greater wear-resistance

1.



2.



Größenbezeichnung und Profilbezeichnung

Description of the tyre size



Auf der Seitenwand des Reifens finden Sie für gewöhnlich alle wichtigen Informationen wie die Größenbezeichnung oder exakte Bezeichnung des Reifens.
On the side wall of the tyre you can find all important information like the tyre size or the complete description of the tyre.

PKW Reifen Tyre dimensions for passenger cars	205 / Norm/ Reifenbreite in mm Norm/ Section width in mm	55 Norm Querschnitts- verhältnis (=Höhe/Breite) Nominal Aspect (=High/Section)	R Reifenkonstruktion/ Radial Ratio Tyre construction/ Radial	16 Nennfelgendurch- messer in Zoll Rim diameter in inches
	315 / Norm/ Reifenbreite in mm Norm/ Section width in mm	80 Norm Querschnitts- verhältnis (=Höhe/Breite) Nominal Aspect (=High/Section)	R Reifenkonstruktion/ Radial Ratio Tyre construction/ Radial	22,5 Nennfelgendurch- messer in Zoll Rim diameter in inches
LKW Reifen (z.B. 4x4/Bus) Tyre dimensions for trucks (e.g. 4x4/Bus)	520 / Norm/ Reifenbreite in mm Norm/ Section width in mm	70 Norm Querschnitts- verhältnis (=Höhe/Breite) Nominal Aspect (=High/Section)	R Reifenkonstruktion/ Radial Ratio Tyre construction/ Radial	38 Nennfelgendurch- messer in Zoll Rim diameter in inches
	18 x Norm/ Reifen- durchmesser in Zoll Norm/ Diameter in inches	7 Norm Reifenbreite in Zoll Norm section width in inches	R Reifenkonstruktion/ Radial Tyre construction/ Radial	8 Nennfelgendurch- messer in Zoll Rim diameter in inches
Sonderfahrzeuge (z.B. Stapler) Special vehicles (e.g. forklift)	250 / Norm/ Reifenbreite in mm Norm/ Section width in mm	70 Norm Querschnitts- verhältnis (=Höhe/Breite) Nominal Aspect (=High/Section)	R Reifenkonstruktion/ Radial Tyre construction/ Radial	15 Nennfelgendurch- messer in Zoll Rim diameter in inches

Hinweise / Notes

Diese Preisliste enthält die Kettentypen und -größen der gängigsten Reifendimensionen. Es ist uns nicht möglich, sämtliche Reifengrößen in- und ausländischer Markenfabrikate, insbesondere für Spezialfahrzeuge, wie etwa Industrie- oder Baumaschinen aufzuführen. Weitere Kettengrößen auf Anfrage.

Sämtlichen Reifenbezeichnungen liegen die am Tag der Herstellung jeweils gültigen Normmaße und Normfelgen nach DIN sowie ETRTO (Technische Organisation der Europäischen Reifen- und Felgenreisler) zugrunde. Bei runderneuten Reifen sowie Zwillingsbereifung mit nicht serienmäßigem Felgenmittenabstand ist die Paßfähigkeit nicht in jedem Fall gewährleistet. Bei EM-Reifen (für Erdbewegungsmaschinen) bitten wir um Angabe der genauen Profilbezeichnung (L3, L4, L5).

Lieferbedingungen

Die aufgeführten Preise sind unverbindlich empfohlene Preise pro Paar ohne Mehrwertsteuer. Für sämtliche Lieferungen gelten unsere Verkaufs- und Lieferbedingungen. Wir berechnen bei einem Netto-Auftragswert von unter EUR 125,- eine Versandkostenpauschale von EUR 20,- und von EUR 125,- bis EUR 250,- eine Versandkostenpauschale von EUR 10,-. Bei einem Netto-Auftragswert von über EUR 250,- liefern wir frei Haus. Preisänderungen bleiben vorbehalten. Ältere Preislisten sind hiermit ungültig.

Erst gründlich informieren, dann die richtige Kette richtig montieren.

- Bitte prüfen Sie, ob es in der Betriebsanleitung für Ihr Fahrzeug bei der Verwendung von Schneeketten Empfehlungen, Sondervorschriften oder Einschränkungen gibt.
- Bitte lesen Sie die beige packte Montageanleitung und beachten Sie eventuelle Warnhinweise. Bedenken Sie bitte, dass eine Gewährleistung nur dann übernommen wird, wenn alle Richtlinien und Vorschriften beachtet werden. Technische Änderungen vorbehalten.

This price list contains chain types and sizes which fit the most common tyre sizes. We are not able to list all international sizes and other makes of tyres, particularly those for special vehicles, such as industrial and construction vehicles. Additional chain sizes available on request.

All tyre specifications are based on the standard dimensions and standard rims applicable on the day of production according to DIN and ETRTO (European Tyre and Rim Technical Organisation). A correct fit cannot always be guaranteed for retreaded tyres and twin tyres with a non-standard spacing. For EM tyres (for earth-moving machines), please state the precise tread designation (L3, L4, L5).

Terms of delivery

The list prices are subjects to change recommended prices per pair excluding VAT. Our terms of sale and delivery apply to all deliveries. We offer a shipping flat rate charge of € 20 for orders with a net value of less than € 125, and of € 10 for orders between € 125 and € 250. We deliver orders with a net value of over € 250 free of charge. We reserve the right to change our prices. This price list supersedes all previous price lists.

First obtain full information, and then fit the right chain.

- Please check whether the owner's manual for your vehicle contains any recommendations, specific instructions, or restrictions regarding the use of snow chains.
- Please read the fitting instructions enclosed with your chains, and observe all warning notices. Please remember that we will not accept any claim under guarantee unless all guidelines and regulations have been observed. Specifications subject to change without notice.

Legende / Legend

bis 5 J ; ab 5 1/2 J etc.	Felgenreöße / Rim size
AS	Ackerstollen-Profil / lug tyres
C	Verstärkter LLKW-Reifen / Reinforced tyres for light truck
Conti IC 80, IC10/12, IC40, MICH.XMCL, MPT 81, MPT 70	Reifenprofil / Tyre profil
E, Nokian TRI, TRI-1, TRI-2, Mich.XC, Golf, L2/L3 (NT),L4/L5 (DT)	
LT	Verstärkter Reifen für leichte LKW (LLKW) z.B. Transporter / Reinforced tyre for trucks (light truck), eg. for transporter
MO	Mercedes-Original Reifen / Mercedes original tyre
Remix Reifen	Runderneuerter Reifen / Retreaded tyre
SE	Vollgummi / Solid tyres
V	Verstärkt / Reinforced chain net and side parts
1)	Fahrzeugbezogene Zuordnungsliste bitte beachten / Please check our vehicles application manual

**BISON****PROFILGREIFSTEG
PRO****PROFILGREIFSTEG****SUPERGREIFSTEG****ALLIGATOR /
ALLIGATOR 45G**

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G						
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	
3.25"																									
12	R 3.25																								
3.50"																									
12	R 3.50																								
4"																									
4.00	- 4																								
5.10/3.50	- 4																								
21	R 4																								
5"																									
23	R 5													5,0	0126	22126	880,-		4,5	0126	4716207				810,-
6"																									
3.50	- 6																								
4.10/3.50	- 6																								
5.30/4.50	- 6																								
6	- 6																								
6.00	- 6																								
12.5X4.5	- 6																								
13X4.00	- 6																								
13X5.00	- 6																								
14X4.00	- 6																								
14X5.00	R 6																								
15X5.00	R 6																								
15X6.00	- 6																								
25	- 6																			4,5	0869	4716206			820,-
7"																									
4.00	R 7																								
16X5.00	- 7																								
8"																									
3.00/3.50	R 8																								
3.50	- 8																								
4.00	- 8																								
4.40	R 8																								
4.80/4.00	- 8																								
5.00	R 8																								
15X4.50	- 8																								
16X4.80	- 8																								
16X5.50	- 8																								
16X6	R 8																								
16X6.50	- 8	Golf																							
16X7.50	- 8																								
17X8.00	R 8																								
18X6.50	- 8																								
18X7	R 8																								
18X7	- 8	SE																		4,5	0867	4716200			750,-
18X7.00	- 8	Luft																		4,5	0865	4716281			700,-
18X8.50	- 8																								
18X8.50	- 8	AS																							
18X9.50	- 8																								
20X7	- 8																								



GREIFSTEG

**GREIFSTEG
ZWILLING**

CARGO

**CARGO
ZWILLING**

AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
3.25"																								
12	R 3.25									3,5	0003	10502		200,-										
3.50"																								
12	R 3.50									3,5	0003	10502		200,-										
4"																								
4.00	- 4									3,5	0003	10502		200,-										
5.10/3.50	- 4									3,5	0503	11503		226,-										
21	R 4									3,5	0506	11506		259,-										
5"																								
23	R 5									4,5	0126	21128		327,-										
6"																								
3.50	- 6									3,5	0503	11503		226,-										
4.10/3.50	- 6									3,5	0003	10502		200,-										
5.30/4.50	- 6									3,5	10016	4719154		233,-										
6	- 6									3,5	0509	11509		248,-										
6.00	- 6									4,5	0704	11511		303,-										
12.5X4.5	- 6									3,5	0503	11503		226,-										
13X4.00	- 6									3,5	0003	10502		200,-										
13X5.00	- 6									3,5	0503	11503		226,-										
14X4.00	- 6									3,5	0503	11503		226,-										
14X5.00	R 6									3,5	0505	4714388		226,-										
15X5.00	R 6									3,5	10016	4719154		233,-										
15X6.00	- 6									3,5	10016	4719154		233,-										
25	- 6																							
7"																								
4.00	R 7									3,5	0503	11503		226,-										
16X5.00	- 7									3,5	0506	11506		259,-										
8"																								
3.00/3.50	R 8									3,5	0505	4714388		226,-										
3.50	- 8									3,5	0505	4714388		226,-										
4.00	- 8									3,5	0508	10508		236,-										
4.40	R 8									3,5	0508	10508		236,-										
4.80/4.00	- 8									3,5	0506	11506		259,-										
5.00	R 8									3,5	0509	11509		248,-										
15X4.50	- 8									3,5	0506	11506		259,-										
16X4.80	- 8									3,5	0506	11506		259,-										
16X5.50	- 8									3,5	0508	10508		236,-										
16X6	R 8									3,5	0509	11509		248,-										
16X6.50	- 8	Golf								3,5	0509	11509		248,-										
16X7.50	- 8									3,5	0510	10510		248,-										
17X8.00	R 8									3,5	0510	10510		248,-										
18X6.50	- 8									4,5	0704	11511		303,-										
18X7	R 8									3,5	0509	11509		248,-										
18X7	- 8	SE								4,5	0704	11511		303,-										
18X7.00	- 8	Luft								4,5	0704	11511		303,-										
18X8.50	- 8									4,5	0704	11511		303,-										
18X8.50	- 8	AS								4,5	0516	11516		269,-										
18X9.50	- 8									4,5	0705	11002		327,-										
20X7	- 8									4,5	0516	11516		269,-										

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G										
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*					
20X8.00	- 8																												
20X8.00	- 8	NHS																											
20X10.00	- 8																												
20X11.00	- 8																												
21X11.00	- 8																												
22X11	R 8													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
22.5X10	R 8													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
165/60	R 8																												
170/60	- 8																												
180/70	- 8	SE																											
210/60	R 8																												
9"																													
4.00	R 9																												
6	- 9																												
6.00	- 9																												
6.00	- 9	SE																											
7.00	- 9																												
20X10.00	- 9																												
21X8	- 9																												
21X8	- 9	SE																											
22X10	R 9													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
25X12.00	R 9													6,0	0528	22528	1.040,-		5,5	0528	22058					760,-			
215/50	- 9																												
255/65	- 9													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
10"																													
4.40	R 10																												
4.50	R 10	Bridgestone AS Framer																											
5.0	- 10	AS																											
5.00	R 10																												
6.50	- 10	Luft																											
6.50	- 10	SE																											
6.50	R 10	Magma Super- elastik																											
7.50	- 10													5,0	0126	22126	880,-		4,5	0126	4716207					810,-			
18X8.0	R 10																												
18X8.50	R 10																												
20X7.00	- 10																												
20X8.00	- 10																												
20X10.00	R 10																												
20.5X8.00	R 10																												
20.5X8.50	- 10																												
21X7	R 10																												
21X11.00	R 10													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
22X8	R 10													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
22X10	- 10													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
22X11	R 10																												
23X7	- 10																												
23X9	- 10													5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
23X9	- 10	SE												5,0	0521	22521	830,-		4,5	0521	4716205					770,-			
24X12.0	R 10																												
25X12.00	R 10													6,0	0528	22528	1.040,-		5,5	0528	22058					760,-			
25X12.50	R 10													6,0	0144	22140	990,-												
145/80	R 10																												
200/50	R 10	SE																											



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO				
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
20X8.00	- 8									4,5	0516	11516		269,-									
20X8.00	- 8	NHS								4,5	0516	11516		269,-									
20X10.00	- 8									4,5	0822	4716293		371,-									
20X11.00	- 8									4,5	0809	4716292		405,-									
21X11.00	- 8									4,5	0822	4716293		371,-									
22X11	R 8									4,5	0521	11006		348,-									
22.5X10	R 8									4,5	0521	11006		348,-									
165/60	R 8									3,5	0509	11509		248,-									
170/60	- 8									3,5	0509	11509		248,-									
180/70	- 8	SE								4,5	0704	11511		303,-									
210/60	R 8									4,5	0513	11513		236,-									
9"																							
4.00	R 9									3,5	0510	10510		248,-									
6	- 9									4,5	0514	10514		382,-									
6.00	- 9																						
6.00	- 9	SE																					
7.00	- 9		5,0	0117	24117		605,-																
20X10.00	- 9									4,5	0822	4716293		371,-									
21X8	- 9		5,0	0117	24117		605,-																
21X8	- 9	SE																					
22X10	R 9									4,5	0521	11006		348,-									
25X12.00	R 9									4,5	0528	11528		405,-									
215/50	- 9									4,5	0513	11513		236,-									
255/65	- 9									4,5	0521	11006		348,-									
10"																							
4.40	R 10									3,5	0509	11509		248,-									
4.50	R 10	Bridgestone AS Framer								4,5	0704	11511		303,-									
5.0	- 10	AS								4,5	0514	10514		382,-									
5.00	R 10									4,5	0514	10514		382,-									
6.50	- 10	Luft																					
6.50	- 10	SE	5,0	0117	24117		605,-																
6.50	R 10	Magma Superelastik	5,0	0117	24117		605,-																
7.50	- 10									4,5	0126	21128		327,-									
18X8.0	R 10									4,5	0513	11513		236,-									
18X8.50	R 10									4,5	0516	11516		269,-									
20X7.00	- 10									4,5	0516	11516		269,-									
20X8.00	- 10									4,5	0516	11516		269,-									
20X10.00	R 10									4,5	0809	4716292		405,-									
20.5X8.00	R 10									4,5	0809	4716292		405,-									
20.5X8.50	- 10									4,5	0809	4716292		405,-									
21X7	R 10		5,0	0117	24117		605,-																
21X11.00	R 10									4,5	0521	11006		348,-									
22X8	R 10									4,5	0521	11006		348,-									
22X10	- 10									4,5	0521	11006		348,-									
22X11	R 10									4,5	0524	11001		348,-									
23X7	- 10		5,0	0117	24117		605,-																
23X9	- 10									4,5	0521	11006		348,-									
23X9	- 10	SE								4,5	0521	11006		348,-									
24X12.0	R 10									4,5	0527	11527		382,-									
25X12.00	R 10									4,5	0528	11528		405,-									
25X12.50	R 10		5,0	0144	24143		625,-			4,5	0144	21143		405,-									
145/80	R 10									4,5	0514	10514		382,-									
200/50	R 10	SE																					

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*
200/75	R	10																	4,5	0026	4716201		700,-	
225/40	R	10																						
225/75	R	10											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
255/60	R	10											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
12"																								
4.00	-	12																						
5.00	-	12																						
6	-	12																						
6.00	-	12											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
7.00	-	12																	4,5	0869	4716206		820,-	
7.00	-	12	SE										5,0	0126	22126		880,-		4,5	0126	4716207		810,-	
8.25	R	12							6,0	0143	4717603	1.390,-	5,0	0143	22146		910,-							
8.50	-	12											6,0	0531	22145		1.060,-							
10.00	R	12							6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-							
10.0/75	-	12											6,0	0144	22140		990,-		5,5	A0144	4716216		910,-	
10/80	R	12											6,0	0144	22140		990,-		5,5	A0144	4716216		910,-	
11.0/65	R	12											6,0	0531	22145		1.060,-							
22X8.50	R	12											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
22X9.5	R	12											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
23X6.50	-	12																						
23X8.50	-	12	Golf																					
23X8.50	-	12	SE										5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
23X8.50	-	12	K395																4,5	0118	4714449		720,-	
23X9.50	-	12											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
23X10	-	12											5,0	0126	22126		880,-		4,5	0126	4716207		810,-	
23X10	-	12	SE										5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
23X10.50	-	12																						
23X10.50	-	12	SE										5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
23X10.50	-	12	AS										5,0	0126	22126		880,-		4,5	0126	4716207		810,-	
24x8.00	-	12																						
24X10.00	-	12																						
24X10.50	-	12																						
24X12.0	R	12																						
24X13.00	R	12	Kenda																					
25X8	R	12																						
25X10.5	R	12	Carlisle All Trail																	5,5	A0716	4716208		900,-
25X11	-	12																						
26X8	-	12											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
26X10	R	12																						
26X10.5	-	12																						
26X11	-	12																						
26X12.00	-	12											6,0	0528	22528		1.040,-		5,5	0528	22058		760,-	
26X12.00	-	12	Kenda Super Turf										6,0	0144	22140		990,-		5,5	A0144	4716216		910,-	
26X12.00	-	12	BKT W207										6,0	0144	22140		990,-		5,5	A0144	4716216		910,-	
27X10	-	12											6,0	0144	22140		990,-		5,5	A0144	4716216		910,-	
27X10	-	12	SE										5,0	0139	22139		890,-		5,5	A0716	4716208		900,-	
28X8.50	R	12											5,0	0139	22139		890,-		5,5	A0144	4716216		910,-	
180/85	R	12											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
240/60	R	12											5,0	0521	22521		830,-		4,5	0521	4716205		770,-	
250/60	R	12											5,0	0126	22126		880,-		4,5	0126	4716207		810,-	
250/75	R	12											6,0	0144	22140		990,-		5,5	A0144	4716216		910,-	
270/55	R	12											5,0	0126	22126		880,-		4,5	0126	4716207		810,-	
270/60	R	12											5,0	0139	22139		890,-							
300/60	R	12																	5,5	A0149	4716210		920,-	


GREIFSTEG
**GREIFSTEG
ZWILLING**
CARGO
**CARGO
ZWILLING**
AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
200/75	R 10																							
225/40	R 10									4,5	0513	11513		236,-										
225/75	R 10									4,5	0521	11006		348,-										
255/60	R 10									4,5	0521	11006		348,-										
12"																								
4.00	- 12									4,5	0514	10514		382,-										
5.00	- 12									4,5	0708	10516		382,-										
6	- 12									4,5	0708	10516		382,-										
6.00	- 12									4,5	0521	11006		348,-										
7.00	- 12									4,5	0126	21128		327,-										
7.00	- 12	SE								4,5	0126	21128		327,-										
8.25	R 12																							
8.50	- 12									4,5	0531	11531		405,-										
10.00	R 12		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157	483,-										
10.0/75	- 12		5,0	0144	24143	625,-					4,5	0144	21143	405,-										
10/80	R 12		5,0	0144	24143	625,-					4,5	0144	21143	405,-										
11.0/65	R 12										4,5	0531	11531	405,-										
22X8.50	R 12										4,5	0521	11006	348,-										
22X9.5	R 12										4,5	0521	11006	348,-										
23X6.50	- 12										4,5	0527	11527	382,-										
23X8.50	- 12	Golf									4,5	0824	4718025	348,-										
23X8.50	- 12	SE									4,5	0521	11006	348,-										
23X8.50	- 12	K395																						
23X9.50	- 12										4,5	0521	11006	348,-										
23X10	- 12										4,5	0126	21128	327,-										
23X10	- 12	SE									4,5	0521	11006	348,-										
23X10.50	- 12										4,5	0524	11001	348,-										
23X10.50	- 12	SE									4,5	0521	11006	348,-										
23X10.50	- 12	AS									4,5	0126	21128	327,-										
24x8.00	- 12										4,5	0824	4718025	348,-										
24X10.00	- 12										4,5	0527	11527	382,-										
24X10.50	- 12										4,5	0527	11527	382,-										
24X12.0	R 12										4,5	0527	11527	382,-										
24X13.00	R 12	Kenda									4,5	0137	21137	327,-										
25X8	R 12										4,5	0527	11527	382,-										
25X10.5	R 12	Cardis All Trail																						
25X11	- 12										4,5	0129	21133	327,-										
26X8	- 12										4,5	0521	11006	348,-										
26X10	R 12		5,0	0130	24130	615,-					4,5	0130	21130	327,-										
26X10.5	- 12										4,5	0137	21137	327,-										
26X11	- 12										4,5	0137	21137	327,-										
26X12.00	- 12										4,5	0528	11528	405,-										
26X12.00	- 12	Kenda Super Turf	5,0	0144	24143	625,-					4,5	0144	21143	405,-										
26X12.00	- 12	BKT W207	5,0	0144	24143	625,-					4,5	0144	21143	405,-										
27X10	- 12		5,0	0144	24143	625,-					4,5	0144	21143	405,-										
27X10	- 12	SE	5,0	0139	24139	625,-	6,0	0139	24342	1.360,-														
28X8.50	R 12		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139	327,-										
180/85	R 12										4,5	0521	11006	348,-										
240/60	R 12										4,5	0521	11006	348,-										
250/60	R 12										4,5	0126	21128	327,-										
250/75	R 12		5,0	0144	24143	625,-					4,5	0144	21143	405,-										
270/55	R 12										4,5	0126	21128	327,-										
270/60	R 12		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-														
300/60	R 12																							





GREIFSTEG

**GREIFSTEG
ZWILLING**

CARGO

**CARGO
ZWILLING**

AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
315/45	R 12	Vollgummi Stapler									4,5	0527	11527		382,-									
13"																								
6.70	- 13										4,5	0126	21128		327,-									
14"																								
6	- 14										4,5	0521	11006		348,-									
6.50/75	R 14										4,5	0521	11006		348,-									
7	R 14										4,5	0126	21128		327,-									
7.00	R 14										4,5	0126	21128		327,-									
7.50	R 14						5,0	0133	24341	1.190,-														
8.5	R 14																							
24X8.00	R 14										4,5	0521	11006		348,-									
24X8.50	R 14										4,5	0521	11006		348,-									
25X8.50	R 14		5,0	0130	24130	615,-					4,5	0130	21130		327,-									
27X9.00	R 14																							
175/75	R 14										4,5	0521	11006		348,-									
175/80	R 14										4,5	0521	11006		348,-									
185/75	R 14										4,5	0126	21128		327,-									
185/80	R 14										4,5	0126	21128		327,-									
195/60	R 14										4,5	0521	11006		348,-									
195/70	R 14										4,5	0126	21128		327,-									
195/75	R 14		5,0	0130	24130	615,-					4,5	0130	21130		327,-									
195/80	R 14		5,0	0130	24130	615,-	5,0	0133	24341	1.190,-	4,5	0130	21130		327,-									
205/75	R 14						5,0	0133	24341	1.190,-	4,5	0137	21137		327,-									
205/70	R 14						5,0	0133	24341	1.190,-														
205/80	R 14										4,5	0137	21137		327,-									
215/70	R 14						5,0	0133	24341	1.190,-														
215/75	R 14		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139		327,-									
215/80	R 14		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139		327,-									
225/70	R 14										4,5	0137	21137		327,-									
15"																								
5.00	R 15										4,5	0126	21128		327,-									
6.5	- 15										4,5	0527	11527		382,-									
6.70	R 15										4,5	0137	21137		327,-									
7.00	- 15		5,0	0144	24143	625,-					4,5	0144	21143		405,-									
7.50	- 15																							
8.00/75	R 15		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139		327,-									
8.15	R 15		5,0	0144	24143	625,-					4,5	0144	21143		405,-									
8.15	R 15	SE																						
8.15/65	R 15		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139		327,-									
8.25	R 15						7,0	0159	24362	2.030,-	6,5	0159	21158		584,-									
8.25	R 15	Continental SC20																						
8.25	R 15	SE																						
8.40	R 15										4,5	0141	21141		405,-									
9	R 15										4,5	0141	21141		405,-									
10.00	R 15		7,0	0553	24553	1.090,-					6,5	0553	21553		584,-									
10.5	R 15	Continental C40/C12																						
11.5	R 15																							
11.5/80	R 15		7,0	0553	24553	1.090,-					6,5	0553	21553		584,-									
12	R 15																							
12	R 15																							
12/65	R 15										6,5	0659	4716165		584,-									
12.5	R 15		7,0	0553	24553	1.090,-					6,5	0553	21553		584,-									

€

* Preis/Paar € o. Mwst. * Price/pair € excl. VAT.



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*
21X8	R	15																	4,5	0117	4716204		710,-	
23X12.50	-	15	Golf											5,0	0126	22126	880,-		4,5	0126	4716207		810,-	
27X8.50	-	15												6,0	0528	22528	1.040,-		5,5	0528	22058		760,-	
27X9.50	-	15												6,0	0528	22528	1.040,-		5,5	0528	22058		760,-	
27X10.50	R	15							5,0	S139	4717504	1.070,-		5,0	0139	22139	890,-		5,5	A0144	4716216		910,-	
28X9	-	15	SE						6,0	0143	4717603	1.390,-		5,0	0143	22146	910,-							
28X9	-	15	IC10/12											6,0	0528	22528	1.040,-		5,5	0528	22058		760,-	
28X9	-	15	IC80											6,0	0144	22140	990,-		5,5	A0144	4716216		910,-	
28X9.00	-	15												6,0	0531	22145	1.060,-							
28X12.5	-	15	SE						6,0	0149	4717122	1.390,-		6,0	0149	22149	1.060,-		5,5	A0149	4716210		920,-	
29X9.50	-	15																						
29X12.00	-	15												6,0	0870	22039	1.200,-							
29X12.50	-	15							6,0	0156	4717084	1.490,-		6,0	0156	22157	1.120,-							
29X13.50	R	15												6,0	0659	22016	1.200,-							
30X9.5	-	15																						
30X9.50	-	15							6,0	0149	4717122	1.390,-		6,0	0149	22149	1.060,-		5,5	A0149	4716210		920,-	
31X10.50	-	15							5,0	0141	4715927	1.090,-		6,0	0141	22141	1.190,-		5,5	A0141	4716215		960,-	
31X10.50	-	15							6,0	S141	4717072	1.490,-												
31X11.50	-	15							6,0	0156	4717084	1.490,-		6,0	0156	22157	1.120,-							
31X13.50	-	15							6,0	0160	4717121	1.510,-		6,0	0159	22159	1.200,-		6,5	A0160	4716211		1.230,-	
31X15.50	-	15												8,0	22340	4718698	1.490,-		6,5	22340	4717514		1.240,-	
31X15.50	-	15																	7,5	22340	4718842	45G	1.480,-	
32X11.50	-	15												6,0	0159	22159	1.200,-							
32X12.1	R	15							6,0	0156	4717084	1.490,-		6,0	0156	22157	1.120,-							
32X12.5	-	15							6,0	0666	4718070	1.490,-		7,0	0666	22166	1.440,-		7,5	0666	4716248		1.280,-	
32X12.5	-	15												7,5	22039	4718837	45G	1.510,-						
33X9.50	-	15							6,0	0160	4717121	1.510,-		6,0	0159	22159	1.200,-		6,5	A0160	4716211		1.230,-	
33X10.50	R	15							6,0	0666	4718070	1.490,-		7,0	0666	22166	1.440,-		7,5	0666	4716248		1.280,-	
33X12.50	-	15							6,0	0666	4718070	1.490,-		7,0	0666	22166	1.440,-		7,5	0666	4716248		1.280,-	
33X12.50	R	15	Goodyear Soltrac1						6,0	0163	4718123	1.680,-		7,0	0163	22163	1.500,-		6,5	0166	4716209		1.120,-	
33X15.50	-	15																	6,5	0549	4717515		1.250,-	
35X12.50	-	15							6,0	0553	4717086	1.690,-		7,0	0553	22553	1.500,-		7,5	0553	4716251		1.360,-	
35X15.50	-	15												7,0	0178	22556	1.610,-							
36x13.5	-	15												8,0	0177	4716917	1.650,-		7,5	0177	4716249		1.340,-	
36x13.5	-	15																	7,5	23739	4718844	45G	1.580,-	
36X14.00	R	15												8,0	0177	4716917	1.650,-		7,5	0177	4716249		1.340,-	
36X14.00	R	15																	7,5	24040	4718845	45G	1.580,-	
37X12.50	R	15												8,0	0177	4716917	1.650,-		7,5	0177	4716249		1.340,-	
37X12.50	R	15																	7,5	24040	4718845	45G	1.580,-	
175/80	R	15												5,0	0126	22126	880,-		4,5	0126	4716207		810,-	
195/70	R	15																						
195/75	R	15																						
195/80	R	15																						
200	R	15												6,0	0144	22140	990,-		5,5	A0144	4716216		910,-	
205/60	R	15												5,0	0126	22126	880,-		4,5	0126	4716207		810,-	
205/65	R	15												5,0	0126	22126	880,-							
205/70	R	15												6,0	0528	22528	1.040,-							
205/75	R	15																	5,5	A0716	4716208		900,-	
205/80	R	15												5,0	0139	22139	890,-							
215/65	R	15																						
215/70	R	15																	5,5	A0716	4716208		900,-	
215/75	R	15												5,0	0139	22139	890,-		5,5	A0144	4716216		910,-	
215/80	R	15							6,0	0143	4717603	1.390,-		5,0	0143	22146	910,-		5,5	A0144	4716216		910,-	
215/90	R	15												5,0	0147	22147	950,-							
225/70	R	15							5,0	S139	4717504	1.070,-		5,0	0139	22139	890,-		5,5	A0144	4716216		910,-	



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*
225/75	R 15									6,0	0143	4717603	1.390,-	5,0	0143	22146		910,-	5,5	A0144	4716216		910,-	
225/75	R 15									6,0	0144	22140		6,0	0144	22140		990,-						
225/75	R 15	SE								6,0	0143	4717603	1.390,-	5,0	0143	22146		910,-						
235/70	R 15									6,0	0143	4717603	1.390,-	5,0	0143	22146		910,-	5,5	A0144	4716216		910,-	
235/75	R 15									5,0	0147	22147		5,5	0147	22147		950,-	5,5	A0149	4716210		920,-	
240/60	R 15																							
240/70	R 15									6,0	0143	4717603	1.390,-	5,0	0143	22146		910,-						
250	R 15									6,0	0149	4717122	1.390,-	6,0	0149	22149	1.060,-	5,5	A0149	4716210		920,-		
250	R 15	SE												6,0	0144	22140		990,-	5,5	A0144	4716216		910,-	
250/70	R 15	SE												6,0	0144	22140		990,-	5,5	A0144	4716216		910,-	
255/60	R 15													5,0	0139	22139		890,-	5,5	A0144	4716216		910,-	
255/60	R 15													6,0	0144	22140		990,-						
255/70	R 15																		5,5	A0141	4716215		960,-	
255/75	R 15									5,0	0141	4715927	1.090,-	6,0	0141	22141	1.190,-	5,5	A0141	4716215		960,-		
265/50	R 15																							
265/70	R 15									5,0	0141	4715927	1.090,-	6,0	0141	22141	1.190,-	5,5	A0141	4716215		960,-		
265/75	R 15									6,0	0156	4717084	1.490,-	6,0	0156	22157	1.120,-							
270/75	R 15									6,0	0160	4717121	1.510,-	6,0	0659	22016	1.200,-	6,5	A0160	4716211		1.230,-		
275/70	R 15									5,0	0141	4715927	1.090,-	6,0	0141	22141	1.190,-	5,5	A0141	4716215		960,-		
285/70	R 15									6,0	0160	4717121	1.510,-						6,5	A0160	4716211		1.230,-	
300	R 15									6,0	0160	4717121	1.510,-						6,5	A0160	4716211		1.230,-	
300	R 15																		7,5	22039	4718837	45G	1.510,-	
300	R 15	SE								6,0	0666	4718070	1.490,-	7,0	0666	22166	1.440,-	7,5	0666	4716248		1.280,-		
300/75	R 15									6,0	0666	4718070	1.490,-	7,0	0666	22166	1.440,-	7,5	0666	4716248		1.280,-		
300/75	R 15																		7,5	22039	4718837	45G	1.510,-	
315/70	R 15																		6,5	0166	4716209		1.120,-	
315/70	R 15	SE								6,0	0666	4718070	1.490,-	7,0	0666	22166	1.440,-	7,5	0666	4716248		1.280,-		
315/70	R 15	SE																	7,5	22039	4718837	45G	1.510,-	
320/55	R 15									5,0	0141	4715927	1.090,-	6,0	0141	22141	1.190,-	5,5	A0141	4716215		960,-		
320/60	R 15													6,0	0659	22016	1.200,-							
325/60	R 15													6,0	0659	22016	1.200,-							
350	- 15	SE								6,0	0666	4718070	1.490,-	7,0	0666	22166	1.440,-	7,5	0666	4716248		1.280,-		
350	- 15	SE																	7,5	22039	4718837	45G	1.510,-	
355/50	- 15	SE												6,0	0659	22016	1.200,-							
355/65	R 15																		6,5	0166	4716209		1.120,-	
355/65	R 15	SE								6,0	0666	4718070	1.490,-	7,0	0666	22166	1.440,-	7,5	0666	4716248		1.280,-		
400/50	R 15													8,0	22340	4718698	1.490,-	6,5	22340	4717514		1.240,-		
400/50	R 15																		7,5	22340	4718842	45G	1.480,-	
400/50	R 15	Sterco AS Dumper								6,0	0666	4718070	1.490,-	7,0	0666	22166	1.440,-	7,5	0666	4716248		1.280,-		
15.3"																								
10.00/75	R 15.3									5,0	0141	4715927	1.090,-	6,0	0141	22141	1.190,-	5,5	A0141	4716215		960,-		
10.00/75	R 15.3	AS								5,0	0141	4715927	1.090,-	6,0	0141	22141	1.190,-	5,5	A0141	4716215		960,-		
10.00/75	R 15.3	AS								6,0	S141	4717072	1.490,-											
11.5/80	R 15.3									6,0	0161	4717075	1.600,-	7,0	0161	22161	1.490,-	6,5	0161	4716676		1.250,-		
295/80	R 15.3									6,0	0163	4718123	1.680,-	7,0	0163	22163	1.500,-							
300/80	- 15.3									6,0	0553	4717086	1.690,-	7,0	0553	22553	1.500,-	7,5	0553	4716251		1.360,-		
15.5"																								
280/80	R 15.5																		5,5	A0149	4716210		920,-	
350/70	R 15.5													8,0	0177	4716917	1.650,-	7,5	0177	4716249		1.340,-		
350/70	R 15.5																		7,5	23739	4718844	45G	1.580,-	
400	R 15.5													8,0	0177	4716917	1.650,-	7,5	0177	4716249		1.340,-		
400	R 15.5																		7,5	24040	4718845	45G	1.580,-	
400/60	R 15.5													8,0	0177	4716917	1.650,-	7,5	0177	4716249		1.340,-		



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO						
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*		
225/75	R 15		5,0	0144	24143	625,-						4,5	0144	21143		405,-									
225/75	R 15																								
225/75	R 15	SE																							
235/70	R 15																								
235/75	R 15		5,0	0135	24142	625,-						4,5	0135	21142		327,-									
240/60	R 15											4,5	0137	21137		327,-									
240/70	R 15																								
250	R 15																								
250	R 15	SE	5,0	0144	24143	625,-						4,5	0144	21143		405,-									
250/70	R 15	SE	5,0	0144	24143	625,-						4,5	0144	21143		405,-									
255/60	R 15		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-		4,5	0139	21139		327,-									
255/60	R 15																								
255/70	R 15		5,0	0135	24142	625,-						4,5	0135	21142		327,-									
255/75	R 15											4,5	0141	21141		405,-									
265/50	R 15											4,5	0137	21137		327,-									
265/70	R 15											4,5	0141	21141		405,-									
265/75	R 15		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-		5,5	0156	21157		483,-									
270/75	R 15											6,5	0659	4716165		584,-									
275/70	R 15											4,5	0141	21141		405,-									
285/70	R 15																								
300	R 15																								
300	R 15																								
300	R 15	SE																							
300/75	R 15																								
300/75	R 15																								
315/70	R 15																								
315/70	R 15	SE																							
315/70	R 15	SE																							
320/55	R 15											4,5	0141	21141		405,-									
320/60	R 15											6,5	0659	4716165		584,-									
325/60	R 15											6,5	0659	4716165		584,-									
350	- 15	SE																							
350	- 15	SE																							
355/50	- 15	SE										6,5	0659	4716165		584,-									
355/65	R 15																								
355/65	R 15	SE																							
400/50	R 15																								
400/50	R 15																								
400/50	R 15	Starco AS Dumper																							
15.3"																									
10.00/75	R 15.3											4,5	0141	21141		405,-									
10.00/75	R 15.3	AS										4,5	0141	21141		405,-									
10.00/75	R 15.3	AS																							
11.5/80	R 15.3		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-		6,5	0161	21161		584,-									
295/80	R 15.3		7,0	0163	24163	1.090,-	7,0	0163	24369	2.070,-		6,5	0163	21163		584,-									
300/80	- 15.3		7,0	0553	24553	1.090,-						6,5	0553	21553		584,-									
15.5"																									
280/80	R 15.5																								
350/70	R 15.5		7,0	0177	24177	1.100,-						6,5	0177	4717286		584,-									
350/70	R 15.5																								
400	R 15.5		7,0	0177	24177	1.100,-						6,5	0177	4717286		584,-									
400	R 15.5																								
400/60	R 15.5		7,0	0177	24177	1.100,-						6,5	0177	4717286		584,-									



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G				
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art
225/65 R 16														5,0	0139	22139		890,-	5,5	A0144	4716216		910,-
225/70 R 16										6,0	0143	4717603	1.390,-	5,0	0143	22146		910,-	5,5	A0144	4716216		910,-
225/75 R 16										6,0	0149	4717122	1.390,-	6,0	0149	22149		1.060,-	5,5	A0149	4716210		920,-
235/50 R 16														5,0	0139	22139		890,-	5,5	A0144	4716216		910,-
235/60 R 16														5,0	0139	22139		890,-	5,5	A0144	4716216		910,-
235/65 R 16										6,0	0143	4717603	1.390,-	5,0	0143	22146		910,-	5,5	A0144	4716216		910,-
235/65 R 16														6,0	0144	22140		990,-					
235/70 R 16														5,0	0147	22147		950,-	5,5	A0149	4716210		920,-
235/75 R 16																			5,5	A0141	4716215		960,-
235/80 R 16										5,0	0141	4715927	1.090,-	6,0	0141	22141		1.190,-	5,5	A0141	4716215		960,-
235/80 R 16																							
235/85 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
240/70 R 16										6,0	0149	4717122	1.390,-	6,0	0149	22149		1.060,-	5,5	A0149	4716210		920,-
245/50 R 16														5,0	0139	22139		890,-	5,5	A0144	4716216		910,-
245/55 R 16																							
245/60 R 16																			5,5	A0144	4716216		910,-
245/70 R 16														5,0	0147	22147		950,-	5,5	A0141	4716215		960,-
245/75 R 16										5,0	0141	4715927	1.090,-	6,0	0141	22141		1.190,-	5,5	A0141	4716215		960,-
245/75 R 16										6,0	0141	4717072	1.490,-										
245/80 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
250/75 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
255/55 R 16																			5,5	A0144	4716216		910,-
255/60 R 16																			5,5	A0149	4716210		920,-
255/65 R 16										5,0	0141	4715927	1.090,-	6,0	0141	22141		1.190,-	5,5	A0141	4716215		960,-
255/70 R 16										5,0	0141	4715927	1.090,-	6,0	0141	22141		1.190,-	5,5	A0141	4716215		960,-
255/75 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
255/85 R 16										6,0	0161	4717075	1.600,-	7,0	0161	22161		1.490,-	6,5	0161	4716676		1.250,-
255/100 R 16										6,0	0553	4717086	1.690,-	7,0	0553	22553		1.500,-	7,5	0553	4716251		1.360,-
260/70 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
265/65 R 16														6,0	0159	22159		1.200,-	5,5	A0141	4716215		960,-
265/70 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
265/75 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-	6,5	A0160	4716211		1.230,-
265/85 R 16										6,0	0161	4717075	1.600,-	7,0	0161	22161		1.490,-	6,5	0161	4716676		1.250,-
270/75 R 16																			6,5	A0160	4716211		1.230,-
275/70 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
280/65 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
280/70 R 16										6,0	0156	4717084	1.490,-	6,0	0159	22159		1.200,-					
285/65 R 16										6,0	0156	4717084	1.490,-	6,0	0156	22157		1.120,-					
285/75 R 16										6,0	0161	4717075	1.600,-	7,0	0161	22161		1.490,-	6,5	0161	4716676		1.250,-
285/80 - 16 AS																							
295/75 R 16										6,0	0666	4718070	1.490,-	7,0	0666	22166		1.440,-	7,5	0666	4716248		1.280,-
305/70 R 16										6,0	0161	4717075	1.600,-	7,0	0161	22161		1.490,-	6,5	0161	4716676		1.250,-
315/55 R 16										6,0	0156	4717084	1.490,-	6,0	0659	22016		1.200,-					
315/55 R 16																							
315/70 R 16														8,0	0177	4716917		1.650,-	7,5	0177	4716249		1.340,-
315/70 R 16																			7,5	23033	4718843 45G		1.580,-
315/75 R 16										6,0	0553	4717086	1.690,-	7,0	0553	22553		1.500,-	7,5	0553	4716251		1.360,-
315/80 R 16														8,0	0177	4716917		1.650,-	7,5	0177	4716249		1.340,-
315/80 R 16																			7,5	23739	4718844 45G		1.580,-
320/65 R 16														8,0	0177	4716917		1.650,-	6,5	0166	4716209		1.120,-
320/65 R 16																			7,5	22039	4718837 45G		1.510,-
325/85 R 16														8,0	0564	4716938		1.760,-	8,5	0564	4717789		1.650,-



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
225/65	R 16		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139											
225/70	R 16																							
225/75	R 16		5,0	0135	24142	625,-	6,0	0346	24346	1.480,-	4,5	0135	21142											
235/50	R 16		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139											
235/60	R 16		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139											
235/65	R 16		5,0	0144	24143	625,-					4,5	0144	21143											
235/65	R 16																							
235/70	R 16		5,0	0135	24142	625,-					4,5	0135	21142											
235/75	R 16		5,0	0135	24142	625,-					4,5	0135	21142											
235/80	R 16		6,0	0153	24153	770,-	6,0	0153	24356	1.520,-	4,5	0141	21141											
235/80	R 16										5,5	0153	21153											
235/85	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
240/70	R 16																							
245/50	R 16		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139											
245/55	R 16										4,5	0137	21137											
245/60	R 16																							
245/70	R 16		5,0	0135	24142	625,-					4,5	0135	21142											
245/75	R 16										4,5	0141	21141											
245/75	R 16																							
245/80	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
250/75	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
255/55	R 16																							
255/60	R 16																							
255/65	R 16										4,5	0141	21141											
255/70	R 16										4,5	0141	21141											
255/75	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
255/85	R 16		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161											
255/100	R 16		7,0	0553	24553	1.090,-					6,5	0553	21553											
260/70	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
265/65	R 16						7,0	0159	24362	2.030,-	6,5	0159	21158											
265/70	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
265/75	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
265/85	R 16		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161											
270/75	R 16																							
275/70	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
280/65	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
280/70	R 16						7,0	0159	24362	2.030,-	6,5	0159	21158											
285/65	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
285/75	R 16		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161											
285/80	- 16	AS					7,0	0161	24367	2.060,-														
295/75	R 16																							
305/70	R 16		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161											
315/55	R 16		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157											
315/55	R 16										6,5	0659	4716165											
315/70	R 16		7,0	0177	24177	1.100,-					6,5	0177	4717286											
315/70	R 16																							
315/75	R 16		7,0	0553	24553	1.090,-					6,5	0553	21553											
315/80	R 16		7,0	0177	24177	1.100,-					6,5	0177	4717286											
315/80	R 16																							
320/65	R 16										6,5	0177	4717286											
320/65	R 16																							
325/85	R 16		8,0	0564	24564	1.290,-					6,5	0564	4719066								8,0	0564	4716624	910,-

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO				
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
16.1"																							
21.5L	R 16.1																			8,0	0586	4716625	1.210,-
21.5L	R 16.1																						
16.5"																							
8.75	R 16.5									4,5	0147	21147		427,-									
8.75	R 16.5																						
10	R 16.5		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157	483,-									
12	R 16.5																						
12	R 16.5																						
35X12.50	R 16.5		7,0	0553	24553	1.090,-					6,5	0553	21553	584,-									
285/85	R 16.5		7,0	0163	24163	1.090,-	7,0	0163	24369	2.070,-	6,5	0163	21163	584,-									
305/70	R 16.5																						
305/70	R 16.5																						
17"																							
15.0/55	R 17		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-									
15.0/55	R 17																						
15.0/55	- 17	AS	7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-									
19.0/45	R 17																						
34X10.50	R 17		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-									
37X12.50	R 17		7,0	0178	24178	1.220,-	7,0	0178	24378	2.070,-	6,5	0178	4717287	584,-									
37X13.50	R 17		8,0	0564	24564	1.290,-					6,5	0564	4719066	584,-					8,0	0564	4716624	910,-	
215/60	R 17		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139	327,-									
215/65	R 17		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139	327,-									
225/55	R 17		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139	327,-									
225/60	R 17																						
225/65	R 17																						
225/70	R 17		5,0	0135	24142	625,-					4,5	0135	21142	327,-									
235/55	R 17		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139	327,-									
235/60	R 17																						
235/65	R 17		5,0	0135	24142	625,-					4,5	0135	21142	327,-									
235/70	R 17		5,0	0135	24142	625,-					4,5	0135	21142	327,-									
235/75	R 17										4,5	0141	21141	405,-									
245/65	R 17		5,0	0135	24142	625,-					4,5	0135	21142	327,-									
245/70	R 17										4,5	0141	21141	405,-									
245/75	R 17		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157	483,-									
255/50	R 17																						
255/60	R 17										4,5	0141	21141	405,-									
255/60	R 17																						
255/65	R 17										4,5	0141	21141	405,-									
255/75	R 17																						
265/65	R 17		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157	483,-									
265/70	R 17						7,0	0159	24362	2.030,-	6,5	0159	21158	584,-									
275/55	R 17																						
275/60	R 17																						
275/65	R 17																						
285/60	R 17		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157	483,-									
285/65	R 17																						
285/70	R 17		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-									
305/65	R 17		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-									
315/70	R 17		7,0	0553	24553	1.090,-					6,5	0553	21553	584,-									
380/55	R 17																						
420/55	R 17																						
425/55	R 17																						

* Preis/Paar € o. Mwst. * Price/pair € excl. VAT.





Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G						
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	
440/50	R 17																			8,5	0573	4717790		1.610,-	
450/55	R 17																			7,5	0190	4716222		1.520,-	
450/55	R 17																			7,5	26545	4718849	45G	1.760,-	
480/45	R 17																			8,5	0573	4717790		1.610,-	
500/50	R 17																			7,5	0201	4716217		1.500,-	
500/50	R 17																			8,5	0201	4717794		1.690,-	
500/50	R 17																			7,5	28241	4718854	45G	1.770,-	
505/50	R 17																			7,5	0201	4716217		1.500,-	
505/50	R 17																			8,5	0201	4717794		1.690,-	
17.5"																									
7	R 17.5																			6,0	0143	4717603		1.390,-	
7	R 17.5																			6,0	0144	22140		990,-	
8	R 17.5																			6,0	0141	22141		1.190,-	
8.5	R 17.5																			6,0	0153	22153		1.100,-	
9.5	R 17.5																			6,0	0160	4717121		1.510,-	
10	R 17.5																			7,0	0161	22161		1.490,-	
14	R 17.5																			7,0	0178	22556		1.610,-	
205/65	R 17.5																			5,0	0139	22139		890,-	
205/70	R 17.5																								
205/75	R 17.5																			5,5	A0144	4716216		910,-	
205/75	R 17.5																			5,5	A0149	4716210		920,-	
205/75	R 17.5																			6,0	0149	22149		1.060,-	
215/75	R 17.5																			5,0	0147	22147		950,-	
215/75	R 17.5																			5,5	A0141	4716215		960,-	
215/75	R 17.5																			6,0	0153	22153		1.100,-	
225/55	R 17.5																			6,0	0528	22528		1.040,-	
225/75	R 17.5																			5,5	0528	22058		760,-	
225/75	R 17.5																			6,0	0141	22141		1.190,-	
225/75	R 17.5																			5,5	A0141	4716215		960,-	
235/75	R 17.5																			6,0	0156	22157		1.120,-	
235/75	R 17.5	Continental Scandinavia LD																		6,0	0659	22016		1.200,-	
245/70	R 17.5																			6,0	0156	4717084		1.490,-	
245/75	R 17.5																			6,0	0160	4717121		1.510,-	
255/75	R 17.5																			6,0	0159	22159		1.200,-	
265/70	R 17.5																			6,5	A0160	4716211		1.230,-	
265/70	R 17.5	Bridge- störte																		6,0	0159	22159		1.200,-	
270/75	R 17.5																			6,5	A0160	4716211		1.230,-	
275/70	R 17.5																			6,0	0161	4717075		1.600,-	
275/70	R 17.5																			7,0	0161	22161		1.490,-	
360/70	R 17.5																			6,5	A0160	4716211		1.230,-	
400/55	R 17.5																			8,0	0564	4716938		1.760,-	
400/55	R 17.5																			8,5	0564	4717789		1.650,-	
400/55	R 17.5																			8,0	0177	4716917		1.650,-	
400/55	R 17.5																			7,5	0177	4716249		1.340,-	
520/45	R 17.5		8,0	0217	4717500		3.040,-													7,5	24040	4718845	45G	1.580,-	
520/45	R 17.5																			8,5	0217	4716198		2.750,-	
520/45	R 17.5																			8,5	0217	4716198		2.750,-	
18"																									
6.00	R 18																								
7.50	- 18	Golf																							
9.5	R 18																								
10.5	R 18																								
10.5/80	R 18	AS																							
12.0	R 18																								
12.0	R 18																								
12.0/75	R 18																								
12.0/75	R 18																								
12.5	R 18																								
12.5/80	R 18																								
13.00	R 18																								
13.00	R 18																								


GREIFSTEG
**GREIFSTEG
ZWILLING**
CARGO
**CARGO
ZWILLING**
AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
13.0/65	R 18		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-										
13.0/65	R 18																							
15.5/55	R 18		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-										
15.5/55	R 18																							
15.5/60	R 18	Bridgesto- ne FG L-2	7,0	0184	24184	1.200,-	7,0	0184	24377	2.150,-	6,5	0184	4717288	584,-	6,5	0184	4717171	1.090,-						
15.5/70	R 18		8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-						
15.5/70	R 18																							
225/50	R 18		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-														
225/55	R 18		5,0	0139	24139	625,-	6,0	0139	24342	1.360,-	4,5	0139	21139	327,-										
225/60	R 18																							
225/65	R 18		5,0	0135	24142	625,-					4,5	0135	21142	327,-										
235/50	R 18																							
235/55	R 18																							
235/60	R 18		5,0	0135	24142	625,-					4,5	0135	21142	327,-										
235/65	R 18																							
245/60	R 18										4,5	0141	21141	405,-										
250/80	R 18		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-										
255/55	R 18										4,5	0141	21141	405,-										
255/60	R 18										4,5	0141	21141	405,-										
265/60	R 18		6,0	0156	24157	840,-	6,0	0156	24359	1.540,-	5,5	0156	21157	483,-										
265/65	R 18																							
275/60	R 18																							
275/65	R 18																							
275/70	R 18		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-										
275/75	R 18		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-										
275/80	R 18		7,0	0553	24553	1.090,-					6,5	0553	21553	584,-										
280/70	R 18		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-										
280/80	R 18		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-										
285/60	R 18																							
285/65	R 18																							
300/65	R 18		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-										
320/65	R 18		7,0	0553	24553	1.090,-					6,5	0553	21553	584,-										
325/70	R 18		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-										
325/70	R 18																							
335/80	R 18		8,0	0564	24564	1.290,-					6,5	0564	4719066	584,-					8,0	0564	4716624	910,-		
340/65	R 18		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-										
340/65	R 18																							
340/70	R 18		7,0	0184	24184	1.200,-	7,0	0184	24377	2.150,-	6,5	0184	4717288	584,-	6,5	0184	4717171	1.090,-						
340/80	R 18		7,0	N188	4716748	1.340,-					6,5	N188	4717292	584,-										
355/60	R 18		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-										
355/60	R 18																							
365/70	R 18		8,0	0564	24564	1.290,-					6,5	0564	4719066	584,-					8,0	0564	4716624	910,-		
385/55	R 18		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-										
385/55	R 18																							
400/70	R 18		8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-						
400/70	R 18																							
400/80	R 18																							
405/70	R 18		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-										
405/70	R 18																							
405/70	R 18																							
425/50	R 18																							
19"																								
225/55	R 19										4,5	0531	11531	405,-										
225/55	R 19																							

€

* Preis/Paar € o. MwSt. * Price/pair € excl. VAT.



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G													
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*								
235/55	R	19																														
245/55	R	19																														
255/50	R	19																														
255/55	R	19																														
265/55	R	19																														
19.5"																																
8	R	19.5																														
9	R	19.5																														
15	R	19.5																														
15	R	19.5																														
18	R	19.5																														
18	R	19.5																														
245/70	R	19.5																														
265/70	R	19.5																														
285/70	R	19.5																														
305/70	R	19.5																														
335/50	R	19.5																														
385/65	R	19.5																														
385/65	R	19.5																														
425/55	R	19.5																														
435/50	R	19.5																														
445/45	R	19.5	NT																													
445/65	R	19.5																														
20"																																
6.50	R	20																														
7.50	R	20																														
8.00	R	20																														
8.25	R	20																														
9.00	R	20																														
9.5	R	20																														
10.00	R	20																														
10.5	R	20																														
11.00	R	20																														
11.2	R	20																														
12.00	R	20																														
12.4	R	20																														
12.4	R	20																														
12.5	R	20																														
12.5	R	20																														
13.00	R	20																														
13/80	R	20																														
13/80	R	20																														
14.00	R	20																														
14.5	R	20																														
14.5	R	20																														
14.5	R	20																														
14.75/80	R	20																														
14.9	R	20																														
14.9	R	20																														
14.9	R	20																														
15.5/80	-	20																														
15.5/80	-	20																														
16	R	20																														



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO				
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
16.00	R 20		8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
16.00	R 20																						
16/70	R 20		8,0	N201	4716756	1.580,-					7,5	N201	4716755	1.080,-									
16/70	R 20																						
16.0/70	R 20		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-									
16.0/70	R 20																						
16.0/70	R 20																						
16.5/75	R 20		8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-									
17.5/65	R 20																						
33X12.50	R 20																						
33X12.50	R 20																						
35X12.50	R 20		7,0	0553	24553	1.090,-					6,5	0553	21553	584,-									
38X14.00	R 20																						
41X14.00	R 20		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-									
41X14.00	R 20																						
41X14.00	R 20																						
44X18.00	- 20																		8,0	0217	4716803	1.140,-	
46X18.0	- 20		8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-									
46X18.0	- 20																						
235/55	R 20										4,5	0141	21141	405,-									
245/45	R 20		5,0	0135	24142	625,-					4,5	0135	21142	327,-									
255/50	R 20										4,5	0141	21141	405,-									
255/65	R 20		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-									
260/80	R 20		7,0	0553	24553	1.090,-					6,5	0553	21553	584,-									
265/50	R 20										4,5	0141	21141	405,-									
275/40	R 20		5,0	0135	24142	625,-					4,5	0135	21142	327,-									
275/45	R 20										4,5	0141	21141	405,-									
275/60	R 20		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-									
275/65	R 20		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-									
275/80	R 20		7,0	0557	24557	1.180,-					6,5	0557	4717295	584,-									
280/70	R 20		7,0	0163	24163	1.090,-	7,0	0163	24369	2.070,-	6,5	0163	21163	584,-									
280/80	R 20		7,0	0178	24178	1.220,-	7,0	0178	24378	2.070,-	6,5	0178	4717287	584,-									
280/85	R 20		7,0	0184	24184	1.200,-	7,0	0184	24377	2.150,-	6,5	0184	4717288	584,-	6,5	0184	4717171	1.090,-					
285/50	R 20		7,0	0161	24161	1.090,-	7,0	0161	24367	2.060,-	6,5	0161	21161	584,-									
285/60	R 20																						
290/90	R 20		8,0	0187	24187	1.420,-					6,5	0187	4717280	584,-									
290/90	R 20																						
290/90	R 20																						
295/45	R 20										6,5	0659	4716165	584,-									
295/60	R 20		7,0	0553	24553	1.090,-					6,5	0553	21553	584,-									
300/70	R 20		7,0	0178	24178	1.220,-	7,0	0178	24378	2.070,-	6,5	0178	4717287	584,-									
320/70	R 20		8,0	0564	24564	1.290,-					6,5	0564	4719066	584,-					8,0	0564	4716624	910,-	
320/85	R 20		7,0	0189	4718426	1.310,-					6,5	0189	4717293	584,-									
320/85	R 20		8,0	0189	24189	1.430,-																	
325/60	R 20		7,0	0177	24177	1.100,-					6,5	0177	4717286	584,-									
325/60	R 20																						
335/80	R 20		8,0	N187	4716739	1.420,-					6,5	N187	4717290	584,-									
335/80	R 20																						
335/80	R 20	Continental AC 70	7,0	0189	4718426	1.310,-					6,5	0189	4717293	584,-									
335/80	R 20	Continental AC 70	8,0	0189	24189	1.430,-																	
340/65	R 20		7,0	0184	24184	1.200,-	7,0	0184	24377	2.150,-	6,5	0184	4717288	584,-	6,5	0184	4717171	1.090,-					
340/70	R 20		8,0	N187	4716739	1.420,-					6,5	N187	4717290	584,-									
340/70	R 20																						
340/75	R 20		8,0	N187	4716739	1.420,-					6,5	N187	4717290	584,-									
340/75	R 20																						

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO									
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*					
340/80	R	20	7,0	0189	4718426	1.310,-					6,5	0189	4717293	584,-														
340/80	R	20	8,0	0189	24189	1.430,-																						
355/80D	R	20	8,0	0202	24202	1.370,-	8,0	0202	24305	2.800,-	7,5	0202	21202	920,-	6,5	0202	4717175	1.090,-										
355/80D	R	20																										
360/70	R	20	7,0	0189	4718426	1.310,-					6,5	0189	4717293	584,-														
360/70	R	20	8,0	0189	24189	1.430,-																						
360/80	R	20	8,0	0202	24202	1.370,-	8,0	0202	24305	2.800,-	7,5	0202	21202	920,-	6,5	0202	4717175	1.090,-										
360/80	R	20																										
365/80	R	20	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-														
365/80	R	20																										
365/85	R	20	8,0	0211	24211	1.500,-					7,5	0211	21211	1.030,-					8,0	0211	4718414	1.110,-						
365/85	R	20																										
370/75	R	20	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-														
370/75	R	20																										
370/75	R	20																										
375/70	R	20	8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-										
375/70	R	20																										
375/70	R	20	Continental AC 70 G	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-													
375/70	R	20	Continental AC 70 G																									
375/75	R	20		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-													
375/75	R	20																										
375/75	R	20																										
375/80	R	20	8,0	N201	4716756	1.580,-					7,5	N201	4716755	1.080,-														
375/80	R	20																										
380/70	R	20	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-														
380/70	R	20																										
380/70	R	20																										
380/75	R	20	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-														
380/75	R	20																										
380/75	R	20																										
385/65	R	20	7,0	0189	4718426	1.310,-					6,5	0189	4717293	584,-														
385/65	R	20	8,0	0189	24189	1.430,-																						
395/85	R	20	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-														
395/85	R	20																										
400/70	R	20	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-														
400/70	R	20																										
400/70	R	20																										
405/70	R	20	8,0	N201	4716756	1.580,-					7,5	N201	4716755	1.080,-														
405/70	R	20																										
420/65	R	20	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-														
420/65	R	20																										
420/65	R	20																										
420/65	R	20	Continental AC 65	8,0	N201	4716756	1.580,-					7,5	N201	4716755	1.080,-													
420/70	R	20		8,0	N201	4716756	1.580,-					7,5	N201	4716755	1.080,-													
420/70	R	20																										
425/70	R	20	8,0	N201	4716756	1.580,-					7,5	N201	4716755	1.080,-														
425/70	R	20																										
425/75	R	20	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-														
425/75	R	20																										
440/65	R	20																										
440/65	R	20																										
455/70	R	20	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-														
455/70	R	20																										
475/65	R	20																										
475/80	R	20																										



GREIFSTEG

**GREIFSTEG
ZWILLING**

CARGO

**CARGO
ZWILLING**

AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
315/65	R 22.5		7,0	0184	24184	1.200,-	7,0	0184	24377	2.150,-	6,5	0184	4717288	584,-	6,5	0184	4717171	1.090,-						
315/70	R 22.5		8,0	0187	24187	1.420,-	8,0	ZW189	24302	2.500,-	6,5	0187	4717280	584,-	6,5	ZW189	4717173	1.090,-						
315/70	R 22.5																							
315/70	R 22.5	Bildgröße HENZ/Scan/Mini/D	8,0	N187	4716739	1.420,-					6,5	N187	4717290	584,-										
315/75	- 22.5		8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-						
315/75	- 22.5																							
315/80	R 22.5		8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-						
315/80	R 22.5										5,5	HL190	4717623	HL 1.080,-										
315/80	R 22.5										7,5	HL190	4717620	HL 1.080,-										
335/80	R 22.5		8,0	0202	24202	1.370,-	8,0	0202	24305	2.800,-	7,5	0202	21202	920,-	6,5	0202	4717175	1.090,-						
335/80	R 22.5																							
350/75	R 22.5		8,0	0202	24202	1.370,-	8,0	0202	24305	2.800,-	7,5	0202	21202	920,-	6,5	0202	4717175	1.090,-						
350/75	R 22.5																							
355/50	R 22.5		7,0	0184	24184	1.200,-	7,0	0184	24377	2.150,-	6,5	0184	4717288	584,-	6,5	0184	4717171	1.090,-						
365/70	R 22.5		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-										
365/70	R 22.5																							
365/70	R 22.5																							
365/80	R 22.5		8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-										
365/80	R 22.5																							
385/55	R 22.5		8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-						
385/55	R 22.5																							
385/65	R 22.5		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-										
385/65	R 22.5																							
385/65	R 22.5																							
385/65	R 22.5																							
395/85	R 22.5																				8,0	0222	4716776	1.140,-
400/55	R 22.5		8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-						
400/55	R 22.5																							
400/60	R 22.5		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-										
400/60	R 22.5																							
400/60	R 22.5																							
425/65	R 22.5		8,0	N211	4716765	1.500,-					7,5	N211	4716764	1.030,-										
445/50	R 22.5		8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-										
445/50	R 22.5																							
445/50	R 22.5																							
445/65	R 22.5																				8,0	0217	4716803	1.140,-
455/55	R 22.5		8,0	0211	24211	1.500,-					7,5	0211	21211	1.030,-							8,0	0211	4718414	1.110,-
495/45	R 22.5										7,5	0185	4718004	1.180,-										
500/45	R 22.5																							
500/45	R 22.5																							
500/60	R 22.5																				8,0	0586	4716625	1.210,-
500/60	R 22.5																							
550/45	R 22.5		8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-										
550/45	R 22.5																							
560/45	R 22.5																				8,0	0217	4716803	1.140,-
560/60	R 22.5																				8,0	0233	4716385	1.290,-
560/60	R 22.5																							
600/40	R 22.5		8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-										
600/40	R 22.5																							
600/50	R 22.5																							
600/55	R 22.5																							
700/40	R 22.5																							
700/45	R 22.5																							
710/40	R 22.5																							

€

* Preis/Paar € o. Mwst. * Price/pair € excl. VAT.



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO				
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
24"																							
8.3	R	24	7,0	0557	24557	1.180,-																	
9.00	R	24	8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-					
9.5	R	24	7,0	N188	4716748	1.340,-					6,5	N188	4717292	584,-									
11.2	R	24	7,0	0189	4718426	1.310,-					6,5	0189	4717293	584,-									
11.2	R	24	8,0	0189	24189	1.430,-																	
12.00	R	24	8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-							7,5	0583	4717584	1.590,-			
12.4	-	24	8,0	0211	24211	1.500,-					7,5	0211	21211	1.030,-						8,0	0211	4718414	1.110,-
13.00	R	24																	8,0	0222	4716776	1.140,-	
13.6	-	24															7,5	0583	4717584	1.590,-			
14.00	R	24	8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
14.00	R	24																					
14.5	R	24	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-									
14.5	R	24																					
14.9	-	24																	8,0	0222	4716776	1.140,-	
14.9	R	24																	8,0	0586	4716625	1.210,-	
14.9	R	24																					
14.9/80	-	24	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-									
14.9/80	-	24																					
14.9/80	-	24	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-									
14.9/80	-	24																					
15.5/80	R	24																					
16.00	R	24																	8,0	0619	4716386	1.410,-	
16/70	R	24	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-									
16/70	R	24																					
16.5/85	R	24	8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
16.5/85	R	24																					
16.9	R	24	8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
16.9	R	24																					
16.9	-	24																					
17.5	R	24																	8,0	0586	4716625	1.210,-	
17.5	R	24																					
18.4	R	24																	8,0	0233	4716385	1.290,-	
18.4	R	24																					
19.5	R	24	8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
19.5	R	24																					
20	R	24																	8,0	0617	4716626	1.370,-	
20	R	24																					
22/70	R	24																	8,0	0617	4716626	1.370,-	
22/70	R	24																					
250/85	R	24	7,0	N184	4716718	1.200,-					6,5	N184	4717289	584,-									
280/85	R	24	7,0	0189	4718426	1.310,-					6,5	0189	4717293	584,-									
280/85	R	24	8,0	0189	24189	1.430,-																	
300/70	R	24	8,0	0564	24564	1.290,-					6,5	0564	4719066	584,-					8,0	0564	4716624	910,-	
300/80	R	24	8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-					
300/80	R	24																					
320/70	R	24	8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281	584,-	6,5	0190	4717174	1.090,-					
320/70	R	24																					
320/80	R	24	8,0	0202	24202	1.370,-	8,0	0202	24305	2.800,-	7,5	0202	21202	920,-	6,5	0202	4717175	1.090,-					
320/80	R	24																					
320/85	R	24	8,0	0211	24211	1.500,-					7,5	0211	21211	1.030,-					8,0	0211	4718414	1.110,-	
325/95	R	24	8,0	0215	24216	1.600,-					7,5	0215	4718096	1.120,-									
325/95	R	24																					
340/70	R	24	8,0	0201	24201	1.530,-					7,5	0201	21201	1.080,-									
340/70	R	24																					



			GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO			
Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	mm Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*				
340/70	R 24																					
340/80	R 24		8,0	0211	24211	1.500,-			7,5	0211	21211	1.030,-				8,0	0211	4718414	1.110,-			
340/85	R 24												7,5	0583	4717584	1.590,-						
360/70	R 24		8,0	0211	24211	1.500,-			7,5	0211	21211	1.030,-				8,0	0211	4718414	1.110,-			
360/80	R 24												7,5	0583	4717584	1.590,-						
380/65	R 24		8,0	0201	24201	1.530,-			7,5	0201	21201	1.080,-										
380/65	R 24																					
380/65	R 24																					
380/70	R 24												7,5	0583	4717584	1.590,-						
380/85	R 24															8,0	0222	4716776	1.140,-			
380/85	R 24	Continental AC 85	8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-						8,0	0586	4716625	1.210,-			
380/85	R 24	Continental AC 85																				
385/95	R 24		8,0	0231	24231	1.600,-										8,0	0231	4716384	1.240,-			
385/95	R 24																					
400/65	R 24		8,0	N211	4716765	1.500,-			7,5	N211	4716764	1.030,-										
400/70	R 24		8,0	0215	24216	1.600,-			7,5	0215	4718096	1.120,-										
400/70	R 24																					
400/80	R 24		8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-						8,0	0586	4716625	1.210,-			
400/80	R 24																					
400/80	R 24	Nokian TRI																				
405/70	R 24		8,0	0215	24216	1.600,-			7,5	0215	4718096	1.120,-										
405/70	R 24																					
420/65	R 24												7,5	0583	4717584	1.590,-						
420/70	R 24		8,0	0220	24220	1.660,-										8,0	0586	4716625	1.210,-			
420/70	R 24																					
420/75	R 24															8,0	0586	4716625	1.210,-			
420/75	R 24																					
420/85	R 24		8,0	0231	24231	1.600,-										8,0	0231	4716384	1.240,-			
420/85	R 24																					
420/85	R 24	Continental AC 85																				
425/65	R 24												7,5	0583	4717584	1.590,-						
425/75	R 24		8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-						8,0	0586	4716625	1.210,-			
425/75	R 24																					
440/65	R 24		8,0	0220	24220	1.660,-										8,0	0217	4716803	1.140,-			
440/70	R 24		8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-	7,5	0201	21201	1.080,-		8,0	0586	4716625	1.210,-			
440/70	R 24																					
440/80	R 24		8,0	0231	24231	1.600,-										8,0	0231	4716384	1.240,-			
440/80	R 24																					
445/70	R 24															8,0	0586	4716625	1.210,-			
445/70	R 24																					
455/70	R 24															8,0	0586	4716625	1.210,-			
455/70	R 24																					
460/65	R 24															8,0	0586	4716625	1.210,-			
460/65	R 24																					
460/65	R 24	Industrial	8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-						8,0	0586	4716625	1.210,-			
460/65	R 24	Industrial																				
460/70	R 24															8,0	0586	4716625	1.210,-			
460/70	R 24																					
480/65	R 24															8,0	0586	4716625	1.210,-			
480/65	R 24																					
480/65	R 24	Michelin MultiBib	8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-						8,0	0586	4716625	1.210,-			
480/65	R 24	Michelin MultiBib																				
480/70	R 24															8,0	0233	4716385	1.290,-			
480/70	R 24																					
480/70	- 24	Continental AC 70																				

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*
495/70	R	24	9,0	0231	4716345	4.510,-				8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768	1.970,-			
495/70	R	24								9,0	0231	4717135	3.740,-											
500/65	R	24	9,0	0586	4716270	4.470,-				8,0	0586	4716250	2.940,-					8,5	A0586	4717765	1.900,-			
500/65	R	24								9,0	0586	4717139	3.490,-											
500/70	R	24	9,0	0231	4716345	4.510,-				8,0	0231	20231	2.990,-	8,0	S233	4718285	2.510,-	8,5	0231	4717768	1.970,-			
500/70	R	24								9,0	0231	4717135	3.740,-											
500/75	R	24								8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780	2.030,-			
540/65	R	24	9,0	0233	4716266	4.510,-				8,0	0233	20233	3.290,-					8,5	0233	4717770	2.000,-			
540/65	R	24	11,0	0233	4716847	6.520,-				9,0	0233	4717150	3.910,-					10,5	0233	4717792	2.840,-			
555/70	R	24	9,0	0617	4716268	4.630,-				8,0	0617	4716259	3.460,-					8,5	0617	4717769	2.000,-			
555/70	R	24																10,5	0617	4717796	2.970,-			
24,5"																								
11	R	24,5								7,0	0190	20190	2.138,-	8,0	0190	4716923	1.810,-	7,5	0190	4716222	1.520,-			
25"																								
14.00	R	25	9,0	0231	4716345	4.510,-				8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768	1.970,-			
14.00	R	25								9,0	0231	4717135	3.740,-											
15.5	R	25	9,0	0586	4716270	4.470,-	9,0	P587	4717232	4.870,-	8,0	0586	4716250	2.940,-				8,5	A0585	4717818	1.870,-			
15.5	R	25								9,0	0586	4717139	3.490,-											
16.00	R	25	9,0	0619	4716278	4.810,-												8,5	0619	4717771	2.060,-			
17.5	R	25	9,0	0233	4716266	4.510,-	9,0	P233	4717231	4.950,-	8,0	0233	20233	3.290,-				8,5	0233	4717770	2.000,-			
17.5	R	25	11,0	0233	4716847	6.520,-				9,0	0233	4717150	3.910,-					10,5	0233	4717792	2.840,-			
18.00	R	25	9,0	S603	4716863	5.520,-												8,5	S603	4717772	2.320,-			
18.00	R	25																10,5	S603	4717795	3.420,-			
20.5	R	25	NT	9,0	0244	4715907	5.250,-	9,0	P244	4717226	5.970,-	9,0	0244	4717137	4.130,-			8,5	0244	4717773	2.240,-			
20.5	R	25	NT	11,0	0244	4716848	6.470,-											10,5	0244	4717556	3.170,-			
20.5	R	25	DT	9,0	0237	4716265	5.240,-					9,0	0237	4717136	4.530,-			8,5	0237	4717774	2.300,-			
23.5	R	25	NT	9,0	0253	4716267	5.330,-	9,0	P253	4717220	7.020,-	9,0	0253	4717138	4.590,-			8,5	0253	4717775	2.420,-			
23.5	R	25	NT	11,0	0253	4716271	7.250,-											10,5	0253	4717560	3.370,-			
23.5	R	25	DT	9,0	0649	4719157	5.370,-	9,0	P607	4717229	6.680,-	9,0	0649	4717154	5.010,-									
23.5	R	25	DT	11,0	0649	4716277	7.250,-																	
26.5	R	25	NT	9,0	0332	4719155	5.810,-					9,0	0332	4719146	5.230,-			10,5	0332	4717564	4.010,-			
26.5	R	25	NT	11,0	0332	4716274	7.850,-																	
26.5	R	25	DT	9,0	0648	4719156	5.760,-					9,0	0648	4717153	5.250,-			10,5	0648	4717566	4.030,-			
26.5	R	25	DT	11,0	0648	4716276	7.790,-																	
29.5	-	25	NT	11,0	0333	4716635	8.400,-											10,5	0333	4717793	4.100,-			
29.5	-	25	DT	11,0	0334	4717093	8.400,-											10,5	0334	4717568	4.220,-			
54X37.00	R	25	9,0	0646	4716170	5.480,-												8,5	0646	4717776	2.270,-			
54X37.00	R	25	11,0	0646	4718053	7.420,-																		
385/95	R	25	9,0	0231	4716345	4.510,-						8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768	1.970,-	
385/95	R	25										9,0	0231	4717135	3.740,-									
445/95	R	25	9,0	0619	4716278	4.810,-												8,5	0619	4717771	2.060,-			
550/65	R	25	9,0	0617	4716268	4.630,-						8,0	0617	4716259	3.460,-			8,5	0617	4717769	2.000,-			
550/65	R	25																10,5	0617	4717796	2.970,-			
650/65	R	25	9,0	0237	4716265	5.240,-						9,0	0237	4717136	4.530,-			8,5	0237	4717774	2.300,-			
650/65	R	25																10,5	S237	4717558	3.700,-			
750/65	R	25	NT	9,0	0649	4719157	5.370,-					9,0	0649	4717154	5.010,-			10,5	0649	4717561	3.660,-			
750/65	R	25	NT	11,0	0649	4716277	7.250,-																	
26"																								
14.9	R	26	9,0	0586	4716270	4.470,-						8,0	0586	4716250	2.940,-	8,0	0594	4716936	2.300,-	8,5	A0586	4717765	1.900,-	
14.9	R	26										9,0	0586	4717139	3.490,-									
16.9	R	26	9,0	0233	4716266	4.510,-						8,0	0233	20233	3.290,-			8,5	0233	4717770	2.000,-			
16.9	R	26	11,0	0233	4716847	6.520,-						9,0	0233	4717150	3.910,-			10,5	0233	4717792	2.840,-			



			GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
495/70	R 24		8,0	0231	24231	1.600,-														8,0	0231	4716384	1.240,-	
495/70	R 24																							
500/65	R 24																			8,0	0586	4716625	1.210,-	
500/65	R 24																							
500/70	R 24		8,0	0231	24231	1.600,-														8,0	0231	4716384	1.240,-	
500/70	R 24																							
500/75	R 24																			8,0	0612	4716777	1.370,-	
540/65	R 24																			8,0	0233	4716385	1.290,-	
540/65	R 24																							
555/70	R 24																			8,0	0617	4716626	1.370,-	
555/70	R 24																							
24.5"																								
11	R 24.5		8,0	0190	24190	1.430,-	8,0	0190	24303	2.540,-	6,5	0190	4717281		584,-	6,5	0190	4717174	1.090,-					
25"																								
14.00	R 25		8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-		
14.00	R 25																							
15.5	R 25																			8,0	0586	4716625	1.210,-	
15.5	R 25																							
16.00	R 25																			8,0	0619	4716386	1.410,-	
17.5	R 25																			8,0	0233	4716385	1.290,-	
17.5	R 25																							
18.00	R 25																							
18.00	R 25																							
20.5	R 25	NT																		8,0	0244	4717179	1.380,-	
20.5	R 25	NT																						
20.5	R 25	DT																		8,0	0237	4716627	1.490,-	
23.5	R 25	NT																		10,5	0253	4717180	2.610,-	
23.5	R 25	NT																						
23.5	R 25	DT																		10,5	0226	4717183	2.770,-	
23.5	R 25	DT																						
26.5	R 25	NT																						
26.5	R 25	NT																						
26.5	R 25	DT																						
26.5	R 25	DT																						
29.5	- 25	NT																						
29.5	- 25	DT																						
54X37.00	R 25																							
54X37.00	R 25																							
385/95	R 25		8,0	0231	24231	1.600,-														8,0	0231	4716384	1.240,-	
385/95	R 25																							
445/95	R 25																			8,0	0619	4716386	1.410,-	
550/65	R 25																			8,0	0617	4716626	1.370,-	
550/65	R 25																							
650/65	R 25																			8,0	0237	4716627	1.490,-	
650/65	R 25																							
750/65	R 25	NT																						
750/65	R 25	NT																						
26"																								
14.9	R 26																			8,0	0586	4716625	1.210,-	
14.9	R 26																							
16.9	R 26																			8,0	0233	4716385	1.290,-	
16.9	R 26																							

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G						
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	
18.4	R 26		9,0	0617	4716268	4.630,-					8,0	0617	4716259	3.460,-						8,5	0617	4717769	2.000,-		
18.4	R 26																			10,5	0617	4717796	2.970,-		
23.1	- 26		9,0	0253	4716267	5.330,-					9,0	0253	4717138	4.590,-						8,5	0253	4717775	2.420,-		
23.1	- 26		11,0	0253	4716271	7.250,-														10,5	0253	4717560	3.370,-		
28L	R 26		9,0	0649	4719157	5.370,-					9,0	0649	4717154	5.010,-						10,5	0649	4717561	3.660,-		
28L	R 26		11,0	0649	4716277	7.250,-																			
260/70	R 26														8,0	0212	4716978	1.910,-							
420/85	R 26		9,0	0233	4716266	4.510,-					8,0	0233	20233	3.290,-						8,5	0233	4717770	2.000,-		
420/85	R 26		11,0	0233	4716847	6.520,-					9,0	0233	4717150	3.910,-						10,5	0233	4717792	2.840,-		
480/65	R 26		9,0	0231	4716345	4.510,-					8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-		8,5	0231	4717768	1.970,-		
480/65	R 26										9,0	0231	4717135	3.740,-											
480/70	R 26		9,0	0233	4716266	4.510,-					8,0	0233	20233	3.290,-						8,5	0233	4717770	2.000,-		
480/70	R 26		11,0	0233	4716847	6.520,-					9,0	0233	4717150	3.910,-						10,5	0233	4717792	2.840,-		
480/80	R 26		9,0	0617	4716268	4.630,-					8,0	0617	4716259	3.460,-						8,5	0617	4717769	2.000,-		
480/80	R 26																			10,5	0617	4717796	2.970,-		
500/65	R 26		9,0	0231	4716345	4.510,-					8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-		8,5	0231	4717768	1.970,-		
500/65	R 26										9,0	0231	4717135	3.740,-											
520/70	R 26		9,0	0244	4715907	5.250,-					9,0	0244	4717137	4.130,-						8,5	0244	4717773	2.240,-		
520/70	R 26		11,0	0244	4716848	6.470,-														10,5	0244	4717556	3.170,-		
520/75	R 26		9,0	0244	4715907	5.250,-					9,0	0244	4717137	4.130,-						8,5	0244	4717773	2.240,-		
520/75	R 26		11,0	0244	4716848	6.470,-														10,5	0244	4717556	3.170,-		
540/65	R 26										8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-		8,5	0612	4717780	2.030,-		
580/70	R 26		9,0	0244	4715907	5.250,-					9,0	0244	4717137	4.130,-						8,5	0244	4717773	2.240,-		
580/70	R 26		11,0	0244	4716848	6.470,-														10,5	0244	4717556	3.170,-		
620/75	R 26		9,0	0253	4716267	5.330,-					9,0	0253	4717138	4.590,-						8,5	0253	4717775	2.420,-		
620/75	R 26		11,0	0253	4716271	7.250,-														10,5	0253	4717560	3.370,-		
750/65	R 26	AS	9,0	0649	4719157	5.370,-					9,0	0649	4717154	5.010,-						10,5	0649	4717561	3.660,-		
750/65	R 26	AS	11,0	0649	4716277	7.250,-																			
26.5"																									
400/60	R 26.5										8,0	0215	4716723	2.750,-	8,0	0215	4716931	1.980,-		8,5	0215	4717786	1.800,-		
400/60	R 26.5										9,0	0215	4717134	3.220,-											
500/60	R 26.5		9,0	0231	4716345	4.510,-					8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-		8,5	0231	4717768	1.970,-		
500/60	R 26.5										9,0	0231	4717135	3.740,-											
500/65	R 26.5		9,0	0233	4716266	4.510,-					8,0	0233	20233	3.290,-						8,5	0233	4717770	2.000,-		
500/65	R 26.5		11,0	0233	4716847	6.520,-					9,0	0233	4717150	3.910,-						10,5	0233	4717792	2.840,-		
500/75	R 26.5		9,0	0617	4716268	4.630,-	8,0	P617	4717224	4.060,-	8,0	0617	4716259	3.460,-						8,5	0617	4717769	2.000,-		
500/75	R 26.5																			10,5	0617	4717796	2.970,-		
540/60	R 26.5										8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-		8,5	0612	4717780	2.030,-		
600/55	R 26.5		11,0	35660	4718794	6.090,-														8,5	0656	4717782	1.950,-		
600/60	R 26.5		9,0	0244	4715907	5.250,-					9,0	0244	4717137	4.130,-						8,5	0244	4717773	2.240,-		
600/60	R 26.5		11,0	0244	4716848	6.470,-														10,5	0244	4717556	3.170,-		
650/60	R 26.5		9,0	0237	4716265	5.240,-					9,0	0237	4717136	4.530,-						8,5	0237	4717774	2.300,-		
700/50	R 26.5										9,0	0255	4718164	4.490,-											
710/45	R 26.5										9,0	0255	4718164	4.490,-											
710/65	R 26.5		9,0	0649	4719157	5.370,-					9,0	0649	4717154	5.010,-						10,5	0649	4717561	3.660,-		
710/65	R 26.5		11,0	0649	4716277	7.250,-																			
28"																									
8.3/8	R 28										7,0	N188	4716750	2.127,-	8,0	N188	4716921	1.760,-		7,5	N188	4716753	1.500,-		
11.2	R 28										8,0	0211	4716774	2.570,-	8,0	0211	4716928	2.000,-		8,5	0211	4717785	1.760,-		
12.4	R 28		8,0	0217	4717500	3.040,-					8,0	0217	4716198	2.750,-						8,5	0217	4717783	1.800,-		
13.6	R 28		9,0	0222	4717092	4.510,-					8,0	0222	4716843	2.780,-	8,0	0222	4716934	2.180,-		8,5	0222	4717767	1.970,-		
13.6	R 28	Michelin AgriBib	9,0	0586	4716270	4.470,-					8,0	0586	4716250	2.940,-	8,0	0594	4716936	2.300,-		8,5	A0586	4717765	1.900,-		
13.6	R 28	Michelin AgriBib									9,0	0586	4717139	3.490,-											



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
18.4	R 26																		8,0	0617	4716626	1.370,-		
18.4	R 26																							
23.1	- 26																		10,5	0253	4717180	2.610,-		
23.1	- 26																							
28L	R 26																							
28L	R 26																							
260/70	R 26																							
420/85	R 26																		8,0	0233	4716385	1.290,-		
420/85	R 26																							
480/65	R 26		8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-		
480/65	R 26																							
480/70	R 26																		8,0	0233	4716385	1.290,-		
480/70	R 26																							
480/80	R 26																		8,0	0617	4716626	1.370,-		
480/80	R 26																							
500/65	R 26		8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-		
500/65	R 26																							
520/70	R 26																		8,0	0244	4717179	1.380,-		
520/70	R 26																							
520/75	R 26																		8,0	0244	4717179	1.380,-		
520/75	R 26																							
540/65	R 26																		8,0	0612	4716777	1.370,-		
580/70	R 26																		8,0	0244	4717179	1.380,-		
580/70	R 26																							
620/75	R 26																		10,5	0253	4717180	2.610,-		
620/75	R 26																							
750/65	R 26	AS																						
750/65	R 26	AS																						
26.5"																								
400/60	R 26.5		8,0	0215	24216	1.600,-						7,5	0215	4718096	1.120,-									
400/60	R 26.5																							
500/60	R 26.5		8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-		
500/60	R 26.5																							
500/65	R 26.5																		8,0	0233	4716385	1.290,-		
500/65	R 26.5																							
500/75	R 26.5																		8,0	0617	4716626	1.370,-		
500/75	R 26.5																							
540/60	R 26.5																		8,0	0612	4716777	1.370,-		
600/55	R 26.5																							
600/60	R 26.5																		8,0	0244	4717179	1.380,-		
600/60	R 26.5																							
650/60	R 26.5																		8,0	0237	4716627	1.490,-		
700/50	R 26.5																							
710/45	R 26.5																							
710/65	R 26.5																							
710/65	R 26.5																							
28"																								
8.3/8	R 28		7,0	N188	4716748	1.340,-						6,5	N188	4717292	584,-									
11.2	R 28		8,0	0211	24211	1.500,-						7,5	0211	21211	1.030,-				8,0	0211	4718414	1.110,-		
12.4	R 28																		8,0	0217	4716803	1.140,-		
13.6	R 28																		8,0	0222	4716776	1.140,-		
13.6	R 28	Michelin AgriBib																	8,0	0586	4716625	1.210,-		
13.6	R 28	Michelin AgriBib																						

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*
14.9	-	28	9,0	0231	4716345	4.510,-	7,0	P232	4717228	3.390,-	8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768		1.970,-	
14.9	-	28	11,0	S231	4717114	6.220,-					9,0	0231	4717135	3.740,-					10,5	S231	4717791		2.740,-	
16.5/80	-	28	9,0	0233	4716266	4.510,-					8,0	0233	20233	3.290,-					8,5	0233	4717770		2.000,-	
16.5/80	-	28	11,0	0233	4716847	6.520,-					9,0	0233	4717150	3.910,-					10,5	0233	4717792		2.840,-	
16.5/85	-	28									8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-	
16.9	-	28	9,0	0617	4716268	4.630,-	8,0	P612	4717223	3.840,-	8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-	
280/85	R	28									8,0	0211	4716774	2.570,-	8,0	0211	4716928	2.000,-	8,5	0211	4717785		1.760,-	
320/70	R	28									8,0	0211	4716774	2.570,-	8,0	0211	4716928	2.000,-	8,5	0211	4717785		1.760,-	
320/85	R	28					7,0	P220	4717217	3.190,-					8,0	0220	4716932	2.180,-						
340/85	R	28	9,0	0222	4717092	4.510,-					8,0	0222	4716843	2.780,-	8,0	0222	4716934	2.180,-	8,5	0222	4717767		1.970,-	
360/70	R	28	8,0	0217	4717500	3.040,-					8,0	0217	4716198	2.750,-	8,0	0220	4716932	2.180,-	8,5	0217	4717783		1.800,-	
360/80	R	28	9,0	0222	4717092	4.510,-					8,0	0222	4716843	2.780,-	8,0	0222	4716934	2.180,-	8,5	0222	4717767		1.970,-	
380/70	R	28	9,0	0586	4716270	4.470,-					8,0	0586	4716250	2.940,-	8,0	0594	4716936	2.300,-	8,5	A0586	4717765		1.900,-	
380/70	R	28									9,0	0586	4717139	3.490,-										
380/70	R	28	Conti AC70, Kleb Fixac Mich OmniBb																8,5	A0585	4717818		1.870,-	
380/85	R	28		9,0	0231	4716345	4.510,-				8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768		1.970,-	
380/85	R	28									9,0	0231	4717135	3.740,-										
400/80	R	28		9,0	0231	4716345	4.510,-				8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768		1.970,-	
400/80	R	28									9,0	0231	4717135	3.740,-										
420/65	R	28		9,0	0222	4717092	4.510,-				8,0	0222	4716843	2.780,-	8,0	0222	4716934	2.180,-	8,5	0222	4717767		1.970,-	
420/70	R	28		9,0	0233	4716266	4.510,-				8,0	0233	20233	3.290,-					8,5	0233	4717770		2.000,-	
420/70	R	28		11,0	0233	4716847	6.520,-				9,0	0233	4717150	3.910,-					10,5	0233	4717792		2.840,-	
420/85	R	28									8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-	
420/85	R	28	Continen- tal AC 85				8,0	P612	4717223	3.840,-														
420/85	R	28	Kleber Traker				8,0	P612	4717223	3.840,-														
440/65	R	28		9,0	0586	4716270	4.470,-				8,0	0586	4716250	2.940,-					8,5	A0586	4717765		1.900,-	
440/65	R	28									9,0	0586	4717139	3.490,-										
440/70	R	28		9,0	0233	4716266	4.510,-				9,0	0233	4717150	3.910,-					10,5	0233	4717792		2.840,-	
440/70	R	28		11,0	0233	4716847	6.520,-																	
440/80	R	28									8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-	
460/80	R	28		9,0	0617	4716268	4.630,-				8,0	0617	4716259	3.460,-					8,5	0617	4717769		2.000,-	
460/80	R	28																	10,5	0617	4717796		2.970,-	
480/60	R	28		9,0	0231	4716345	4.510,-				8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768		1.970,-	
480/60	R	28									9,0	0231	4717135	3.740,-										
480/65	R	28		9,0	0233	4716266	4.510,-	9,0	P233	4717231	4.950,-	8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-
480/70	R	28		9,0	0617	4716268	4.630,-				8,0	0617	4716259	3.460,-					8,5	0617	4717769		2.000,-	
480/70	R	28																	10,5	0617	4717796		2.970,-	
480/70	-	28	Michelin OmniBib								8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-	
500/65	R	28		9,0	0233	4716266	4.510,-				8,0	0233	20233	3.290,-					8,5	0233	4717770		2.000,-	
500/65	R	28		11,0	0233	4716847	6.520,-				9,0	0233	4717150	3.910,-					10,5	0233	4717792		2.840,-	
500/70	R	28		9,0	0617	4716268	4.630,-				8,0	0617	4716259	3.460,-					8,5	0617	4717769		2.000,-	
500/70	R	28																	10,5	0617	4717796		2.970,-	
520/60	R	28									8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-	
520/65	R	28		9,0	0617	4716268	4.630,-				8,0	0617	4716259	3.460,-					8,5	0617	4717769		2.000,-	
520/65	R	28																	10,5	0617	4717796		2.970,-	
520/70	R	28		9,0	0617	4716268	4.630,-	8,0	P617	4717224	4.060,-	8,0	0617	4716259	3.460,-				8,5	0617	4717769		2.000,-	
520/70	R	28																	10,5	0617	4717796		2.970,-	
540/65	R	28		9,0	0617	4716268	4.630,-	8,0	P617	4717224	4.060,-	8,0	0617	4716259	3.460,-				8,5	0617	4717769		2.000,-	
540/65	R	28																	10,5	0617	4717796		2.970,-	
600/60	R	28		9,0	0244	4715907	5.250,-				9,0	0244	4717137	4.130,-					8,5	0244	4717773		2.240,-	
600/60	R	28		11,0	0244	4716848	6.470,-												10,5	0244	4717556		3.170,-	
600/65	R	28		9,0	0237	4716265	5.240,-				9,0	0237	4717136	4.530,-					8,5	0237	4717774		2.300,-	
600/70	R	28		9,0	0603	4716269	5.430,-	9,0	P603	4717428	6.310,-	9,0	0603	4717151	4.620,-				8,5	0603	4717778		2.210,-	



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO				
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
14.9	-	28	8,0	0231	24231	1.600,-														8,0	0231	4716384	1.240,-
14.9	-	28																					
16.5/80	-	28																		8,0	0233	4716385	1.290,-
16.5/80	-	28																					
16.5/85	-	28																		8,0	0612	4716777	1.370,-
16.9	-	28																		8,0	0612	4716777	1.370,-
280/85	R	28	8,0	0211	24211	1.500,-				7,5	0211	21211		1.030,-					8,0	0211	4718414	1.110,-	
320/70	R	28	8,0	0211	24211	1.500,-				7,5	0211	21211		1.030,-					8,0	0211	4718414	1.110,-	
320/85	R	28	8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-													
340/85	R	28																		8,0	0222	4716776	1.140,-
360/70	R	28	8,0	0220	24220	1.660,-	8,0	0220	4716594	3.160,-									8,0	0217	4716803	1.140,-	
360/80	R	28																	8,0	0222	4716776	1.140,-	
380/70	R	28																	8,0	0586	4716625	1.210,-	
380/70	R	28																					
380/70	R	28	Conti AC 70, Kleb Fixer, Meh-Omnibib																				
380/85	R	28	8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
380/85	R	28																					
400/80	R	28	8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
400/80	R	28																					
420/65	R	28																	8,0	0222	4716776	1.140,-	
420/70	R	28																	8,0	0233	4716385	1.290,-	
420/70	R	28																					
420/85	R	28																	8,0	0612	4716777	1.370,-	
420/85	R	28	Continental AC 85 Kleber Traker																				
420/85	R	28																					
440/65	R	28																	8,0	0586	4716625	1.210,-	
440/65	R	28																					
440/70	R	28																	8,0	0233	4716385	1.290,-	
440/70	R	28																					
440/80	R	28																	8,0	0612	4716777	1.370,-	
460/80	R	28																	8,0	0617	4716626	1.370,-	
460/80	R	28																					
480/60	R	28	8,0	0231	24231	1.600,-													8,0	0231	4716384	1.240,-	
480/60	R	28																					
480/65	R	28																	8,0	0612	4716777	1.370,-	
480/70	R	28																	8,0	0617	4716626	1.370,-	
480/70	R	28																					
480/70	-	28	Michelin Omnibib																8,0	0612	4716777	1.370,-	
500/65	R	28																	8,0	0233	4716385	1.290,-	
500/65	R	28																					
500/70	R	28																	8,0	0617	4716626	1.370,-	
500/70	R	28																					
520/60	R	28																	8,0	0612	4716777	1.370,-	
520/65	R	28																	8,0	0617	4716626	1.370,-	
520/65	R	28																					
520/70	R	28																	8,0	0617	4716626	1.370,-	
520/70	R	28																					
540/65	R	28																	8,0	0617	4716626	1.370,-	
540/65	R	28																					
600/60	R	28																	8,0	0244	4717179	1.380,-	
600/60	R	28																					
600/65	R	28																	8,0	0237	4716627	1.490,-	
600/70	R	28																	8,0	0603	4716779	1.570,-	

€



GREIFSTEG

**GREIFSTEG
ZWILLING**

CARGO

**CARGO
ZWILLING**

AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
30"																								
14.9	-	30																		8,0	0233	4716385	1.290,-	
14.9	-	30																						
16.9	-	30																						
18.4	-	30																		8,0	0629	4716294	1.570,-	
18.4	-	30																						
380/70	R	30																		8,0	0586	4716625	1.210,-	
380/70	R	30																						
380/85	R	30																		8,0	0233	4716385	1.290,-	
380/85	R	30																						
420/70	R	30																		8,0	0612	4716777	1.370,-	
420/70	R	30																		8,0	0233	4716385	1.290,-	
420/70	R	30																						
420/85	R	30																						
440/80	R	30																		8,0	0617	4716626	1.370,-	
440/80	R	30																						
440/80	R	30																						
440/80	R	30																						
450/65	R	30																		8,0	0233	4716385	1.290,-	
450/65	R	30																						
460/85	R	30																		8,0	0629	4716294	1.570,-	
460/85	R	30																						
480/65	R	30																		8,0	0612	4716777	1.370,-	
480/70	R	30																		8,0	0244	4717179	1.380,-	
480/70	R	30																						
480/80	R	30																		8,0	0629	4716294	1.570,-	
480/80	R	30																						
520/70	R	30																		8,0	0237	4716627	1.490,-	
520/75	R	30																		8,0	0237	4716627	1.490,-	
540/60	R	30																		8,0	0617	4716626	1.370,-	
540/60	R	30																						
540/65	R	30																		8,0	0244	4717179	1.380,-	
540/65	R	30																						
540/70	R	30																		8,0	0244	4717179	1.380,-	
540/70	R	30																						
600/60	R	30																		8,0	0237	4716627	1.490,-	
600/65	R	30																		8,0	0603	4716779	1.570,-	
600/70	R	30																		10,5	0253	4717180	2.610,-	
600/70	R	30																						
620/75	R	30																		10,5	0226	4717183	2.770,-	
650/75	R	30																						
650/75	R	30																						
710/60	R	30																						
710/60	R	30																						
32"																								
12.4	R	32																		8,0	0586	4716625	1.210,-	
12.4	R	32																						
24.5	-	32																						
24.5	-	32																						
320/85	R	32																		8,0	0586	4716625	1.210,-	
320/85	R	32																						
800/65	R	32																						

€

* Preis/Paar € o. Mwst. * Price/pair € excl. VAT.



BISON

PROFILGREIFSTEG PRO

PROFILGREIFSTEG

SUPERGREIFSTEG

ALLIGATOR / ALLIGATOR 45G

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*
33"																								
18.00	R	33	9,0	0648	4719156	5.760,-														10,5	0648	4717566		4.030,-
18.00	R	33	11,0	0648	4716276	7.790,-																		
34"																								
16.9	-	34	9,0	0237	4716265	5.240,-	9,0	P629	4717230	5.850,-	9,0	0237	4717136	4.530,-						8,5	0237	4717774		2.300,-
18.4	-	34	9,0	0603	4716269	5.430,-	9,0	P603	4717428	6.310,-	9,0	0603	4717151	4.620,-						8,5	0603	4717778		2.210,-
23.1	R	34	9,0	0332	4719155	5.810,-					9,0	0332	4719146	5.230,-						10,5	0332	4717564		4.010,-
23.1	R	34	11,0	0332	4716274	7.850,-																		
420/70	R	34					8,0	P612	4717223	3.840,-	8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-		8,5	0612	4717780		2.030,-
420/85	R	34	9,0	0237	4716265	5.240,-	9,0	P629	4717230	5.850,-	9,0	0237	4717136	4.530,-						8,5	0237	4717774		2.300,-
440/80	R	34	9,0	0629	4716279	4.900,-					8,0	0629	20629	3.620,-						8,5	0629	4717777		2.220,-
440/80	R	34																		10,5	0629	4717557		3.140,-
460/85	R	34	9,0	0603	4716269	5.430,-					9,0	0603	4717151	4.620,-						8,5	0603	4717778		2.210,-
480/70	R	34	9,0	0237	4716265	5.240,-					9,0	0237	4717136	4.530,-						8,5	0237	4717774		2.300,-
480/80	R	34	9,0	0603	4716269	5.430,-					9,0	0237	4717136	4.530,-						8,5	0603	4717778		2.210,-
480/80	R	34	Nokian TRI				9,0	P603	4717428	6.310,-														
500/70	R	34		0237	4716265	5.240,-					9,0	0237	4717136	4.530,-						8,5	0237	4717774		2.300,-
520/65	R	34		0237	4716265	5.240,-					9,0	0237	4717136	4.530,-						8,5	0237	4717774		2.300,-
520/70	R	34		0603	4716269	5.430,-					9,0	0603	4717151	4.620,-						8,5	0603	4717778		2.210,-
520/70	R	34																		10,5	0604	4717559		3.880,-
520/70	R	34	Continental AC/HC	9,0	S603	4716863	5.520,-													8,5	S603	4717772		2.320,-
520/70	R	34	Continental AC/HC																	10,5	S603	4717795		3.420,-
520/75	-	34		0253	4716267	5.330,-					9,0	0253	4717138	4.590,-						8,5	0253	4717775		2.420,-
520/75	-	34		11,0	0253	4716271	7.250,-													10,5	0253	4717560		3.370,-
540/65	R	34		0237	4716265	5.240,-					9,0	0237	4717136	4.530,-						8,5	0237	4717774		2.300,-
540/65	R	34																		10,5	S237	4717558		3.700,-
600/65	R	34		0253	4716267	5.330,-					9,0	0253	4717138	4.590,-						8,5	0253	4717775		2.420,-
600/65	R	34		11,0	0253	4716271	7.250,-													10,5	0253	4717560		3.370,-
600/70	R	34		0607	4716275	7.100,-					9,0	0607	4717152	4.950,-						10,5	0607	4717562		3.660,-
620/75	R	34		0332	4719155	5.810,-					9,0	0332	4719146	5.230,-						10,5	0332	4717564		4.010,-
620/75	R	34		11,0	0332	4716274	7.850,-																	
650/60	R	34		0226	4716273	7.480,-														10,5	0226	4717563		3.920,-
700/55	R	34		0649	4719157	5.370,-					9,0	0649	4717154	5.010,-						10,5	0649	4717561		3.660,-
700/55	R	34		11,0	0649	4716277	7.250,-																	
710/65	R	34		0648	4719156	5.760,-					9,0	0648	4717153	5.250,-						10,5	0648	4717566		4.030,-
710/65	R	34		11,0	0648	4716276	7.790,-																	
710/70	R	34									9,0	0335	4718084	6.180,-						10,5	0335	4717567		4.370,-
36"																								
12.4	R	36	9,0	0231	4716345	4.510,-					8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768		1.970,-	
12.4	R	36									9,0	0231	4717135	3.740,-										
13.6	R	36									8,0	0612	4716844	3.160,-	8,0	0612	4716937	2.510,-	8,5	0612	4717780		2.030,-	
320/85	R	36	9,0	0231	4716345	4.510,-					8,0	0231	20231	2.990,-	8,0	0231	4716935	2.340,-	8,5	0231	4717768		1.970,-	
320/85	R	36									9,0	0231	4717135	3.740,-										
38"																								
13.6	R	38	9,0	0619	4716278	4.810,-														8,5	0619	4717771		2.060,-
14.9	R	38	9,0	0244	4715907	5.250,-	9,0	P244	4717226	5.970,-	9,0	0244	4717137	4.130,-						8,5	0244	4717773		2.240,-
14.9	R	38	11,0	0244	4716848	6.470,-														10,5	0244	4717556		3.170,-
15.5	-	38	9,0	0629	4716279	4.900,-					8,0	0629	20629	3.620,-						8,5	0629	4717777		2.220,-
15.5	-	38																		10,5	0629	4717557		3.140,-
16.9	-	38	9,0	0603	4716269	5.430,-					9,0	0603	4717151	4.620,-						8,5	0603	4717778		2.210,-
18.4	-	38	9,0	42155	4718747	5.250,-	9,0	P607	4717229	6.680,-	9,0	42155	4718750	4.790,-						10,5	0607	4717562		3.660,-
18.4	-	38	11,0	0607	4716275	7.100,-																		



GREIFSTEG

**GREIFSTEG
ZWILLING**

CARGO

**CARGO
ZWILLING**

AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	
33"																								
18.00	R	33																						
18.00	R	33																						
34"																								
16.9	-	34																			8,0	0237	4716627	1.490,-
18.4	-	34																			8,0	0603	4716779	1.570,-
23.1	R	34																						
23.1	R	34																						
420/70	R	34																			8,0	0612	4716777	1.370,-
420/85	R	34																			8,0	0237	4716627	1.490,-
440/80	R	34																			8,0	0629	4716294	1.570,-
440/80	R	34																						
460/85	R	34																			8,0	0603	4716779	1.570,-
480/70	R	34																			8,0	0237	4716627	1.490,-
480/80	R	34																			8,0	0603	4716779	1.570,-
480/80	R	34	Nokian TRI																					
500/70	R	34																			8,0	0237	4716627	1.490,-
520/65	R	34																			8,0	0237	4716627	1.490,-
520/70	R	34																			8,0	0603	4716779	1.570,-
520/70	R	34																						
520/70	R	34	Continental AC/HC																					
520/70	R	34	Continental AC/HC																					
520/75	-	34																			10,5	0253	4717180	2.610,-
520/75	-	34																						
540/65	R	34																			8,0	0237	4716627	1.490,-
540/65	R	34																						
600/65	R	34																			10,5	0253	4717180	2.610,-
600/65	R	34																						
600/70	R	34																			10,5	0607	4717181	2.650,-
620/75	R	34																						
620/75	R	34																						
650/60	R	34																			10,5	0226	4717183	2.770,-
700/55	R	34																						
700/55	R	34																						
710/65	R	34																						
710/65	R	34																						
710/70	R	34																			10,5	0335	4717539	2.850,-
36"																								
12.4	R	36	8,0	0231	24231	1.600,-															8,0	0231	4716384	1.240,-
12.4	R	36																						
13.6	R	36																			8,0	0612	4716777	1.370,-
320/85	R	36	8,0	0231	24231	1.600,-															8,0	0231	4716384	1.240,-
320/85	R	36																						
38"																								
13.6	R	38																			8,0	0619	4716386	1.410,-
14.9	R	38																			8,0	0244	4717179	1.380,-
14.9	R	38																						
15.5	-	38																			8,0	0629	4716294	1.570,-
15.5	-	38																						
16.9	-	38																			8,0	0603	4716779	1.570,-
18.4	-	38																			10,5	0607	4717181	2.650,-
18.4	-	38																						

€

* Preis/Paar € o. Mwst. * Price/pair € excl. VAT.



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	BISON				PROFILGREIFSTEG PRO				PROFILGREIFSTEG				SUPERGREIFSTEG				ALLIGATOR / ALLIGATOR 45G					
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*
20.8	-	38	11,0	0652	4716272	7.660,-	9,0	P652	4717246	7.970,-	9,0	0652	4717155	5.130,-						10,5	0652	4717565		3.920,-
340/85	R	38	9,0	0619	4716278	4.810,-														8,5	0619	4717771		2.060,-
400/75	R	38	9,0	0629	4716279	4.900,-						8,0	0629	20629	3.620,-					8,5	0629	4717777		2.220,-
400/75	R	38																		10,5	0629	4717557		3.140,-
420/85	R	38	9,0	0603	4716269	5.430,-						9,0	0603	4717151	4.620,-					8,5	0603	4717778		2.210,-
420/85	R	38																		10,5	0604	4717559		3.880,-
460/85	R	38	9,0	42155	4718747	5.250,-						9,0	42155	4718750	4.790,-					10,5	0607	4717562		3.660,-
460/85	R	38	11,0	0607	4716275	7.100,-																		
480/70	R	38	9,0	0603	4716269	5.430,-						9,0	0603	4717151	4.620,-					8,5	0603	4717778		2.210,-
480/70	R	38																		10,5	0604	4717559		3.880,-
480/80	R	38	9,0	42155	4718747	5.250,-						9,0	42155	4718750	4.790,-					10,5	0607	4717562		3.660,-
480/80	R	38	11,0	0607	4716275	7.100,-																		
520/65	R	38	9,0	0237	4716265	5.240,-						9,0	0237	4717136	4.530,-					8,5	0237	4717774		2.300,-
520/70	R	38	9,0	42155	4718747	5.250,-						9,0	42155	4718750	4.790,-					10,5	0607	4717562		3.660,-
520/70	R	38	11,0	0607	4716275	7.100,-																		
520/85	R	38	11,0	0652	4716272	7.660,-						9,0	0652	4717155	5.130,-					10,5	0652	4717565		3.920,-
540/65	R	38	9,0	42155	4718747	5.250,-						9,0	42155	4718750	4.790,-					10,5	0607	4717562		3.660,-
540/65	R	38	11,0	0607	4716275	7.100,-																		
540/75	R	38	11,0	0226	4716273	7.480,-														10,5	0226	4717563		3.920,-
540/80	R	38	11,0	0652	4716272	7.660,-	9,0	P652	4717246	7.970,-	9,0	0652	4717155	5.130,-					10,5	0652	4717565		3.920,-	
580/70	R	38	9,0	0648	4719156	5.760,-						9,0	0648	4717153	5.250,-					10,5	0648	4717566		4.030,-
580/70	R	38	11,0	0648	4716276	7.790,-																		
600/60	R	38	11,0	0607	4716275	7.100,-						9,0	0607	4717152	4.950,-					10,5	0607	4717562		3.660,-
600/65	R	38	11,0	0226	4716273	7.480,-														10,5	0226	4717563		3.920,-
600/70	R	38	11,0	0652	4716272	7.660,-						9,0	0652	4717155	5.130,-					10,5	0652	4717565		3.920,-
620/70	R	38	9,0	0648	4719156	5.760,-						9,0	0648	4717153	5.250,-					10,5	0648	4717566		4.030,-
620/70	R	38	11,0	0648	4716276	7.790,-																		
650/60	R	38	9,0	0332	4719155	5.810,-						9,0	0332	4719146	5.230,-					10,5	0332	4717564		4.010,-
650/60	R	38	11,0	0332	4716274	7.850,-																		
650/65	R	38	9,0	0648	4719156	5.760,-						9,0	0648	4717153	5.250,-					10,5	0648	4717566		4.030,-
650/65	R	38	11,0	0648	4716276	7.790,-																		
650/75	R	38	AS	11,0	0333	4716635	8.400,-													10,5	0333	4717793		4.100,-
710/70	R	38		11,0	0334	4717093	8.400,-													10,5	0334	4717568		4.220,-
42"																								
18.4	R	42	11,0	0226	4716273	7.480,-														10,5	0226	4717563		3.920,-
20.8	R	42	9,0	0648	4719156	5.760,-						9,0	0648	4717153	5.250,-					10,5	0648	4717566		4.030,-
20.8	R	42	11,0	0648	4716276	7.790,-																		
460/85	R	42	11,0	0226	4716273	7.480,-														10,5	0226	4717563		3.920,-
520/85	R	42	9,0	0648	4719156	5.760,-						9,0	0648	4717153	5.250,-					10,5	0648	4717566		4.030,-
520/85	R	42	11,0	0648	4716276	7.790,-																		
620/70	R	42										9,0	0335	4718084	6.180,-					10,5	0335	4717567		4.370,-
620/80	R	42	11,0	0337	4718507	8.400,-														10,5	0337	4718504		4.370,-
650/65	R	42										9,0	0335	4718084	6.180,-					10,5	0335	4717567		4.370,-
650/75	R	42	11,0	0337	4718507	8.400,-														10,5	0337	4718504		4.370,-
710/70	R	42	11,0	0339	4718508	8.400,-														10,5	0339	4718505		4.370,-
710/75	R	42	11,0	0341	4718509	8.400,-														10,5	0341	4718506		4.370,-



GREIFSTEG

**GREIFSTEG
ZWILLING**

CARGO

**CARGO
ZWILLING**

AGRAR DUO

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	GREIFSTEG				GREIFSTEG ZWILLING				CARGO				CARGO ZWILLING				AGRAR DUO				
			mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Art	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Größe Size	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
20.8	-	38																		10,5	0652	4717182	2.880,-
340/85	R	38																		8,0	0619	4716386	1.410,-
400/75	R	38																		8,0	0629	4716294	1.570,-
400/75	R	38																					
420/85	R	38																		8,0	0603	4716779	1.570,-
420/85	R	38																					
460/85	R	38																		10,5	0607	4717181	2.650,-
460/85	R	38																					
480/70	R	38																		8,0	0603	4716779	1.570,-
480/70	R	38																					
480/80	R	38																		10,5	0607	4717181	2.650,-
480/80	R	38																					
520/65	R	38																		8,0	0237	4716627	1.490,-
520/70	R	38																		10,5	0607	4717181	2.650,-
520/70	R	38																					
520/85	R	38																		10,5	0652	4717182	2.880,-
540/65	R	38																		10,5	0607	4717181	2.650,-
540/65	R	38																					
540/75	R	38																		10,5	0226	4717183	2.770,-
540/80	R	38																		10,5	0652	4717182	2.880,-
580/70	R	38																					
580/70	R	38																					
600/60	R	38																		10,5	0607	4717181	2.650,-
600/65	R	38																		10,5	0226	4717183	2.770,-
600/70	R	38																		10,5	0652	4717182	2.880,-
620/70	R	38																					
620/70	R	38																					
650/60	R	38																					
650/60	R	38																					
650/65	R	38																					
650/65	R	38																					
650/75	R	38	AS																				
710/70	R	38																					
42"																							
18.4	R	42																		10,5	0226	4717183	2.770,-
20.8	R	42																					
20.8	R	42																					
460/85	R	42																		10,5	0226	4717183	2.770,-
520/85	R	42																					
520/85	R	42																					
620/70	R	42																		10,5	0335	4717539	2.850,-
620/80	R	42																					
650/65	R	42																		10,5	0335	4717539	2.850,-
650/75	R	42																					
710/70	R	42																					
710/75	R	42																					

€



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	ARKTIK			ALLIGATOR PLUS		
			mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
10"								
23x9	- 10		8,0	4901340	2.140,-			
15"								
7.50	- 15	Michelin XZM	8,0	4901360	3.270,-			
8.25	- 15	Michelin XZM	8,0	4901596	3.580,-			
8.25	- 15	Michelin XMINE D2	8,0	4901020	3.750,-			
10.00	- 15		8,0	6850265	4.310,-			
14.5	- 15		8,0	4900940	4.650,-			
28x9	- 15		8,0	4901806	3.150,-			
31X10.50	- 15		8,0	4901360	3.270,-			
31X11.50	- 15		8,0	4716709	2.560,-	8,0	4901371	2.180,-
31X15.50	- 15		8,0	4716715	3.280,-	8,0	4901371	2.180,-
33X12.50	- 15					8,0	4901364	1.780,-
33X12.50	- 15	BFGOODRICH	8,0	4901629	2.740,-			
300	R 15		8,0	4900726	2.700,-			
300	R 15	Solideal Magnum SE	8,0	4901792	3.750,-			
355/65	R 15		8,0	4901035	3.180,-	8,0	4901370	1.960,-
16"								
255/70	- 16		8,0	4716808	2.700,-			
295/75	- 16		8,0	4900812	3.940,-	8,0	4901623	1.780,-
325/85	- 16					8,0	4901374	2.450,-
16.5"								
10	R 16.5		8,0	4716728	2.710,-	8,0	4901363	1.700,-
12	R 16.5		8,0	4900986	3.190,-	8,0	4901623	1.780,-
12	- 16.5	NT	8,0	4901035	3.180,-			
17"								
15.0/55	- 17					8,0	4901372	2.380,-
425/55	- 17		8,0	4900696	5.160,-	8,0	4901397	2.320,-
440/50	- 17					8,0	4901397	2.320,-
500/50	- 17					8,0	4901831	2.480,-
17.5"								
14	- 17.5		8,0	4716812	4.620,-			
245/70	R 17.5		8,0	4900692	3.580,-			
18"								
12.5	- 18		8,0	6850251	4.630,-	8,0	4901373	2.410,-
12.5/80	R 18					8,0	4901373	2.410,-
15.5/55	- 18		8,0	4716812	4.620,-			
320/65	- 18		8,0	4900956	4.120,-			
335/80	R 18		8,0	4901621	4.710,-	8,0	4901374	2.450,-
340/80	- 18		8,0	6850251	4.630,-	8,0	4901374	2.450,-
365/70	- 18		8,0	4901620	5.310,-			
385/55	- 18		8,0	4716812	4.620,-			

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	ARKTIK			ALLIGATOR PLUS		
			mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
405/70	R 18		8,0	6850266	5.620,-	8,0	4901399	2.630,-
19.5"								
265/70	R 19.5		8,0	4900846	3.880,-			
20"								
9.00	- 20		8,0	6850106	4.360,-	8,0	4901368	2.130,-
10.00	R 20		8,0	6850108	4.630,-	8,0	4901369	2.160,-
10.5	- 20		8,0	6850265	4.310,-	8,0	4901366	1.960,-
11.00	R 20		8,0	6850109	4.820,-	8,0	4901384	2.680,-
12.00	R 20		8,0	6850110	5.290,-	8,0	4901385	2.700,-
12.5	R 20		8,0	6850267	5.150,-	8,0	4901375	2.480,-
13.00	R 20		8,0	6850111	5.980,-	8,0	4901389	2.900,-
14.00	R 20		8,0	6850113	6.020,-	8,0	4901394	3.180,-
14.5	R 20		8,0	6850269	5.510,-	8,0	4901377	2.700,-
14.5/75	- 20		8,0	6850269	5.510,-			
14.75/80	R 20		8,0	6850115	5.530,-	8,0	4901389	2.900,-
14.9	R 20		8,0	6850268	5.750,-	8,0	4901398	2.600,-
16/70	R 20		8,0	6850268	5.750,-	8,0	4901380	2.720,-
275/80	- 20		8,0	6850265	4.310,-			
320/70	R 20		8,0	6850251	4.630,-	8,0	4901463	2.410,-
335/80	R 20		8,0	6850267	5.150,-	8,0	4901375	2.480,-
340/85	- 20					8,0	4901395	3.340,-
360/80	R 20		8,0	6850269	5.510,-	8,0	4901381	2.720,-
365/80	- 20	Conti MPT81	8,0	4900690	5.750,-	8,0	4901382	2.730,-
365/80	- 20	Michelin XZL	8,0	6850269	5.510,-	8,0	4901382	2.730,-
365/85	R 20		8,0	6850115	5.530,-	8,0	4901388	2.900,-
375/70	R 20							
375/75	R 20		8,0	6850269	5.510,-	8,0	4901378	2.710,-
375/80	R 20					8,0	4901386	2.900,-
395/85	R 20		8,0	4716813	7.500,-	8,0	4901410	3.080,-
400/70	- 20		8,0	4900698	6.060,-	8,0	4901381	2.720,-
405/70	R 20		8,0	6850268	5.750,-	8,0	4901382	2.730,-
41x14.00	R 20	Galaxy Mighty Mow	8,0	6850149	5.050,-			
420/65	R 20		8,0	6850269	5.510,-	8,0	4901377	2.700,-
455/70	R 20		8,0	6850365	7.610,-			
22.5"								
10	- 22.5		8,0	6850112	4.360,-	8,0	4901367	1.970,-
11	R 22.5		8,0	6850108	4.630,-	8,0	4901375	2.480,-
12	R 22.5					8,0	4901376	2.480,-
13	R 22.5		8,0	6850110	5.290,-	8,0	4901378	2.710,-
13	- 22.5	Michelin X Works	8,0	4901473	5.610,-	8,0	4901379	2.720,-
15	R 22.5		8,0	6850268	5.750,-	8,0	4901381	2.720,-
18	- 22.5		8,0	4900670	6.510,-	8,0	4901402	2.850,-
275/70	- 22.5		8,0	6850112	4.360,-	8,0	4901365	1.960,-
295/75	R 22.5					8,0	4901464	2.130,-
295/80	R 22.5		8,0	6850141	4.630,-	8,0	4901375	2.480,-



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	ARKTIK			ALLIGATOR PLUS		
			mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
315/70	R 22.5					8,0	4901374	2.450,-
315/75	R 22.5					8,0	4901376	2.480,-
315/80	R 22.5		8,0	6850149	5.050,-	8,0	4901384	2.680,-
365/70	R 22.5		8,0	6850269	5.510,-	8,0	4901377	2.700,-
385/65	R 22.5		8,0	6850269	5.510,-	8,0	4901377	2.700,-
385/65	R 22.5	Conti HSW2				8,0	4901382	2.730,-
425/65	R 22.5		8,0	6850146	5.910,-	8,0	4901400	2.630,-
445/65	R 22.5		8,0	6850365	7.610,-	8,0	4901405	2.900,-
560/45	- 22.5		8,0	4900700	6.970,-	8,0	4901401	2.680,-
600/50	R 22.5		8,0	4900702	8.030,-	8,0	4901409	3.020,-
24"								
12.4	R 24		8,0	4900695	6.100,-	8,0	4901388	2.900,-
13.00	- 24					8,0	4901411	3.080,-
13.6	R 24		8,0	4900813	5.980,-			
13.6/12	R 24					8,0	4901392	2.940,-
14.00	R 24					8,0	4901412	2.820,-
14.9	R 24		8,0	6850280	6.520,-	8,0	4901418	2.990,-
14.9/13	R 24		8,0	6850280	6.520,-	8,0	4901407	2.930,-
16/70	R 24		8,0	6850365	7.610,-	8,0	4901403	2.850,-
16.9/14	R 24		8,0	6850289	7.270,-	8,0	4901414	2.850,-
17.5	- 24	Michelin XMZ7	8,0	4900680	7.180,-			
19.5	R 24					8,0	4901462	3.230,-
320/85	R 24		8,0	6850115	5.530,-	8,0	4901379	2.720,-
340/80	R 24					8,0	4901387	2.900,-
340/85	R 24		8,0	4900813	5.980,-			
360/70	R 24					8,0	4901383	2.730,-
360/80	R 24					8,0	4901390	2.940,-
380/65	R 24					8,0	4901382	2.730,-
380/70	R 24		8,0	4716813	7.500,-	8,0	4901391	2.940,-
380/85	R 24					8,0	4901407	2.930,-
400/70	R 24		8,0	4900670	6.510,-	8,0	4901403	2.850,-
400/80	R 24		8,0	4900957	6.820,-	8,0	4901407	2.930,-
405/70	R 24		8,0	6850365	7.610,-	8,0	4901402	2.850,-
420/65	- 24		8,0	4716813	7.500,-			
420/65	- 24	Nokian TRI 2	8,0	4716813	7.500,-	8,0	4901470	2.750,-
420/70	R 24					8,0	4901408	2.930,-
420/85	- 24		8,0	6850289	7.270,-	8,0	4901420	3.080,-
440/65	- 24		8,0	4900691	6.940,-	8,0	4901406	2.900,-
440/80	R 24		8,0	6850131	7.500,-			
440/80	- 24	Nokian TRI 2	8,0	4901472	7.640,-	8,0	4901420	3.080,-
455/70	R 24		8,0	4900845	8.110,-			
460/70	- 24		8,0	4901460	7.460,-			
480/65	R 24		8,0	6850512	7.120,-	8,0	4901413	2.820,-
480/65	- 24	Nokian TRI 2	8,0	4901460	7.460,-	8,0	4901413	2.820,-
480/70	- 24	Michelin Omnibib				8,0	4901760	3.550,-
500/70	- 24		8,0	4901790	8.160,-			
540/65	R 24		8,0	4900869	8.760,-	8,0	4901417	3.230,-

Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	ARKTIK			ALLIGATOR PLUS		
			mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
555/70	R 24		8,0	6850429	8.910,-	8,0	4901436	3.490,-
25"								
15.5	R 25		8,0	6850130	6.510,-	8,0	4901395	3.340,-
16.00	R 25					8,0	4901425	3.760,-
17.5	R 25		8,0	6850131	7.500,-	8,0	4901415	3.020,-
20.5	R 25	NT	8,0	6850132	9.460,-	8,0	4901590	4.100,-
20.5	R 25	DT				8,0	4901438	3.930,-
23.5	R 25	NT	8,0	6850133	10.880,-	8,0	4901440	4.720,-
26.5	- 25	XMINE D2	8,0	4900874	14.780,-			
600/65	- 25		8,0	4901970	10.160,-			
650/65	R 25					8,0	4901437	4.150,-
26"								
14.9/13	R 26					8,0	4901396	3.340,-
16.9/14	R 26					8,0	4901416	3.020,-
18.4/15	R 26					8,0	4901435	3.980,-
23.1/18	R 26					8,0	4901440	4.720,-
28L	R 26					8,0	4901444	4.890,-
620/75	R 26					8,0	4901442	3.440,-
26.5"								
400/60	- 26.5		8,0	6850365	7.610,-			
500/60	R 26.5					8,0	4901421	3.210,-
500/65	R 26.5					8,0	4901424	3.620,-
600/55	R 26.5		8,0	4902153	10.180,-	8,0	4901434	3.760,-
650/60	R 26.5					8,0	4900850	3.980,-
700/50	- 26.5					8,0	4901447	3.820,-
710/45	- 26.5					8,0	4901448	4.150,-
28"								
12.4	- 28					8,0	4901393	3.280,-
14.9	- 28		8,0	4900877	7.200,-			
14.9/13	R 28					8,0	4901419	3.550,-
16.9/14	- 28		8,0	6850296	7.880,-	8,0	4901423	3.280,-
320/85	- 28					8,0	4901393	3.280,-
340/85	R 28					8,0	4901465	2.780,-
360/70	R 28					8,0	4901404	2.970,-
380/85	R 28		8,0	4900877	7.200,-	8,0	4901419	3.550,-
400/80	R 28		8,0	6850131	7.500,-	8,0	4901419	3.550,-
400/80	- 28	Nokian TRI 2	8,0	4901471	7.690,-	8,0	4901468	3.230,-
420/65	- 28		8,0	4900957	6.820,-			
420/70	R 28		8,0	6850131	7.500,-	8,0	4901415	3.020,-
440/80	R 28		8,0	6850296	7.880,-	8,0	4901422	3.280,-
480/60	- 28					8,0	4901420	3.080,-
480/65	R 28		8,0	4900853	8.130,-			
480/70	- 28		8,0	4901762	8.220,-			
540/65	- 28					8,0	4901590	4.100,-



Reifen- bezeichnung Tyre size	Zoll Inches	Hinweis Note	ARKTIK			ALLIGATOR PLUS		
			mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*	mm	Best.-Nr. Part no.	Preis/ Paar* Price/pair*
600/60	R 28					8,0	4900868	4.050,-
600/65	R 28		8,0	4901029	10.140,-			
30"								
16.9/14	R 30		8,0	6850304	8.020,-	8,0	4901426	3.890,-
18.4/15	R 30		8,0	6850001	9.590,-	8,0	4901427	3.990,-
480/80	- 30	Nokian TRI 2	8,0	4901474	9.430,-	8,0	4901469	4.250,-
32"								
30.5	- 32					8,0	4901452	5.480,-
34"								
14.9	- 34		8,0	4900725	8.490,-			
16.9	R 34					8,0	4901431	4.250,-
16.9/14	R 34		8,0	4716646	8.810,-	8,0	4901428	4.000,-
18.4	R 34		8,0	4900854	9.910,-	8,0	4901432	4.330,-
380/85	- 34		8,0	4900725	8.490,-			
440/80	R 34		8,0	6850001	9.590,-	8,0	4901429	4.000,-
480/70	R 34		8,0	4716814	9.750,-	8,0	4901467	4.030,-
520/70	R 34					8,0	4900880	4.080,-
540/65	R 34					8,0	4901438	3.930,-
620/60	- 34					8,0	4901442	3.440,-
700/55	R 34					8,0	4901450	4.650,-
710/55	- 34					8,0	4901990	5.010,-
38"								
18.4	- 38		8,0	4901008	11.250,-			
18.4/15	R 38					8,0	4901433	4.640,-
20.8	R 38		8,0	4900636	11.930,-	8,0	4901449	4.690,-
460/85	R 38		8,0	4901008	11.250,-	8,0	4901445	4.640,-
480/70	R 38					8,0	4901430	4.250,-
480/80	R 38		8,0	4901361	10.890,-	8,0	4901439	4.720,-
520/70	R 38					8,0	4901446	4.640,-
540/65	R 38					8,0	4901441	4.750,-
540/75	R 38					8,0	4900848	5.310,-
540/80	R 38	Nokian	8,0	4902142	12.770,-			
600/60	R 38					8,0	4901443	3.450,-
600/65	- 38					8,0	4900972	4.960,-
650/65	R 38					8,0	4901451	5.020,-
650/85	R 38		8,0	4901640	16.860,-	8,0	4900970	6.060,-
42"								
650/65	R 42		8,0	4900671	14.150,-			
710/70	- 42					8,0	4901453	6.430,-

Gebrauchshinweise und technische Anwendungen

Instructions for use and technical information

Den Reifenbezeichnungen liegen die am Tag der Herstellung gültigen Normmaße und Normfelgen nach ETRTO (Europäische Norm) zugrunde. Bei runderneuerten Reifen sowie bei Zwillingsrädern mit nicht serienmäßigen Reifenmittenabständen ist die Paßfähigkeit daher nicht immer gewährleistet. Beachten Sie bitte beim Kauf die Empfehlungen Ihres Fahrzeugherstellers über die Verwendung von Schneeketten, die in den Betriebsanleitungen enthalten sind. Sondervorschriften des Fahrzeugherstellers sind zu beachten.

Für Reifen von Erdbewegungsmaschinen (EM-Reifen) gibt es unterschiedliche Profilhöhen der Lauffläche (L2, L3, L4, L5). Daher ist unbedingt die Profilbezeichnung bekanntzugeben. Im Zweifel bitten wir um Nennung der Reifendimensionen: Durchmesser und Reifenbreite.


Dieser Katalog enthält die Kettentypen und -größen der gängigsten Reifendimensionen. Nicht angegebene Abmessungen auf Anfrage. Bitte teilen Sie uns Reifendimension und Herstellerfirma mit. Zur Sicherheit teilen Sie uns noch die genauen Reifenabmessungen mit: Reifendurchmesser und -breite (D+B). Für Fahrzeuge mit „engen“ Abständen zwischen Reifen und Radhaus die Maße F und H zusätzlich. Bei Zwillingsreifen bitte auch das Maß R angeben. Kleinste Abstände:

The tyre sizes are based on the standard dimensions and standard wheel rims as specified under ETRTO (European standard) at the time of manufacture. Therefore a correct fit cannot always be guaranteed for retreaded tyres and twin tyres with a non-standard spacing. When making a purchase, please follow your vehicle manufacturer's recommendations concerning the use of snow chains, which you will find in the instruction manuals. Please follow the specific instructions of the vehicle manufacturer. There is a range of different tread depths for earth-moving machines (EM tyres) (L2, L3, L4, L5).

Therefore it is essential to state the tread designation. If in doubt, please state the tyre dimensions: diameter and width of the tyre. This catalogue contains chain types and sizes which fit the most common tyre sizes. Sizes not stated here are available on request. Please tell us the tyre size and manufacturer.

To be sure, please also tell us the exact dimensions of the tyre: Diameter and width of tyre (D+W). For vehicles with „low“ clearances between tyres and wheel housings, we also need the dimensions F and H. For twin-tyres, please also state dimension R.

Minimum clearances:



F = _____
 H = _____
 R = _____

Bekettungshinweis

Chain fitting instructions




Fig. 1: Bei LKW's muss immer die angetriebene Achse bekettet werden. Bei Zugmaschinen bzw. Anhängern soll außerdem die vorletzte Achse bekettet werden. Bei Berg-/Talfahrten sollen zusätzlich die Achsen laut **Fig. 2** bekettet werden.

Fig. 1: The wheels on the drive axle of a truck must always be fitted with chains. On tractors and tractor trucks with trailers, the wheels on the next to last axle are also to be fitted with chains. On routes involving driving up and down hills, the wheels on the axles marked in **fig. 2** are also to be fitted with chains.

ROTOGRIP®

Automatische Sicherheit auf Knopfdruck
Automatic safety at the flip of a switch



Zuschaltbarer Kettenkreisel Kettenrad mit 15 oder 18 Kettensträngen

Die flexibel nutzbare Schleuderkette –
bei winterlichen Straßenverhältnissen bequem
und schnell per Knopfdruck vom
Fahrerhaus zuschaltbar.

Effektive Gleitschutzeinrichtung –
bereits bei Schrittgeschwindigkeit wirksam.

Driver operated chain wheel Chain wheel with 15- or 18 chain strands

The versatile automatic chain –
quickly and easily brought into operation
at the flick of a switch from driver's cab
when winter road conditions turn hazardous.

Effective anti-skid device –
takes effect even at slow speeds.





- Die Spreiz-Wirkung der Federn begünstigt ein frühes, bereits bei Schrittgeschwindigkeit effizientes Ausschleudern der Kettenstränge
- Wie ein Kettenteppich gelangen die Kettenstränge unter den Reifen
- Extrem ruckfreier Lauf – wirkt ausgleichend und schont Kettenrad, System und Reifen
- Äußerst griffig bei vereister Fahrbahn

Einsatzgebiete:

- Speditionen
- Versorgungs- und Verteilerfahrzeuge
- Kommunalbereich
- Feuerwehren
- ADR Fahrzeuge
- Rettungswagen
- Busse
- Öffentliche Verkehrsmittel

- The action of the springs spreads the chains out efficiently, even at a slow speed
- The chain strands pass under the tyres like a “chain carpet”
- Vibration-free operation, which ensures smooth action, and lengthens the service life of both chain wheels, system and tyre
- Superior grip, even on icy roads

Fields of application:

- Road haulage
- Supply and distribution vehicles
- Municipal vehicles
- Fire services
- Vehicles carrying hazardous goods
- Rescue vehicles
- Buses
- Public transport vehicles



ROTOGRIP® CS COMPACT SOLUTION

Das Ergebnis einer Weiterentwicklung bestehender ROTOGRIP-Systeme
The result of systematic improvements of the existing ROTOGRIP-systems

- Einfache, zeitsparende Montage
 - Minimale Wartung
 - Flachbauende Elemente mit fahrzeugspezifischen Adapterteilen
 - Großer Schwenkwinkel für ein Maximum an Anbaumöglichkeiten
 - Kompaktes Schwenkgehäuse aus Schmiedestahl mit patentierter Antriebstechnik
 - Elastischer Anschlagpuffer
 - Doppelt wirksamer Zylinder, pneumatisch angesteuert
 - Kettenräder unterschiedlicher Bauart sorgen für Traktion
-
- Simple, time-saving fittings
 - Low maintenance
 - Low-profile systems with vehicle-specific adapters
 - Extended swivel range to maximize fitting options
 - Compact, forged-steel swivel housing, with patented drive mechanism
 - Pneumatically drivendouble-action cylinder
 - Traction is provided by a range of chain wheels



	ROTOGRIP® CS	ROTOGRIP® CV	ROTOGRIP® LT
Montage-Demontage Komfort Ease of fitting and removal	● ● ● ● ●	● ● ● ● ● ○	● ● ● ● ●
Eignung Transporter/LKW Suitable for transporters/trucks	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●
Eignung LKW/Gelände Suitable for trucks/off-road	○ ○ ○ ○ ○	○ ○ ○ ○ ○	○ ○ ○ ○ ○
Eignung Busse Suitable for buses	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●
Eignung Schneeräumung Suitable for snow clearance	● ● ● ● ● ○	● ● ● ● ● ○	● ● ● ● ● ○
Eignung Traktoren/Forstmaschinen Suitable for tractors/forestry vehicles	○ ○ ○ ○ ○	○ ○ ○ ○ ○	○ ○ ○ ○ ○

ROTOGRIP® CV CLASSIC VERSION

Der Klassiker unter den ROTOGRIP-Systemen
The classic Rotogrip-system

- Universal- und Plattenadapterim Baukasten-System
- Kolbenstange mit Verlängerung, verbunden mit dem Schwenkarm
- Einfach wirkender Pneumatik-Zylinder (Rollmembrane)
- Kettenräder unterschiedlicher Bauart sorgen für Traktion
- Modular system of universal adapters
- The extension of the piston rod is connected to the swivel arm
- Single-action pneumatic cylinder
- Traction is provided by chain wheels of various types



ROTOGRIP® LT LIGHT TRUCK

Automatische Sicherheit auf Knopfdruck
Automatic safety at the flip of a switch
















- Schwenkeinheit in kompakter, gewichtssparender Bauform mit einem weit über 180°reichenden Schwenkbereich
- Elektrischer Linearantrieb
- Die elastische Spreizscheibe des Kettenrades begünstigt ein Ausschleudern und eine gleichmäßigere Verteilung der Kettenstränge
- Adapter mit universellen Befestigungsteilen
- Kettenrad in Flachbauweise mit 8 Einzelsträngen
- ROTOGRIP Kettenräder lassen sich einfach montieren
- Einzelteile sind nach langer Laufleistung leicht auszutauschen
- Die spezielle Profilierung am Reibring verringert die Vereisung
- The swing-arm assembly unit has a compact, weight-saving design, and can swivel through an angle well over 180°
- Electric linear drive
- The chain wheel's flexible spreader ring gives low speed performance, and a more even distribution of the chain strands
- Adapter with universal mounting hardware
- Low-profile chain wheel with 8 single strands
- ROTOGRIP chain wheels are easy to mount
- The individual parts have a exceptionally long service life, and are easy to replace
- The special profile on the friction ring reduces icing up



Ersatz- und Zubehörteile

Spare parts and accessories

Für PKW, LLKW, LKW For cars, light trucks, trucks or utilities	Bezeichnung Description	Verpackungs- einheit* Packaging unit*	Bestell-Nr. Part no.	Preis € o. MwSt.** Price € excl. VAT.**
Lochplatte für PKW Locking plate for car	 Lochplatte Locking plate	2 Stück 2 Pieces	9299479	10,20
Lochplatte mit Anschlussstücken für LLKW, LKW Locking plate with connecting parts	 bestehend aus: Lochplatte, Seitenhaken 5 mm, Montageglied 6 mm Consisting of: Side hook 5 mm, Connecting link 6 mm	2 Stück 2 Pieces	11906	13,10
Verwahrungshaken ohne Prägung für PKW Safety hook without embossing	 Verwahrungshaken passend für alle RUD PKW-Ketten Suitable for all RUD car chains	2 Stück 2 Pieces	9299480	7,00
Verwahrungshaken mit Ersatzglied für LLKW, LKW Safety hook with spare link	 3,5 - 4,5 5,0 - 6,0 7,0 - 8,0	2 Stück 2 Pieces	9299481 9299482 9299483	8,80 16,30 20,50
Karabinerhaken mit Feder Snap hook with spring		2 Stück 2 Pieces	9299484	43,50
Ersatzglied Spare link	 Größe in mm Size mm	40 Stück Pieces 40 Stück Pieces 40 Stück Pieces 40 Stück Pieces 40 Stück Pieces 30 Stück Pieces 30 Stück Pieces 10 Stück Pieces	9299485 9299486 9299487 9299488 9299489 9299490 9299491 9299492	6,40 7,60 7,60 7,60 12,50 29,60 40,70 13,30
Seitenhaken Side hook	 Größe in mm Size mm	40 Stück Pieces 40 Stück Pieces 40 Stück Pieces 40 Stück Pieces 30 Stück Pieces 30 Stück Pieces 10 Stück Pieces	9299493 9299494 9299495 9299496 9299497 9299498 9304463	10,10 12,50 14,30 18,10 20,20 25,30 12,70
Verschlussshaken inklusive Seitenhaken Locking hook including side hook	 4,5 - 5,0 6,0 7,0 - 8,0	2 Stück Pieces 2 Stück Pieces 2 Stück Pieces	9299499 9299500 9299501	13,10 17,40 18,80
RUD Verschlüsse RUD tensioners	 Größe Size A 3,5 - 4,5 Größe Size B 5,0 - 6,0 Größe Size C 7,0 - 8,0	1 Stück Piece 1 Stück Piece 1 Stück Piece	9299504 9299505 9299506	19,90 27,40 32,20
Mittelverschlüsse bis Fertigungsdatum 08/2014 Center locks till manufacture date 08/2014	 5,0 mit 1 Glied with 1 link 5,0 mit 2 Gliedern with 2 links 6,0 mit 1 Glied with 1 link 6,0 mit 2 Gliedern with 2 links 7,0 mit 1 Glied with 1 link 7,0 mit 2 Gliedern with 2 links 8,0 mit 1 Glied with 1 link 8,0 mit 2 Gliedern with 2 links	1 Stück Piece 1 Stück Piece 1 Stück Piece 1 Stück Piece 1 Stück Piece 1 Stück Piece 1 Stück Piece 1 Stück Piece	18750 18752 18754 18756 18743 18742 9305683 9305684	18,10 18,30 23,50 24,30 22,20 22,50 22,20 22,50
Mittelverschlüsse ab Fertigungsdatum 09/2014 Center locks from manufacture date 09/2014	 9,0 mit 1 Glied with 1 link 9,0 mit 2 Gliedern with 2 links 10,0 mit 1 Glied with 1 link 10,0 mit 2 Gliedern with 2 links	1 Stück Piece 1 Stück Piece 1 Stück Piece 1 Stück Piece	9305673 9305674 9305706 9305707	30,50 31,70 34,50 35,50
Ersatzteil-Set Mittelverschluss mit Ring Spare part set center locks with ring	 Größe 8,5 Size 8,5	1 Satz 1 Set	9306249	46,70

Für PKW, LLKW, LKW For cars, light trucks, trucks or utilities	Bezeichnung Description	Verpackungs- einheit** Packaging unit*	Bestell-Nr. Part no.	Preis € o. Mwst. ** Price € excl. VAT **	
Ersatzteil Mittelverschluss Haken Alligator Spare part center lock hook Alligator		Größe 8,5H Size 8,5H Größe 8,5A Size 8,5A Größe 10,5H Size 10,5H	9308054	40,40	
			9308057	40,40	
			9308074	49,20	
Ersatzteil Mittelverschluss Ring Alligator Spare part center lock ring Alligator		Größe 8,5H Size 8,5H Größe 8,5A Size 8,5A Größe 10,5H Size 10,5H	9308055	28,10	
			9308058	28,10	
			9308073	34,20	
Ersatzteil Ringschloss Spare part ring coupling		Größe 8 mm Size 8 mm Größe 11 mm Size 11 mm	9306307	32,20	
			9307309	33,30	
Spannhebel LKW Tensioner for trucks			9299507	13,70	
Schäkel Shakle		Schäkel Shakle A0,16	4 Stück Pieces	9305804	12,60
		Schäkel Shakle A0,25	4 Stück Pieces	9305805	14,40
		Schäkel Shakle A0,4	4 Stück Pieces	9305806	16,30
Meterkette Bulk chain		Spannkette Tensioning chain 3,1x10	2 Meter	9300134	27,40
		Seitenkette Side chain 3,5x26,5	2 Meter	9300137	12,50
		Querkette Cross chain 4 x 16	5 Meter	9299592	53,00
Ersatzteil Einhänge-Duande ALLIGATOR PLUS Alligator Plus connecting end part			9295683	9,10	
Ersatzteil Sperrhaken Gr.3 Securing hook size 3			9300125	24,70	
Ersatzteil Einhänge-Duande ARKTIK ARKTIK connecting end part			9302267	7,40	
Felgenschutz Rim protection RUDmatic® CLASSIC		Felgenschutz für Verschluss-haken (2 Stück), bestehend aus Ober- und Unterteil Rim protection for locking hook (2 pieces), consisting of top and bottom part	1 Satz 1 Set	9306824	8,00
Felgenschutz Rim protection RUDmatic® CLASSIC		Felgenschutz für Seitenhaken (2 Stück), bestehend aus Ober- und Unterteil Rim protection for side hook (2 pieces), consisting of top and bottom part	1 Satz 1 Set	9306825	8,00
Felgenschutz Rim protection RUDmatic® CLASSIC		Felgenschutz für Ratsche (2 Stück), bestehend aus Ober- und Unterteil Rim protection for tensioning device (2 pieces), consisting of top and bottom part	1 Satz 1 Set	9306826	8,00
Felgenschutz Rim protection RUDmatic® CLASSIC		Felgenschutz für Lochplatte (2 Stück), bestehend aus Ober- und Unterteil Rim protection for locking plate (2 pieces), consisting of top and bottom part	1 Satz 1 Set	9306827	8,00
Felgenschutz Rim protection RUDcompact® GRIP RUDcompact® easy2go RUDcompact® easytop		Felgenschutz (10 Stück), bestehend aus Ober und Unterteil Rim protection (10 pieces), consisting of top and bottom part	1 Satz 1 Set	9308469	22,00
Felgenschutz Rim protection RUDcompact® ÖKOMat		Felgenschutz (10 Stück), bestehend aus Ober und Unterteil Rim protection (10 pieces), consisting of top and bottom part	1 Satz 1 Set	9308471	22,00

Für RUD Centrax For RUD Centrax		Bezeichnung Description	Verpackungseinheit* Packaging unit*	Bestell-Nr. Part no.	Preis € o. MwSt.** Price € exd. VAT.**	
Aufbewahrungstasche Bag		Hybrid	1 Stück 1 Piece	9302261	23,70	
		Centrax	1 Stück 1 Piece	9302262	29,70	
		RUD compact PKW	1 Stück 1 Piece	9304136	24,80	
		RUD compact LKW	1 Stück 1 Piece	9304119	36,80	
		RUDmatic®-Ketten PKW/LLKW light trucks	1 Stück 1 Piece	9302265	29,00	
		RUDmatic®-Ketten LKW/Bus trucks	1 Stück 1 Piece	9302266	36,80	
Distanzbolzen Distance bolts		2 Stück Distanzbolzen variabel Gr. 28 und 43 mm 2 distance bolts size variable 28 and 43 mm	1 Satz 1 Set	9306595	9,70	
		2 Stück Distanzbolzen variabel Gr. 53 und 63 mm 2 distance bolts size variable 53 and 63 mm	1 Satz 1 Set	9306596	11,00	
Aufbewahrungstasche Bag		für RUDcomfort Centrax SUV for RUDcomfort Centrax SUV	1 Stück 1 Piece	9299776	29,30	
Kompletter Adapter Complete adapter set		bestehend aus: 2 Stück Klemmstück 2 Stück Klemmhülse 2 Stück Distanzbolzen Gr. 28/43 2 Stück Distanzbolzen Gr. 53/63	Consisting of: 2 clamp pieces 2 clamping sleeves 2 distance bolts size 28/43 2 distance bolts size 53/63			
		für Schlüsselweite	For wrench size 17 mm	1 Satz 1 Set	9302033	54,30
		für Schlüsselweite	For wrench size 19 mm	1 Satz 1 Set	9302034	64,30
		für Schlüsselweite	For wrench size 21/22 mm	1 Satz 1 Set	9302035	64,30
		für Schlüsselweite	For wrench size 24 mm	1 Satz 1 Set	9304763	71,00
Set Verkürzer Set of shorteners		4 Stück PU-Verkürzer 4 PU shorteners 4 Stück Innensechskantschrauben 4 Allen screws M 4x30 4 Stück 6 Kt. Mutter M 4 4 hexagonal nuts M4	1 Satz 1 Set	9302042	8,50	
Grund- und Befestigungsplatte Base and fastening plat		1 Stück Grund- und Befestigungsplatte komplett 1 complete base and fastening plate	1 Stück 1 Piece	9303884	60,40	
Aufbewahrungssack PKW Ketten Bag		für alle RUD Seilketten for all RUD cable fitting snow chains	1 Stück 1 Piece	9307933	7,00	
Aufbewahrungssack PKW Ketten Bag		RUDcompact® ÖKOMat RUDcompact® ÖKOMat	1 Stück 1 Piece	9308350	15,00	
Aufbewahrungssack Nutzfahrzeug Ketten Profimontage Profi bag		Größe / Size 300 mm x 400 mm	1 Stück 1 Piece	8700749	19,00	
		Größe / Size 300 mm x 500 mm	1 Stück 1 Piece	8700750	19,00	
		Größe / Size 400 mm x 600 mm	1 Stück 1 Piece	8700751	29,00	
		Größe / Size 500 mm x 700 mm	1 Stück 1 Piece	8700752	29,00	

Lieferbedingungen für Ersatz- und Zubehörteile: Lieferung frei Haus ab Euro 125,00 (netto zzgl. MwSt.) Lieferwert. Darunter wird eine Versandkostenpauschale von Euro 10,00 (netto zzgl. MwSt.) berechnet. (Expressmehrkosten trägt der Besteller).
Delivery terms for spare parts and accessories: Free delivery for orders of 125 Euros (net plus VAT) or more. There is a flat delivery charge of 10 Euros for orders of less than 125 Euros (net plus VAT). The buyer bears the extra cost for express delivery.



Spezielle Ketten für Forsteinsätze.
**Entdecken Sie das umfangreiche
Forstketten- und Plattenbandprogramm.**

Special chains for forestry work.
Discover the forestry chain and
steel belt system program.





RUD Ketten
Rieger & Dietz GmbH u. Co. KG
Friedensinsel
73432 Aalen / Germany



Mehr Infos auf www.rud.com
More info on www.rud.com

Für Unterstützung schreiben Sie bitte an gl@rud.com / For support, please write to gli@rud.com

Preise gültig bis 31.03.2022.
Price valid until 31.03.2022.

